

CONTRACT BIDDING DOCUMENTS

FOR

DOOR REPLACEMENT PROJECT AT
3 SCHOOLS
(CONARD, SEDGWICK, AND WEBSTER HILL)

BID #200032



INFORMATION

DOOR REPLACEMENT PROJECT AT THREE (3) SCHOOLS

CONARD HIGH SCHOOL – 110 Beechwood Road

SEDGWICK MIDDLE SCHOOL – 128 Sedgwick Road

WEBSTER HILL ELEMENTARY SCHOOL – 125 Webster Hill Blvd

West Hartford, CT

Bid# 200032

ARCHITECT

ORAN MILLS, NCARB, LEED AP B+C Architect

OAKPARK ARCHITECTS LLC

312 Park Road, Suite 202

West Hartford, CT 06119

ENVIRONMENTALIST

JOHN LUBY

ENVIROMED SERVICES

470 Murdock Avenue

Meriden, CT 06450

PROJECT MANAGER

MIKE LONGO

FACILITIES MANAGER

ALL QUESTIONS TO

PURCHASING SERVICES

Tammy Bradley, Sr. Buyer

All questions must be submitted in writing and emailed to Tammyb@westhartfordCT.gov, at least seven calendar days prior to the date established for the opening of bids. Please do not call the Engineer/ Architect, Project Manager or Purchasing Office with questions.

00101

INSTRUCTIONS TO BIDDERS

- 00101 PROJECT INFORMATION PAGE
- 00102 TABLE OF CONTENTS
- 00103 PROJECT NARRATIVE
- 00104 LIST OF DRAWINGS
- 00105 LOCATION MAP
- 00106 WORK RULES
- 00107 NOISE ORDINANCE
- 00108 VENDOR REGISTRATION

BIDDING REQUIREMENTS AND FORMS

- 00201 INVITATION TO BID
- 00202 INSTRUCTIONS TO BIDDERS - AIA DOCUMENT A701-1997
- 00203 SUPPLEMENTARY INSTRUCTIONS TO BIDDERS
- 00204 BID FORMS

LABOR REQUIREMENTS

- 00303 CONTRACT LABOR RATES

GENERAL CONDITIONS

- 00401 GENERAL CONDITIONS - AIA DOCUMENT A201-2007
- 00402 SUPPLEMENTARY GENERAL CONDITIONS

SCOPE OF WORK ARE ON DRAWING

DIVISION 2- ABATEMENT

- 28213 – DOOR ABATEMENT
- 28216 - ASBESTOS ABATEMENT- 3 SCHOOLS

DIVISION 9 - FLOORING

- 96500 - RESILIENT FLOORING – 3 SCHOOLS

PROJECT NARRATIVE

The Town of West Hartford is seeking a qualified contractor to do remove several doors and install new ones at 3 locations. They as follows:

1. Conard High School, 110 Beechwood Road – 3 door openings
2. Sedgwick Middle School, 128 Sedgwick Road – 3 door openings
3. Webster Hill School, 125 Webster Hill Boulevard – 7 door openings

It will involve the demolishing and removal of the existing door assembly as describe by the architects drawings. Work must be coordinated with the school as not to interfere with their normal business routine and is anticipated to be substantially completed by August 1 and completed August 15th. The work area must be kept cleaned and free of hazards at all times.

The Scope of Work will consist of but not limited to the following installation:

- See Architect's drawing and manual.
- See Environmental drawings and manuals

All areas disturbed by construction shall be repaired and painted to match existing conditions.

All work must conform to all Federal, State and Local codes.

All necessary permits will be the responsibility of the contractor. Fees are waived.

LIST OF DRAWINGS

A - 010	GENERAL NOTES AND SPECIFICATIONS
A – 100	WEBSTER HILL
A – 101	SEDGWICK AND CONARD
A – 102	SCHEDULES AND DETAIL
C – DA1	SEDGWICK DOORS ABATEMENT
C – DA2	CONARD DOORS ABATEMENT
C – DA3	WEBSTER HILL DOORS ABATEMENT
C – DA4	WEBSTER HILL DOORS ABATEMENT

Conard High School, 110 Beechwood Road West Hartford



Property Information

Property ID 0311 2 110 0001
Location 110 BEECHWOOD ROAD
Owner TOWN OF WEST HARTFORD




MAP FOR REFERENCE ONLY
 NOT A LEGAL DOCUMENT


Town of West Hartford, CT makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Parcels updated 5/22/2015
 Properties updated Daily

00105



Webster Hill E.S. 125 Webster Hill BLVD



MAP FOR REFERENCE ONLY
NOT A LEGAL DOCUMENT

Town of West Hartford, CT makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Parcels updated 5/22/2015
Properties updated Daily

00105

General

1. Contractor, Supervisory, and Trades personnel will be required to be familiar with and adhere to the Project Work Rules. Failure to comply with the Work Rules may result in being banned from the project site.
2. The Contractor shall take direction only from the Capital Project Manager or their representative.
3. All construction activities that are disruptive to school operations (due to noise, vibration, dust, orders, etc.) shall occur outside regular school instructional hours.
4. Contractors shall not use Town-owned dumpsters for refuse disposal unless given prior written permission from the Town's capital projects manager.
5. No entry into the building is allowed without prior permission of the Town. When entry is granted each individual must sign in at the main office and obtain a visitor's badge.
6. Have staff available on site to receive and upload your materials whenever deliveries are made. If Contractor staff is not available the delivery will be refused.
7. The Contractor shall maintain, at the site, one copy of the drawings, specifications, addenda, change orders and other modifications, in good order and marked currently; and one copy of approved shop drawings, product data, samples and similar required submittals.
8. Maintain complete files of Material Safety Data Sheets (MSDS) on the jobsite.
9. The Owner does not provide secure storage for the Contractor's materials and tools.

Foreman/Supervisory Personnel

1. The Trade Foreman/Superintendent must be on the jobsite whenever their staff is on site. This includes subcontractor personnel.

All Contractor Personnel

1. Contractors, subcontractors, and all their personnel shall wear a uniform with the company's logo while on site.
2. For individuals working in school buildings or on school sites, the Contractors must conduct a criminal background check. Prior to working in any school building, the Contractor shall provide verification that their employees and subcontractors do not appear on any Sex Offender Registry.
3. Job hours are 7:00 AM to 3:30 PM for first shift and 3:30 PM to 11:00 PM for second shift. Additional time may be subject to custodial overtime charges of approximately \$40.00 per hour.

4. Materials deliveries or movement of construction vehicles is not permitted among buses and students during drop-off of pickup times 8:00-8:45 AM & 3:15-3:45 PM Monday, Tuesday, Thursday, Friday and 1:45-2:15 PM on Wednesday. Times vary among elementary, middle and high school and will be confirmed with the Contractor.
5. No alcohol or controlled substances are allowed on the school property.
6. No smoking is allowed within the building or on the school property.
7. No food is to be eaten in the building. All food-related trash is to be removed from the site at the end of each day.
8. Use of radios and other amplified sound systems is disruptive to building occupants and is not permitted during classroom instructional hours.
9. Clean up all work areas daily. Keep the job clean and debris free.
10. Coordinate your work with the work of other trades. Check preceding work prior to starting new work. Do not proceed unless preceding work is completely acceptable.
11. Protect your work at all times from damage.
12. Park in designated areas only. Keep parking areas accessible for emergency vehicles. Privately owned vehicles are not permitted in areas of construction.
13. Passenger elevators are not to be used by Contractors for transporting materials.

Safety

1. All work activities are to be planned with Safety as the #1 priority.
2. A copy of the Contractor's safety program shall be present at job site.
3. A first aid kit appropriate to the size of the work crew is to be provided by the Contractor
4. Appropriate fire extinguishing supplied by the Contractor shall be present at the work area.
5. All personnel in work areas will have, at a minimum, hard hats, safety glasses, work shoes, shirts with sleeves, and long pants. Hard hats have to have company and employees name.
6. No interruption of building services (e.g. power, water, fire alarm intercom, ventilation, heating, cooling, etc.) without prior coordination with, and permission from, the Owner.
7. No use of any tools, equipment or supplies, other than those supplied by the Contractor.

§ 123-2

NOISE

- L.** Noise created as a result of or relating to an emergency.
- M.** Noise generated by construction activity shall be exempted between the hours of 7:00 a.m. to one hour after sundown, Monday through Saturday.
- N.** Noise created by blasting other than that conducted in connection with construction activities shall be exempted, provided that the blasting is conducted between 8:00 a.m. and 5:00 p.m. local time at specified hours previously announced to the local public or provided that a permit for such blasting has been obtained from local authorities.
- O.** Noise created by on-site recreational or sporting activity which is sanctioned by the state or local government, provided that noise discharged from exhausts is adequately muffled to prevent loud and/or explosive noises therefrom.
- P.** Patriotic or public celebrations not extending longer than one calendar day.
- Q.** Noise created by aircraft.
- R.** Noise created by products undergoing test, where one of the primary purposes of the test is the evaluation of product noise characteristics and where practical noise control measures have been taken.
- S.** Noise generated by transmission facilities, distribution facilities and substations of public utilities providing electrical powers, telephone, cable television or other similar services and located on property which is not owned by the public utility and which may or may not be within utility easements.

TO ALL VENDORS DOING BUSINESS WITH WEST HARTFORD.

Please register in our new vendor self service center

Benefits to vendors include:

1. Notification of upcoming bids
2. Ability to see Purchase Orders and Contracts
3. Information regarding payments to you
4. The ability to update your company's information such as phone number and emails
5. The ability to provide us with all of the commodity codes for your company.

Please go to the following site

<https://selfservice.westhartfordct.gov/MSS/Vendors/default.aspx>

Create a user name and password for your company. Password must be at least 8 characters and contain a Capital and a lower case letter, a number and a symbol.

At the bottom of the page, fill in your vendor number (created by West Hartford) and your tax ID.

Your vendor number is printed on your check above your company name

Continue filling in required information. **Do not forget to choose commodity codes. These codes can be found under vendor information. We will notify you of upcoming bids by the codes that you have picked.**

In addition, please download a W9 from the resources icon on the upper right hand side of the page. Then scan and add it to the attachments under vendor information.

Please call 860-561-7471 if you have any questions.

Once registered, click on bids. To see bids "Accepting Proposals", click on status to sort. Any questions regarding bids please email tammyb@westhartfordct.gov. Thank you.

INVITATION TO BID

Sealed Bid Submissions marked “**DOOR REPLACEMENT AT 3 SCHOOLS (CONARD, SEDGWICK, AND WEBSTER HILL) BID #200032**” will be received at the office of the Purchasing Division, Room 223, Town Hall, 50 South Main Street, West Hartford, Connecticut until **3:00 PM on May 14, 2020** at which time they will be publicly* opened and read.

Plans and specifications are available for downloading at www.westhartfordct.gov/bids. Any questions concerning this request for bid shall be addressed to the Purchasing Agent at the address above.

A pre-bid conference will be held on **April 30, 2020 at 1:00 PM** starting at Sedgwick Middle School, 128 Sedgwick Road, West Hartford, CT, **(we will caravan to the other locations)** at which time questions concerning the project will be answered. Prospective bidders are expected to attend the pre-bid meeting as this will be the only opportunity to verbalize questions relative to this project and view the job site with the Town's project team. We will follow social distancing guidelines.

All Bidders must file with their bid a bid bond, certified or treasurer's check in the amount of 10% of the total of the base bid made payable to the Town of West Hartford.

Performance and Labor and Material Payment bonds in the amount of 100% of the contract price will be required of the successful bidder if the contract pursuant to this request for bids exceeds \$50,000.00.

No bid may be withdrawn for a period of ninety (90) days after the opening of bids without the approval and written consent of the Town of West Hartford.

The right is reserved to reject any and all bids, to waive any informalities in the bidding and to make awards in any manner that is the most beneficial to the Town.

*Bidders are encouraged to attend the Town's bid opening at which time the public is afforded an opportunity to record bid prices received in response to the Town's solicitation. Bidders who would like the results of the bid but are unable to attend the bid opening, may check the Town website, www.westhartfordct.gov/gov/departments/purchasing/bid_results a week after the bid opening date. Bidders calling the Purchasing Office for bid results will be referred to the above procedure.

*Due to COVID19, the Town Hall has restricted entry. For this bid, we are allowing for electronic submission along with hard copy submission. All participants must submit both. Hard copy must match electronic submission, the Town maintains the right to reject any bid that does not meet this criteria. Hard copies are to be received in the purchasing office no later than **12:00 noon on May 19, 2020**. They can be mailed or delivered. If delivered, the Town Hall has a number posted at its entry to call for receipt.

Electronic submissions are still required by **May 14, 2020 at 2:30 PM**. In order to provide an electronic submission you must be registered in our vendor database. Please see the vendor registration instructions. Once registered, you will gain access to the bid and the bid documents. Please follow the prompts when submitting your price structures. If you have questions regarding electronic submission, please do not hesitate to contact Tammy Bradley via email at tammyb@westhartfordct.gov.

TOWN OF WEST HARTFORD
PETER PRIVITERA
PURCHASING AGENT



AIA® Document A701™ – 2018

Instructions to Bidders

for the following Project:
(Name, location, and detailed description)

BID#200032 DOOR REPLACEMENT PROJECT AT THREE (3) SCHOOLS
CONARD HIGH SCHOOL – 110 Beechwood Road
SEDGWICK MIDDLE SCHOOL – 128 Sedgwick Road
WEBSTER HILL ELEMENTARY SCHOOL – 125 Webster Hill Blvd

THE OWNER:

(Name, legal status, address, and other information)

TOWN OF WEST HARTFORD
50 SOUTH MAIN STREET
WEST HARTFORD, CT 06107

THE ARCHITECT:

(Name, legal status, address, and other information)

OakPark Architects LLC
312 Park Road Suite 202
West Hartford, CT 06119

TABLE OF ARTICLES

1	DEFINITIONS
2	BIDDER'S REPRESENTATIONS
3	BIDDING DOCUMENTS
4	BIDDING PROCEDURES
5	CONSIDERATION OF BIDS
6	POST-BID INFORMATION
7	PERFORMANCE BOND AND PAYMENT BOND
8	ENUMERATION OF THE PROPOSED CONTRACT DOCUMENTS

ADDITIONS AND DELETIONS:

The author of this document has added information needed for its completion. The author may also have revised the text of the original AIA standard form. An *Additions and Deletions Report* that notes added information as well as revisions to the standard form text is available from the author and should be reviewed. A vertical line in the left margin of this document indicates where the author has added necessary information and where the author has added to or deleted from the original AIA text.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

FEDERAL, STATE, AND LOCAL LAWS MAY IMPOSE REQUIREMENTS ON PUBLIC PROCUREMENT CONTRACTS. CONSULT LOCAL AUTHORITIES OR AN ATTORNEY TO VERIFY REQUIREMENTS APPLICABLE TO THIS PROCUREMENT BEFORE COMPLETING THIS FORM.

It is intended that AIA Document G612™–2017, Owner's Instructions to the Architect, Parts A and B will be completed prior to using this document.

ARTICLE 1 DEFINITIONS

§ 1.1 Bidding Documents include the Bidding Requirements and the Proposed Contract Documents. The Bidding Requirements consist of the advertisement or invitation to bid, Instructions to Bidders, supplementary instructions to bidders, the bid form, and any other bidding forms. The Proposed Contract Documents consist of the unexecuted form of Agreement between the Owner and Contractor and that Agreement's Exhibits, Conditions of the Contract (General, Supplementary and other Conditions), Drawings, Specifications, all Addenda, and all other documents enumerated in Article 8 of these Instructions.

§ 1.2 Definitions set forth in the General Conditions of the Contract for Construction, or in other Proposed Contract Documents apply to the Bidding Documents.

§ 1.3 Addenda are written or graphic instruments issued by the Architect, which, by additions, deletions, clarifications, or corrections, modify or interpret the Bidding Documents.

§ 1.4 A Bid is a complete and properly executed proposal to do the Work for the sums stipulated therein, submitted in accordance with the Bidding Documents.

§ 1.5 The Base Bid is the sum stated in the Bid for which the Bidder offers to perform the Work described in the Bidding Documents, to which Work may be added or deleted by sums stated in Alternate Bids.

§ 1.6 An Alternate Bid (or Alternate) is an amount stated in the Bid to be added to or deducted from, or that does not change, the Base Bid if the corresponding change in the Work, as described in the Bidding Documents, is accepted.

§ 1.7 A Unit Price is an amount stated in the Bid as a price per unit of measurement for materials, equipment, or services, or a portion of the Work, as described in the Bidding Documents.

§ 1.8 A Bidder is a person or entity who submits a Bid and who meets the requirements set forth in the Bidding Documents.

§ 1.9 A Sub-bidder is a person or entity who submits a bid to a Bidder for materials, equipment, or labor for a portion of the Work.

ARTICLE 2 BIDDER'S REPRESENTATIONS

§ 2.1 By submitting a Bid, the Bidder represents that:

- .1 the Bidder has read and understands the Bidding Documents;
- .2 the Bidder understands how the Bidding Documents relate to other portions of the Project, if any, being bid concurrently or presently under construction;
- .3 the Bid complies with the Bidding Documents;
- .4 the Bidder has visited the site, become familiar with local conditions under which the Work is to be performed, and has correlated the Bidder's observations with the requirements of the Proposed Contract Documents;
- .5 the Bid is based upon the materials, equipment, and systems required by the Bidding Documents without exception; and
- .6 the Bidder has read and understands the provisions for liquidated damages, if any, set forth in the form of Agreement between the Owner and Contractor.

ARTICLE 3 BIDDING DOCUMENTS

§ 3.1 Distribution

§ 3.1.1 Bidders shall obtain complete Bidding Documents, as indicated below, from the issuing office designated in the advertisement or invitation to bid, for the deposit sum, if any, stated therein.

(Indicate how, such as by email, website, host site/platform, paper copy, or other method Bidders shall obtain Bidding Documents.)

§ 3.1.2 Any required deposit shall be refunded to Bidders who submit a bona fide Bid and return the paper Bidding Documents in good condition within ten days after receipt of Bids. The cost to replace missing or damaged paper documents will be deducted from the deposit. A Bidder receiving a Contract award may retain the paper Bidding Documents, and the Bidder's deposit will be refunded.

§ 3.1.3 Bidding Documents will not be issued directly to Sub-bidders unless specifically offered in the advertisement or invitation to bid, or in supplementary instructions to bidders.

§ 3.1.4 Bidders shall use complete Bidding Documents in preparing Bids. Neither the Owner nor Architect assumes responsibility for errors or misinterpretations resulting from the use of incomplete Bidding Documents.

§ 3.1.5 The Bidding Documents will be available for the sole purpose of obtaining Bids on the Work. No license or grant of use is conferred by distribution of the Bidding Documents.

§ 3.2 Modification or Interpretation of Bidding Documents

§ 3.2.1 The Bidder shall carefully study the Bidding Documents, shall examine the site and local conditions, and shall notify the Architect of errors, inconsistencies, or ambiguities discovered and request clarification or interpretation pursuant to Section 3.2.2.

§ 3.2.2 Requests for clarification or interpretation of the Bidding Documents shall be submitted by the Bidder in writing and shall be received by the Architect at least seven days prior to the date for receipt of Bids.

(Indicate how, such as by email, website, host site/platform, paper copy, or other method Bidders shall submit requests for clarification and interpretation.)

§ 3.2.3 Modifications and interpretations of the Bidding Documents shall be made by Addendum. Modifications and interpretations of the Bidding Documents made in any other manner shall not be binding, and Bidders shall not rely upon them.

§ 3.3 Substitutions

§ 3.3.1 The materials, products, and equipment described in the Bidding Documents establish a standard of required function, dimension, appearance, and quality to be met by any proposed substitution.

§ 3.3.2 Substitution Process

§ 3.3.2.1 Written requests for substitutions shall be received by the Architect at least ten days prior to the date for receipt of Bids. Requests shall be submitted in the same manner as that established for submitting clarifications and interpretations in Section 3.2.2.

§ 3.3.2.2 Bidders shall submit substitution requests on a Substitution Request Form if one is provided in the Bidding Documents.

§ 3.3.2.3 If a Substitution Request Form is not provided, requests shall include (1) the name of the material or equipment specified in the Bidding Documents; (2) the reason for the requested substitution; (3) a complete description of the proposed substitution including the name of the material or equipment proposed as the substitute, performance and test data, and relevant drawings; and (4) any other information necessary for an evaluation. The request shall include a statement setting forth changes in other materials, equipment, or other portions of the Work, including changes in the work of other contracts or the impact on any Project Certifications (such as LEED), that will result from incorporation of the proposed substitution.

§ 3.3.3 The burden of proof of the merit of the proposed substitution is upon the proposer. The Architect's decision of approval or disapproval of a proposed substitution shall be final.

§ 3.3.4 If the Architect approves a proposed substitution prior to receipt of Bids, such approval shall be set forth in an Addendum. Approvals made in any other manner shall not be binding, and Bidders shall not rely upon them.

§ 3.3.5 No substitutions will be considered after the Contract award unless specifically provided for in the Contract Documents.

§ 3.4 Addenda

§ 3.4.1 Addenda will be transmitted to Bidders known by the issuing office to have received complete Bidding Documents.

(Indicate how, such as by email, website, host site/platform, paper copy, or other method Addenda will be transmitted.)

§ 3.4.2 Addenda will be available where Bidding Documents are on file.

§ 3.4.3 Addenda will be issued no later than four days prior to the date for receipt of Bids, except an Addendum withdrawing the request for Bids or one which includes postponement of the date for receipt of Bids.

§ 3.4.4 Prior to submitting a Bid, each Bidder shall ascertain that the Bidder has received all Addenda issued, and the Bidder shall acknowledge their receipt in the Bid.

ARTICLE 4 BIDDING PROCEDURES

§ 4.1 Preparation of Bids

§ 4.1.1 Bids shall be submitted on the forms included with or identified in the Bidding Documents.

§ 4.1.2 All blanks on the bid form shall be legibly executed. Paper bid forms shall be executed in a non-erasable medium.

§ 4.1.3 Sums shall be expressed in both words and numbers, unless noted otherwise on the bid form. In case of discrepancy, the amount entered in words shall govern.

§ 4.1.4 Edits to entries made on paper bid forms must be initialed by the signer of the Bid.

§ 4.1.5 All requested Alternates shall be bid. If no change in the Base Bid is required, enter "No Change" or as required by the bid form.

§ 4.1.6 Where two or more Bids for designated portions of the Work have been requested, the Bidder may, without forfeiture of the bid security, state the Bidder's refusal to accept award of less than the combination of Bids stipulated by the Bidder. The Bidder shall neither make additional stipulations on the bid form nor qualify the Bid in any other manner.

§ 4.1.7 Each copy of the Bid shall state the legal name and legal status of the Bidder. As part of the documentation submitted with the Bid, the Bidder shall provide evidence of its legal authority to perform the Work in the jurisdiction where the Project is located. Each copy of the Bid shall be signed by the person or persons legally authorized to bind the Bidder to a contract. A Bid by a corporation shall further name the state of incorporation and have the corporate seal affixed. A Bid submitted by an agent shall have a current power of attorney attached, certifying the agent's authority to bind the Bidder.

§ 4.1.8 A Bidder shall incur all costs associated with the preparation of its Bid.

§ 4.2 Bid Security

§ 4.2.1 Each Bid shall be accompanied by the following bid security:

(Insert the form and amount of bid security.)

§ 4.2.2 The Bidder pledges to enter into a Contract with the Owner on the terms stated in the Bid and shall, if required, furnish bonds covering the faithful performance of the Contract and payment of all obligations arising thereunder. Should the Bidder refuse to enter into such Contract or fail to furnish such bonds if required, the amount of the bid security shall be forfeited to the Owner as liquidated damages, not as a penalty. In the event the Owner fails to comply with Section 6.2, the amount of the bid security shall not be forfeited to the Owner.

§ 4.2.3 If a surety bond is required as bid security, it shall be written on AIA Document A310™, Bid Bond, unless otherwise provided in the Bidding Documents. The attorney-in-fact who executes the bond on behalf of the surety shall affix to the bond a certified and current copy of an acceptable power of attorney. The Bidder shall provide surety bonds from a company or companies lawfully authorized to issue surety bonds in the jurisdiction where the Project is located.

§ 4.2.4 The Owner will have the right to retain the bid security of Bidders to whom an award is being considered until (a) the Contract has been executed and bonds, if required, have been furnished; (b) the specified time has elapsed so that Bids may be withdrawn; or (c) all Bids have been rejected. However, if no Contract has been awarded or a Bidder has not been notified of the acceptance of its Bid, a Bidder may, beginning days after the opening of Bids, withdraw its Bid and request the return of its bid security.

§ 4.3 Submission of Bids

§ 4.3.1 A Bidder shall submit its Bid as indicated below:

(Indicate how, such as by website, host site platform, paper copy, or other method Bidders shall submit their Bid.)

§ 4.3.2 Paper copies of the Bid, the bid security, and any other documents required to be submitted with the Bid shall be enclosed in a sealed opaque envelope. The envelope shall be addressed to the party receiving the Bids and shall be identified with the Project name, the Bidder's name and address, and, if applicable, the designated portion of the Work for which the Bid is submitted. If the Bid is sent by mail, the sealed envelope shall be enclosed in a separate mailing envelope with the notation "SEALED BID ENCLOSED" on the face thereof.

§ 4.3.3 Bids shall be submitted by the date and time and at the place indicated in the invitation to bid. Bids submitted after the date and time for receipt of Bids, or at an incorrect place, will not be accepted.

§ 4.3.4 The Bidder shall assume full responsibility for timely delivery at the location designated for receipt of Bids.

§ 4.3.5 A Bid submitted by any method other than as provided in this Section 4.3 will not be accepted.

§ 4.4 Modification or Withdrawal of Bid

§ 4.4.1 Prior to the date and time designated for receipt of Bids, a Bidder may submit a new Bid to replace a Bid previously submitted, or withdraw its Bid entirely, by notice to the party designated to receive the Bids. Such notice shall be received and duly recorded by the receiving party on or before the date and time set for receipt of Bids. The receiving party shall verify that replaced or withdrawn Bids are removed from the other submitted Bids and not considered. Notice of submission of a replacement Bid or withdrawal of a Bid shall be worded so as not to reveal the amount of the original Bid.

§ 4.4.2 Withdrawn Bids may be resubmitted up to the date and time designated for the receipt of Bids in the same format as that established in Section 4.3, provided they fully conform with these Instructions to Bidders. Bid security shall be in an amount sufficient for the Bid as resubmitted.

§ 4.4.3 After the date and time designated for receipt of Bids, a Bidder who discovers that it made a clerical error in its Bid shall notify the Architect of such error within two days, or pursuant to a timeframe specified by the law of the jurisdiction where the Project is located, requesting withdrawal of its Bid. Upon providing evidence of such error to the reasonable satisfaction of the Architect, the Bid shall be withdrawn and not resubmitted. If a Bid is withdrawn pursuant to this Section 4.4.3, the bid security will be attended to as follows:

(State the terms and conditions, such as Bid rank, for returning or retaining the bid security.)

ARTICLE 5 CONSIDERATION OF BIDS

§ 5.1 Opening of Bids

If stipulated in an advertisement or invitation to bid, or when otherwise required by law, Bids properly identified and received within the specified time limits will be publicly opened and read aloud. A summary of the Bids may be made available to Bidders.

§ 5.2 Rejection of Bids

Unless otherwise prohibited by law, the Owner shall have the right to reject any or all Bids.

§ 5.3 Acceptance of Bid (Award)

§ 5.3.1 It is the intent of the Owner to award a Contract to the lowest responsive and responsible Bidder, provided the Bid has been submitted in accordance with the requirements of the Bidding Documents. Unless otherwise prohibited by law, the Owner shall have the right to waive informalities and irregularities in a Bid received and to accept the Bid which, in the Owner's judgment, is in the Owner's best interests.

§ 5.3.2 Unless otherwise prohibited by law, the Owner shall have the right to accept Alternates in any order or combination, unless otherwise specifically provided in the Bidding Documents, and to determine the lowest responsive and responsible Bidder on the basis of the sum of the Base Bid and Alternates accepted.

ARTICLE 6 POST-BID INFORMATION

§ 6.1 Contractor's Qualification Statement

Bidders to whom award of a Contract is under consideration shall submit to the Architect, upon request and within the timeframe specified by the Architect, a properly executed AIA Document A305™, Contractor's Qualification Statement, unless such a Statement has been previously required and submitted for this Bid.

§ 6.2 Owner's Financial Capability

A Bidder to whom award of a Contract is under consideration may request in writing, fourteen days prior to the expiration of the time for withdrawal of Bids, that the Owner furnish to the Bidder reasonable evidence that financial arrangements have been made to fulfill the Owner's obligations under the Contract. The Owner shall then furnish such reasonable evidence to the Bidder no later than seven days prior to the expiration of the time for withdrawal of Bids. Unless such reasonable evidence is furnished within the allotted time, the Bidder will not be required to execute the Agreement between the Owner and Contractor.

§ 6.3 Submittals

§ 6.3.1 After notification of selection for the award of the Contract, the Bidder shall, as soon as practicable or as stipulated in the Bidding Documents, submit in writing to the Owner through the Architect:

- .1 a designation of the Work to be performed with the Bidder's own forces;
- .2 names of the principal products and systems proposed for the Work and the manufacturers and suppliers of each; and
- .3 names of persons or entities (including those who are to furnish materials or equipment fabricated to a special design) proposed for the principal portions of the Work.

§ 6.3.2 The Bidder will be required to establish to the satisfaction of the Architect and Owner the reliability and responsibility of the persons or entities proposed to furnish and perform the Work described in the Bidding Documents.

§ 6.3.3 Prior to the execution of the Contract, the Architect will notify the Bidder if either the Owner or Architect, after due investigation, has reasonable objection to a person or entity proposed by the Bidder. If the Owner or Architect has reasonable objection to a proposed person or entity, the Bidder may, at the Bidder's option, withdraw the Bid or submit an acceptable substitute person or entity. The Bidder may also submit any required adjustment in the Base Bid or Alternate Bid to account for the difference in cost occasioned by such substitution. The Owner may accept the adjusted bid price or disqualify the Bidder. In the event of either withdrawal or disqualification, bid security will not be forfeited.

§ 6.3.4 Persons and entities proposed by the Bidder and to whom the Owner and Architect have made no reasonable objection must be used on the Work for which they were proposed and shall not be changed except with the written consent of the Owner and Architect.

ARTICLE 7 PERFORMANCE BOND AND PAYMENT BOND

§ 7.1 Bond Requirements

§ 7.1.1 If stipulated in the Bidding Documents, the Bidder shall furnish bonds covering the faithful performance of the Contract and payment of all obligations arising thereunder.

§ 7.1.2 If the furnishing of such bonds is stipulated in the Bidding Documents, the cost shall be included in the Bid. If the furnishing of such bonds is required after receipt of bids and before execution of the Contract, the cost of such bonds shall be added to the Bid in determining the Contract Sum.

§ 7.1.3 The Bidder shall provide surety bonds from a company or companies lawfully authorized to issue surety bonds in the jurisdiction where the Project is located.

§ 7.1.4 Unless otherwise indicated below, the Penal Sum of the Payment and Performance Bonds shall be the amount of the Contract Sum.

(If Payment or Performance Bonds are to be in an amount other than 100% of the Contract Sum, indicate the dollar amount or percentage of the Contract Sum.)

§ 7.2 Time of Delivery and Form of Bonds

§ 7.2.1 The Bidder shall deliver the required bonds to the Owner not later than three days following the date of execution of the Contract. If the Work is to commence sooner in response to a letter of intent, the Bidder shall, prior to commencement of the Work, submit evidence satisfactory to the Owner that such bonds will be furnished and delivered in accordance with this Section 7.2.1.

§ 7.2.2 Unless otherwise provided, the bonds shall be written on AIA Document A312, Performance Bond and Payment Bond.

§ 7.2.3 The bonds shall be dated on or after the date of the Contract.

§ 7.2.4 The Bidder shall require the attorney-in-fact who executes the required bonds on behalf of the surety to affix to the bond a certified and current copy of the power of attorney.

ARTICLE 8 ENUMERATION OF THE PROPOSED CONTRACT DOCUMENTS

§ 8.1 Copies of the proposed Contract Documents have been made available to the Bidder and consist of the following documents:

- .1 AIA Document A101™–2017, Standard Form of Agreement Between Owner and Contractor, unless otherwise stated below.
(Insert the complete AIA Document number, including year, and Document title.)
- .2 AIA Document A101™–2017, Exhibit A, Insurance and Bonds, unless otherwise stated below.
(Insert the complete AIA Document number, including year, and Document title.)
- .3 AIA Document A201™–2017, General Conditions of the Contract for Construction, unless otherwise stated below.
(Insert the complete AIA Document number, including year, and Document title.)
- .4 AIA Document E203™–2013, Building Information Modeling and Digital Data Exhibit, dated as indicated below:
(Insert the date of the E203-2013.)
- .5 Drawings

	Number	Title	Date	
.6	Specifications			
	Section	Title	Date	Pages
.7	Addenda:			
	Number	Date	Pages	
.8	Other Exhibits:			
	<i>(Check all boxes that apply and include appropriate information identifying the exhibit where required.)</i>			
	<input type="checkbox"/>	AIA Document E204™-2017, Sustainable Projects Exhibit, dated as indicated below: <i>(Insert the date of the E204-2017.)</i>		
	<input type="checkbox"/>	The Sustainability Plan:		
	Title	Date	Pages	
	<input type="checkbox"/>	Supplementary and other Conditions of the Contract:		
	Document	Title	Date	Pages
.9	Other documents listed below:			
	<i>(List here any additional documents that are intended to form part of the Proposed Contract Documents.)</i>			

INSTRUCTIONS TO BIDDERS

AIA Document A701, "Instructions to Bidders", 2018 Edition, American Institute of Architects, Articles 1 through 8, are bound herein and are hereby made a part of the Contract Documents, and shall apply to all Contractors and Subcontractors.

SUPPLEMENTARY INSTRUCTIONS TO BIDDERS

Certain Articles of the AIA Instructions to Bidders are revised or replaced by requirements of the Supplementary Instructions, listed below. Such revisions are replacements and shall take precedence over the AIA Instructions to Bidders.

The Following Articles, revised paragraphs, and clauses have the same numerical designations occurring in the AIA Instructions to Bidders, and all additions follow in direct numbered sequence.

Article 1 - Definition

- 1.3 Delete paragraph 1.3 in its' entirety and substitute the following: Addenda are written or graphic instruments issued by the Architect and distributed by the Owner prior to the bid opening which modify or interpret the Bidding Documents by additions, deletions, clarifications or corrections.

Article 2 - Bidder's Representation

Add the following as paragraphs 2.2 and 2.3

- 2.2 A pre-bid conference may be held prior to bidding, at which time all interested parties are requested to attend. The intent of the project and Bidding Documents will be discussed. There will be a question and answer period, during which time prospective bidders are invited to request clarification or interpretation of any and all parts of the Bidding Documents. See Invitation to Bid for date, time, and location of Conference.
- 2.3 Guided tours of the Project Site, at the discretion of the owner, may be conducted prior to the pre-bid conference. Questions and or requests for clarification will not be addressed while the tour is being conducted.

ARTICLE 3 - BIDDING DOCUMENTS

- 3.1.1: Delete second sentence and substitute with the following:

Refer to instructions on Invitation to Bid Page 00201-1.

3.1.2: Delete Paragraph 3.1.2.

3.2.2: Delete the word "Architect" and substitute the word "Owner".

3.3.4: Delete paragraph 3.3.4 in its entirety and substitute with the following:

After the award of the Contract, no substitutions will be considered for the brands specified, except upon written request of the Contractor and written approval by the Architect and Owner. Substitutions shall be submitted in accordance with the requirements listed in Article 3.3.2.

3.3.5: Delete paragraph 3.3.5 in its entirety and substitute with the following:

Approval by the Owner and the Architect of any such substitution shall not relieve the Contractor requesting the substitution of any responsibility for additional costs incurred by other trades for changes made necessary to accommodate the substituted item.

3.4.1: Delete paragraph 3.4.1 in its entirety and substitute with the following:

Addenda will be issued by the Owner and will be mailed to all who are known by the Owner to have received a completed set of Bidding Documents.

ARTICLE 4 - BIDDING PROCEDURES

4.1.6: Add the following words to the beginning of paragraph - "Unless otherwise provided in the Contract Bidding Documents".

4.1.7: Delete paragraph 4.1.7 in its entirety and substitute with the following:

Each copy of the Bid shall include the legal name of the bidder and a statement that the Bidder is a sole proprietor, partnership, corporation or other legal entity. Each copy shall be signed by the person or persons legally authorized to bind the Bidder to a contract. A Bid by a corporation shall further give the state of incorporation and, if the Owner so requests, have the corporate seal affixed. A Bid submitted by an agent shall have a current power of attorney attached certifying the agent's authority to bind the Bidder.

4.2.3: Delete paragraph 4.2.3 in its entirety and substitute with the following:

Surety Bonds shall be written on forms substantially similar in content to AIA Document A310, and executed by a company authorized to transact business within the State of Connecticut, and the attorney-in-fact who executes the Bond on behalf of the Surety shall affix to the Bond a certified and current copy of his power of attorney.

ARTICLE 5 - CONSIDERATION OF BID

5.1.1: Add new paragraph 5.1.1 as follows:

Bidders are encouraged to attend the Town's bid opening at which time the public is afforded an opportunity to record bid prices received in response to the Town's solicitation. Bidders who would like the results of the bid but are unable to attend the bid opening must submit with their bid a self-addressed stamped envelope and note requesting a copy of the bid results. **BIDDERS CALLING THE PURCHASING OFFICE FOR BID RESULTS WILL BE REFERRED TO THE ABOVE PROCEDURE.**

5.3.1: Delete 1st sentence and substitute the following:

It is the intent of the Owner to award a Contract to the bidder providing the best value to the Owner and is in accordance with requirements of the Bidding Documents and does not exceed the funds available.

5.3.3: Add new paragraph 5.3.3 as follows:

The Owner in awarding the Contract shall be guided by pertinent provisions of the "Town Charter" and "Code of Ordinances".

5.3.4: Add new paragraph 5.3.4 as follows:

A Bid may be rejected if the Bidder cannot show that he has the necessary supervisory staff, labor, capital, materials, machinery and resources to commence the work at the time prescribed and thereafter to prosecute and complete the Work at the rate or time specified; and that he is not already obligated for other work which would delay the commencement, prosecution, or completion of this work. A Bid may also be rejected if the bidder has previously failed to complete a contract within the time required, had previously performed similar work in an unsatisfactory manner, or in the judgment of the Owner is deemed unable to satisfactorily perform the Work.

5.3.5: Add new paragraph 5.3.5 as follows:

Prior to the award of a Contract, if so requested, Bidders must present satisfactory evidence that they have been regularly engaged in the business of doing such Work as they propose to execute and that they are prepared with the necessary supervisory staff, labor, capital, materials, and machinery, resources and responsibilities to conduct and complete the work to be contracted for in accordance with the Contract Documents and to begin it promptly when ordered.

ARTICLE 6 - POST BID INFORMATION

6.3.3: Delete paragraph 6.3.3 in its entirety and substitute with the following:

Prior to the award of the Contract, the Owner will notify the Bidder in writing if either the Owner or the Architect, after due investigation, has a reasonable objection to any such proposed person or entity. If the Owner or Architect has reasonable objection to any such proposed person or entity, the Bidder may, at his option, (1) withdraw his Bid, or (2) submit an acceptable substitute person or entity. In the event of withdrawal under this sub-paragraph, Bid Security will not be forfeited, notwithstanding the provisions of Paragraph 4.4.1.

ARTICLE 7 - PERFORMANCE BOND AND PAYMENT BOND

7.1.1: Delete paragraph 7.1.1 in its entirety and substitute with the following:

If the amount of the Contract to be awarded is Fifty Thousand Dollars (\$50,000) or more, the successful Contract Bidder shall furnish and pay for Surety in the full amount of the Contract. This Bond shall provide 100% security for faithful performance and for payment of all persons performing labor or furnishing materials in connection with this Contract and shall be executed by a company authorized to transact business within the State of Connecticut.

The Contractor shall increase the principal amount of the performance and labor and materials payments bond(s) in direct proportion to any increase in the value of the Contract resulting from such change orders.

7.2.1: Delete paragraph 7.2.1 and substitute the following:

The Bidder shall deliver the required bonds to the Owner prior to execution of a contract and not later than (5) five days from notice of the Owner's intent to award the Contract to the bidder.

ARTICLE 9 - SUPPLEMENTARY INSTRUCTIONS

9.1: Add new paragraph 9.1 as follows:

9.1.1 - The Contractor shall agree that, except in the case of bona fide occupational qualification or need, neither he nor his Subcontractors and/or agents will refuse to hire or employ, or will bar or discharge from employment, or will otherwise discriminate against any individual in compensation or in terms, conditions, or privileges of employment because of race, color, national origin, ancestry, present or past history of mental disorder, mental retardation, or physical disability, including, but not limited to, blindness.

9.1.2 - The Contractor shall further agree that neither he nor his subcontractors and/or agents will discharge, expel, or otherwise discriminate against any person because he/she has opposed any discriminatory employment practice or because he has filed a complaint or testified or assisted in any proceeding under Connecticut General Statutes Sections 46a-82, 46a-83, or 46a-84 or as may be amended.

9.1.3 - The Contractor shall further agree that, except in the case of a bona fide occupational qualification or need, neither he nor his subcontractors and/or agents will advertise employment opportunities in such manner as to restrict such employment so as to discriminate against individuals because of their race, color, religious creed, age, sex, marital status, national origin, ancestry, present or past history of mental disorder, mental retardation or physical disability, including, but not limited to, blindness.

9.1.4 - The terms used in paragraphs 9.1.1, 9.1.2, and 9.1.3 shall have the definitions set forth in Connecticut General Statutes Section 46a-51 or as may be amended.

9.1.5 - The Contractor further agrees, for himself, his subcontractors, and agents, not to otherwise discriminate or permit discrimination against any person or group of persons on the grounds of race, color, religious creed, age, sex, marital status, national origin, ancestry, present or past history of mental disorder, mental retardation or physical disability (including but not limited to blindness) in any manner prohibited by the laws and regulations of the United States, State of Connecticut or Town of West Hartford.

9.2: Add new paragraph 9.2 as follows:

Time: The Contractor to whom this Contract may be awarded, will be required to commence work at the site within ten (10) days of Contract signing unless, otherwise indicated in the sample AIA Standard Form of Agreement Form A101. The work shall be executed diligently thereafter and shall be completed in accordance with the Contract Documents.

9.3: Add new paragraph 9.3 as follows:

The Bidder is directed to the Bid Forms for additional information, instructions, qualifications and requirements.

END OF SUPPLEMENTARY INSTRUCTIONS TO BIDDERS

(Section updated 3/20)

Bid of _____, BIDDER,
(Name of Bidder)

**FOR “DOOR REPLACEMENT AT 3 SCHOOLS (CONARD, SEDGWICK, AND WEBSTER HILL)
BID #200032” FOR THE TOWN OF WEST HARTFORD, CONNECTICUT.**

To: Town of West Hartford
Peter Privitera, Purchasing Agent
Purchasing Services

The undersigned proposes to furnish all labor, materials and equipment, and to perform all work described in the Contract Bidding Documents for **DOOR REPLACEMENT AT 3 SCHOOLS (CONARD, SEDGWICK, AND WEBSTER HILL) BID #200032** in accordance with the Contract Bidding Documents for the amounts shown herein under Schedule of Bids.

Receipt acknowledged of the following addenda:

Addendum No. _____	Dated _____
Addendum No. _____	Dated _____
Addendum No. _____	Dated _____
Addendum No. _____	Dated _____
Addendum No. _____	Dated _____
Addendum No. _____	Dated _____

It is understood and agreed that the Owner has the privilege of rejecting any or all Bids and of waiving informality in any Bid.

It is further understood and agreed that this Bid shall be irrevocable for ninety (90) calendar days after Bid receipt date.

SCHEDULE OF BIDS

1. Base Bid No. 1 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for **DOOR REPLACEMENT AT ALL 3 SCHOOLS (CONARD, SEDGWICK, AND WEBSTER HILL) BID #200032 (combo of all 3 schools)**

for the lump sum of _____
_____ Dollars (\$ _____)

2. Bid Alternate No. 1 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for **DOOR REPLACEMENT AT CONARD only**

for the lump sum of _____
_____ Dollars (\$ _____)

3. Bid Alternate No. 2 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for **DOOR REPLACEMENT AT SEDGWICK only**

for the lump sum of _____
_____ Dollars (\$ _____)

4. Bid Alternate No. 3 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for **DOOR REPLACEMENT AT WEBSTER HILL only**

for the lump sum of _____
_____ Dollars (\$ _____)

CONTRACT TIME

The undersigned Bidder will accomplish all Work required by the Contract Bidding Documents and will provide Substantial completion by **August 14, 2020**, and will provide the Project, ready for Final Completion, by **August 21, 2020**.

BIDDER QUALIFICATIONS

A: If the Bidder is a Corporation, fill out:

The Bidder is a Corporation, organized under the laws of _____, having its principal office at _____.
The Principal Officers of said Corporation, with their titles and addresses, are as follows:

All persons interested in the Bid as principals are to be named above.

B. Bid must be accompanied by either a certified check, treasurer's check or a Bid Bond, as provided in the Invitation to Bid. If a check is enclosed herein, fill out the following:

_____ (Name of Bank)	_____ (Address of Bank)	_____ (Amount of Check)
-------------------------	----------------------------	----------------------------

C. Attached hereto are two forms entitled "Summary of Work History". The Bidder is required to complete Form 1 and 2.

- D. The Bidder is required to submit a Certificate of Insurance in amounts and types specified in Insurance Exhibit or provide a letter from the Bidder's insurance agent or broker that such insurance is obtainable at the time of execution of the Agreement and that a Certificate of Insurance shall be provided to that effect not later than the date of Contract signing. (See page #00204-7)
- E. Contract award will be by AIA Agreement Form 101. A copy of the AIA Form 101 is included for the Bidder's information. The parties shall enter into an Agreement in substantially the same form as the attached subject to technical and other modifications as the parties mutually agree. A purchase order shall be issued by the Town subsequent to the execution of the Agreement.
- F. The Contractor by executing this Bid agrees and represents that no person acting for or employed by the Town of West Hartford is directly or indirectly interested in the Bid or proposed Agreement or in the supplies or works to which it relates, or will receive any part of the profit or any commission there from in any manner which is unethical or contrary to the best interest of the Owner.
- G. The Contractor agrees and warrants that in the performance of this Contract it will not discriminate or permit discrimination against any person or group of persons on the grounds of sex, race, color, religion, age, marital status, ancestry, national origin, past history of mental disorder, mental retardation or physical disability or other basis in any manner prohibited by the laws of the United States, the State of Connecticut, or the Town of West Hartford.
- H. The Contractor shall employ a full time, on-the-job Project Superintendent as his representative.
- I. The Contractor and/or Subcontractor offers and agrees to assign to the Town of West Hartford and/or the West Hartford Board of Education all rights, titles and interest in all causes of action it may have under Section 4 of the Clayton Act., 15 U.S.C. Section 15, or under Connecticut General Statutes 35-24 et. seq., as amended, arising out of the purchase of services, property, or intangibles of any kind pursuant to the Agreement, or Subcontracts thereunder. This assignment shall be made and become effective at the time the Town/Board awards or accepts such Agreement, without further acknowledgment by the parties. In the alternative, at the option of the Town, the Contractor and/or Subcontractor agrees to pay to the Town its proportionate share of recoveries for anti-trust violations which relate to purchases pursuant to this Contract, or Subcontracts hereunder. The Contractor and/or Subcontractor agrees promptly to notify the Purchasing Agent of the Town of West Hartford of suspected anti-trust violations and claims.

- J. The Bidder is aware of and agrees that, if awarded an Agreement, he is bound by the Indemnification and Insurance Exhibit.
- K. Substantial completion must be achieved by **August 14, 2020** and final completion must be achieved by **August 21, 2020**. The Contractor shall pay the Owner liquidated damages in the amount of Three Hundred Dollars (\$300.00) per calendar day, which sum is hereby agreed upon, and shall be assessed not as a penalty, but as liquidated damages which the Owner shall suffer by reason of such default. The Owner and Contractor shall acknowledge that failure to effect substantial completion as noted above will precipitate inconvenience and disruption. The Owner and Contractor shall acknowledge that such damages are uncertain or difficult to prove and that the amounts established herein are reasonable assessment of these damages.

BIDDER:

COMPANY

Bidder must sign. Failure to provide an original signature will result in rejection of the bid.

®

SIGNATURE BY DULY AUTHORIZED
(SEAL)

PRINT OR TYPE NAME

The bidder agrees that by affixing their signature to this request for bids, the authorized signatory grants approval to the Town of West Hartford to obtain third party credit reports for the purpose of assessing the financial capacity of the business entity tendering such bid to the Town.

TITLE

DATE

ADDRESS

TELEPHONE

FAX #

E-MAIL

VENDOR FEIN #

BID FORMS TO BE SUBMITTED IN DUPLICATE

If you are not registered with the Town of West Hartford, please go to <https://selfservice.westhartfordct.gov/MSS/Vendors/default.aspx> and select register. Only registered vendors can be awarded the contract.

00204-6

TO: Town of West Hartford
Peter Privitera
Purchasing Agent

FROM:

CLIENT:

DATE:

Dear Mr. Privitera:

In accordance with page 00204-3, Paragraph D of the "Bid Form", please be advised that my client currently has or will have by the date of the execution of the Agreement for this project, a Certificate of Insurance in amounts and types as specified in Article 11 of the Supplementary General Conditions.

Signature
Authorized Agent or Broker

SUMMARY OF WORK HISTORY

- 2. The bidder is further required to furnish a complete list of all projects for which he has signed a construction contract within the past 36 months.**

[illegible]

Bid Form

00204-9

**Indemnification and Insurance Exhibit
Contractor Services w/Env-Hzmt
Bugbee Auditorium Exterior Wall Replacement**

For purpose of this Exhibit, the term "Contractor" shall also include their respective officers, agents, representatives, employees, and contractors of any tier; and the term "Town of West Hartford and West Hartford Board of Education" (hereinafter called the "Town") shall include their respective boards, commissions, officers, officials, employees, agents, representatives, and volunteers.

I. INDEMNIFICATION

- A. To the fullest extent permitted by law, the Contractor shall release, defend, indemnify, and hold harmless the Town of West Hartford, West Hartford Board of Education, and their respective boards, commissions, officers, officials, employees, agents, representatives and volunteers from any and all liabilities resulting from suits, claims, losses, damages, costs (including without limitation reasonable attorneys' fees), compensation, penalties, fines, liabilities or judgments of any name or nature for bodily injury, sickness, disease, or death; and/or damage to or destruction of real and/or personal property; and/or financial losses (including, without limitation, those caused by loss of use) sustained by any person or concern, including officers, employees, agents, contractors of any tier, or volunteers of the Town of West Hartford and West Hartford Board of Education, or the Contractor, or by the public, caused in whole or in part by any and all negligent or intentional acts, errors or omissions of the Contractor, its officers, agents, contractors of any tier, or anyone directly or indirectly employed by them arising from or related to the performance of this Contract .
- B. To the fullest extent permitted by law, the Contractor shall release, defend, indemnify, and hold harmless the Town of West Hartford, West Hartford Board of Education, and their respective boards, commissions, officers, officials, employees, agents, representatives and volunteers from any and all suits, claims, damages, costs, (including without limitation reasonable attorneys' fees), compensation, penalties, fines, liabilities or judgments that may arise out of the failure of the Contractor, its officers, agents, contractors of any tier, or anyone directly or indirectly employed by them to comply with any laws, statutes, ordinances, building codes, and rules and regulations of the United States of America, the State of Connecticut, the Town of West Hartford, or their respective agencies.
- C. To the fullest extent permitted by law, the Contractor agrees to defend, indemnify and hold harmless Town of West Hartford, West Hartford Board of Education, and their respective boards, commissions, officers, officials, employees, agents, representatives and volunteers from any and all suits, claims, losses, damages, costs (including, without limitation, reasonable attorney's fees), compensations, penalties, fines, liabilities or judgments, on account of or in connection with any death of person or injury, loss or damage to any person, property, or to the environment, arising out of the activity of the type contemplated by this Contract, whether or not said activity complies strictly with the requirements of this Contract and, arises out of or in connection with;
 - a. the violation or breach, by any employee or person acting on behalf of the Contractor of any federal, state, or local environmental statute, rule, regulation, ordinance, or other law or any provision or requirement of the Contract dealing with hazardous substances or protection of the environment; or
 - b. the release or discharge, onto any public or private property, of any hazardous substances, regardless of the source of such hazardous substances, by any employee or person acting on behalf of the Contractor; or
 - c. the subsequent storage, processing or other handling of such hazardous substances by any person or entity after they have been removed by the Contractor or persons acting on the Contractor's behalf.
- D. This duty to indemnify shall not be constrained or affected by the Contractor's insurance coverage or limits, or any other portion of the Contract relating to insurance requirements. It's agreed that the Contractor's responsibilities and obligations to indemnify shall survive the completion, expiration, suspension or termination of the Contract.

II. INSURANCE

A. Insurance Requirements

1. The Contractor shall obtain and maintain at its own cost and expense all the insurance described below continuously for the duration of the Contract, including any and all extensions, except as defined otherwise in this Exhibit.
2. Contractor's policies shall be written by insurance companies authorized to do business in the State of Connecticut, with a Best's rating of no less than A:VII, or otherwise approved by the Town.
3. All policies (with the exception of Worker's Compensation) shall be endorsed to include the Town of West Hartford, West Hartford Board of Education, and their respective boards, commissions, officers, officials, employees, agents, representatives, and volunteers as an Additional Insured. The coverage shall include, but not be limited to, investigation, defense, settlement, judgment or payment of any legal liability. Blanket Additional Insured Endorsements are acceptable. Any Insured vs. Insured language shall be amended to eliminate any conflicts or coverage restrictions between the respective Insureds.
4. When the Town or the Contractor is damaged by failure of the Contractor to purchase or maintain insurance required under this Exhibit, the Contractor shall bear all reasonable costs including, but not limited to, attorney's fees and costs of litigation properly attributable thereto.

B. Required Insurance Coverages:

1. **Commercial General Liability:** \$1,000,000 each occurrence / \$2,000,000 aggregate for premises/operations, products/ completed operations, contractual liability, independent contractors, personal injury and broad form property damage. Contractor shall continue to provide products/ completed operations coverage for two (2) years after completion of the work to be performed under this Contract.
2. **Automobile Liability and Physical Damage Coverage:** \$1,000,000 each accident for any auto, including uninsured/underinsured motorist coverage and medical payments. Policy shall include collision and comprehensive physical damage coverage.
3. **Umbrella Liability:** \$5,000,000 each occurrence / \$10,000,000 aggregate, following form.
4. **Workers' Compensation and Employer's Liability:** Statutory coverage in compliance with the Workers' Compensation laws of the State of Connecticut. Policy shall include Employer's Liability with minimum limits of \$1,000,000 each accident, \$1,000,000 disease/policy limit, \$1,000,000 disease/each employee.

The Contractor represents that they are currently in compliance with all requirements of the State of Connecticut Workers' Compensation Act and that it shall remain in compliance for the duration of the Contract. The Contractor agrees that Workers' Compensation is their sole remedy and shall indemnify and hold harmless the Town from all suits, claims, and actions arising from personal injuries to the Contractor, however caused. This indemnity shall not be affected by a lapse of Workers' Compensation coverage and/or if the Contractor failed, neglected, refused or is unable to obtain Workers' Compensation insurance.

5. **Personal Property:** All personal property of the Contractor are the sole risk of the Contractor. The Contractor agrees to indemnify, defend and hold harmless the Town from any and all losses or damages, however caused, to any and all personal property belonging to the Contractor.

6. **Contractor's Pollution Coverage:** \$3,000,000 each occurrence project specific limit / \$6,000,000 aggregate dedicated to work performed under this Contract only, unless otherwise approved by the Town's Risk Manager. Policy must specifically include pollution coverage for bodily injury, property damage, cleanup costs, disposal costs, non-owned disposal sites, defense costs, contractual liability and completed operations for all work performed by or on behalf of the Contractor under the Contract. Exclusions or limitations affecting work performed must be deleted. Policy form must be "pay on behalf of rather than indemnity" and insurance company must have the "right and duty" to defend. The policy shall not contain any provision or definition that would serve to eliminate third party action over claims for employees of the Contractor. Policy shall state that insolvency or bankruptcy of the insured or the insured's estate will not relieve the insurance company of its obligations. The Contractor shall maintain completed operations coverage for two (2) years after completion of the work to be performed under this Contract.
7. **Hazardous Waste Transporter Coverage:** The Contractor shall have automobile liability coverage written for not less than \$1,000,000 each accident or as specified in the Motor Carrier Act of 1980, whichever coverage is greater. The policy shall include an Amended Pollution Exclusion to cover loading, unloading and transportation activities including hauling of waste to the final disposal location and a Non-Owned Disposal Site Endorsement (claims-made) with the scheduled landfill, or provide evidence of insurance from disposal site operator. **Policy shall be endorsed to include the MCS-90 endorsement and the reimbursement provision of the MCS-90 endorsement will be borne by the Contractor.** The Contractor must submit to the Town a list of transfer and disposal sites to be used, along with the waste manifest provided by the disposal facility identifying ability to accept the type of waste being delivered and limits of financial responsibility, including closure/post closure bonds. Contractor must comply with all applicable D.O.T. and E.P.A. requirements.
8. **Pollution Legal Liability (claims-made):** \$3,000,000 each loss / \$3,000,000 aggregate. Policy shall provide pollution coverage for sudden and non-sudden occurrences resulting in on-site and off-site bodily injury, property damage, cleanup costs and defense costs arising out of the consolidation, transfer, storage or disposal of waste by the Contractor or others contemplated by this Contract.

C. Additional Terms

1. Minimum Scope and Limits: The Contractor's insurance shall meet the scope and limits of insurance specified in this Exhibit, or required by applicable federal, state and/or municipal law, regulation or requirement, whichever coverage is greater. The limits of insurance stated herein for each type of insurance are minimum limits only. If the Contractor's policy provides greater limits, then the Town shall be entitled to the full limits of such policy and this Exhibit shall be deemed to require such full limits.

Acceptance by the Town of insurance submitted by the Contractor does not relieve or decrease in any manner the liability of the Contractor arising out of or in connection with this Contract. The Contractor is responsible for any losses, claims and costs of any kind which exceed the Contractor's limits of liability, or which may be outside the coverage scope of the policies, or a result of non-compliance with any laws including, but not limited to, environmental laws. The requirements herein are not intended, and shall not be construed to limit or eliminate the liability of the Contractor that arises from the Contract.

2. Certificates of Insurance: The Contractor shall provide certificates of insurance, policy endorsements, declaration page(s) or provisions acceptable to the Town confirming compliance with this Exhibit and thereafter upon renewal or replacement of each required policy of insurance. Upon request, the Contractor agrees to furnish complete copies of the required policies.
3. Subcontractors: Contractor shall cause all contractors of any tier, acting on its behalf, to comply with this Exhibit. The Contractor shall either include its contractors as an Insured under its insurance policies or furnish separate certificates of insurance and endorsements for each subcontractor.
4. Premiums, Deductibles and Other Liabilities: Any and all related costs, including but not limited to, deductibles, retentions, losses, claim expenses, premiums, taxes, and audit charges earned are the sole responsibility of the Contractor.
5. Occurrence Form, Primary and Non-Contributory: All required insurance coverage shall be written on an occurrence basis, except as defined otherwise in this Exhibit. All policies (including primary, excess and/or umbrella) shall be primary and non-contributory with respect to any other insurance or self-insurance maintained by or available to the Town.

6. Claims-made Form: Insurance coverage written on a claims-made basis shall have a retroactive date that precedes the effective date of this Contract. The Contractor shall maintain continuous coverage or obtain an extended reporting period in which to report claims following end of the Contract, for a minimum of two (2) years, except as defined otherwise in this Exhibit.
7. Waiver of Rights of Recovery: Both the Contractor and Contractor's insurers shall waive their rights of recovery or subrogation against the Town.
8. Claim Reporting: Any failure of the Contractor to comply with the claim reporting provisions of the required insurance policies shall not relieve the Contractor of any liability or indemnification in favor of the Town for losses which otherwise would have been covered by said policies.
9. Cancellation Notice: Each required insurance policy shall not be suspended, voided, cancelled or reduced except after thirty (30) days prior written notice has been given to the Town, ten (10) days for non-payment of premium.
10. Compliance: Failure to comply with any of the indemnification or insurance requirements may be held a willful violation and basis for immediate termination of the Contract

3.0 LABOR REQUIREMENTS

Since there are other projects anticipated to be in progress at this location during this time period, ALL BIDS MUST INCORPORATE STATE OF CONNECTICUT PREVAILING WAGE RATES AS PROVIDED IN THIS DOCUMENT. The awarded bidder will be required to pay prevailing wages.

3.01 PREVAILING WAGE RATES

- 3.01.01 The Contractor shall certify in writing and under oath to the Labor Commissioner the pay scale to be used by the Contractor and any Subcontractors. The provisions of this section shall not apply where the total cost of all work to be performed by ALL Contractors and Subcontractors in connection with new construction of any public works project is less than FOUR HUNDRED thousand dollars or where the total cost of all work to be performed by ALL Contractors and Subcontractors in connection with any remodeling, refinishing, refurbishing, rehabilitation, alteration or repair of any public works project is less than ONE HUNDRED thousand dollars. The Contractor shall fully comply with all provisions of Connecticut General Statutes (CGS) 31-53 and shall be subject to such sanctions mandated for violations of said Public Act.
- 3.01.02 The wages paid on an hourly basis to any mechanic, laborer or workman employed upon the work herein contracted to be done and the amount of payment or contribution paid or payable on behalf of each such employee to any employee welfare fund, as defined in CGS 31-53 shall be at a rate equal to the rate customary or prevailing for the same work in the same trade or occupation in the Town in which such public works project is being constructed. Any contractor who is not obligated by agreement to make payment or contribution on behalf of such employees to any such employee welfare fund shall pay to each employee as part of his wages the amount of payment or contribution for his classification on each pay day.
- 3.01.03 The contractor shall not be paid in accordance with the payment provisions of these Contract Bidding Documents unless the contractor is in full compliance with the mandates of CGS 31-53.
- 3.01.04 Bidders are further advised that if the initial consideration due and payable pursuant to the Contract exceeds the mandatory limits at which prevailing wages rates are required, then the contractor and any subcontractors shall pay the appropriate prevailing wages retroactive to the date of commencement of work on the project. The contractor shall not receive any additional compensation from the Owner as a result of an occurrence of the aforementioned event.

**Minimum Rates and Classifications for
Building Construction**

ID#: 20-12073

**Connecticut Department of Labor
Wage and Workplace Standards Division**

By virtue of the authority vested in the Labor Commissioner under provisions of Section 31-53 of the General Statutes of Connecticut, as amended, the following are declared to be the prevailing rates and welfare payments and will apply only where the contract is advertised for bid within 20 days of the date on which the rates are established. Any contractor or subcontractor not obligated by agreement to pay to the welfare and pension fund shall pay this amount to each employee as part of his/her hourly wages.

Project Number: Security Doors

Project Town: West Hartford

State#: Security Doors

FAP#: Security Doors

Project: Security Door Replacement

CLASSIFICATION	Hourly Rate	Benefits
1b) Asbestos/Toxic Waste Removal Laborers: Asbestos removal and encapsulation (except its removal from mechanical systems which are not to be scrapped), toxic waste removers, blasters.**See Laborers Group 7**		
1c) Asbestos Worker/Heat and Frost Insulator	40.21	30.99
2) Boilermaker	38.34	26.01
3a) Bricklayer, Cement Mason, Concrete Finisher (including caulking), Stone Masons	35.71	33.31 + a
3b) Tile Setter	34.9	25.87
3c) Terrazzo Mechanics and Marble Setters	31.69	22.35
3d) Tile, Marble & Terrazzo Finishers	26.7	21.75
3e) Plasterer	33.48	32.06
-----LABORERS-----		
4) Group 1: Laborers (common or general), acetylene burners, carpenter tenders, concrete specialists, wrecking laborers, fire watchers.	30.75	20.84
4a) Group 2: Mortar mixers, plaster tender, power buggy operators, powdermen, fireproofers/mixer/nozzleman (Person running mixer and spraying fireproof only).	31.0	20.84

Project: Security Door Replacement

4b) Group 3: Jackhammer operators/pavement breaker, mason tender (brick), mason tender (cement/concrete), forklift operators and forklift operators (masonry).	31.25	20.84
4c) **Group 4: Pipelayers (Installation of water, storm drainage or sewage lines outside of the building line with P6, P7 license) (the pipelayer rate shall apply only to one or two employees of the total crew who primary task is to actually perform the mating of pipe sections) P6 and P7 rate is \$26.80.	31.75	20.84
4d) Group 5: Air track operator, sand blaster and hydraulic drills.	31.5	20.84
4e) Group 6: Blasters, nuclear and toxic waste removal.	33.75	20.84
4f) Group 7: Asbestos/lead removal and encapsulation (except it's removal from mechanical systems which are not to be scrapped).	31.75	20.84
4g) Group 8: Bottom men on open air caisson, cylindrical work and boring crew.	29.03	20.84
4h) Group 9: Top men on open air caisson, cylindrical work and boring crew.	28.49	20.84
4i) Group 10: Traffic Control Signalman	18.0	20.84
5) Carpenter, Acoustical Ceiling Installation, Soft Floor/Carpet Laying, Metal Stud Installation, Form Work and Scaffold Building, Drywall Hanging, Modular-Furniture Systems Installers, Lathers, Piledrivers, Resilient Floor Layers.	33.53	25.66
5a) Millwrights	34.94	26.19
6) Electrical Worker (including low voltage wiring) (Trade License required: E1,2 L-5,6 C-5,6 T-1,2 L-1,2 V-1,2,7,8,9)	40.0	27.67+3% of gross wage
7a) Elevator Mechanic (Trade License required: R-1,2,5,6)	55.12	34.765+a+b
-----LINE CONSTRUCTION-----		
Groundman	26.5	6.5% + 9.00
Linemen/Cable Splicer	48.19	6.5% + 22.00
8) Glazier (Trade License required: FG-1,2)	38.18	21.80 + a

As of: April 16, 2020

9) Ironworker, Ornamental, Reinforcing, Structural, and Precast Concrete Erection	36.67	35.77
----OPERATORS----		
Group 1: Crane handling or erecting structural steel or stone, hoisting engineer 2 drums or over, front end loader (7 cubic yards or over), work boat 26 ft. and over and Tunnel Boring Machines. (Trade License Required)	40.97	24.80 + a
Group 2: Cranes (100 ton rate capacity and over); Excavator over 2 cubic yards; Piledriver (\$3.00 premium when operator controls hammer); Bauer Drill/Caisson. (Trade License Required)	40.64	24.80 + a
Group 3: Excavator; Backhoe/Excavator under 2 cubic yards; Cranes (under 100 ton rated capacity), Grader/Blade; Master Mechanic; Hoisting Engineer (all types of equipment where a drum and cable are used to hoist or drag material regardless of motive power of operation), Rubber Tire Excavator (Drott-1085 or similar); Grader Operator; Bulldozer Fine Grade. (slopes, shaping, laser or GPS, etc.). (Trade License Required)	39.88	24.80 + a
Group 4: Trenching Machines; Lighter Derrick; Concrete Finishing Machine; CMI Machine or Similar; Koehring Loader (Skooper).	39.48	24.80 + a
Group 5: Specialty Railroad Equipment; Asphalt Paver; Asphalt Reclaiming Machine; Line Grinder; Concrete Pumps; Drills with Self Contained Power Units; Boring Machine; Post Hole Digger; Auger; Pounder; Well Digger; Milling Machine (over 24	38.87	24.80 + a
Group 5 continued: Side Boom; Combination Hoe and Loader; Directional Driller; Pile Testing Machine.	38.87	24.80 + a
Group 6: Front End Loader (3 up to 7 cubic yards); Bulldozer (rough grade dozer).	38.55	24.80 + a
Group 7: Asphalt roller, concrete saws and cutters (ride on types), vermeer concrete cutter, Stump Grinder; Scraper; Snooper; Skidder; Milling Machine (24	38.2	24.80 + a
Group 8: Mechanic, grease truck operator, hydroblaster; barrier mover; power stone spreader; welding; work boat under 26 ft.; transfer machine.	37.79	24.80 + a
Group 9: Front end loader (under 3 cubic yards), skid steer loader regardless of attachments, (Bobcat or Similar): forklift, power chipper; landscape equipment (including Hydroseeder).	37.34	24.80 + a
Group 10: Vibratory hammer; ice machine; diesel and air, hammer, etc.	35.24	24.80 + a
Group 11: Conveyor, earth roller, power pavement breaker (whiphammer), robot demolition equipment.	35.24	24.80 + a

Project: Security Door Replacement

Group 12: Wellpoint operator.	35.18	24.80 + a
Group 13: Compressor battery operator.	34.58	24.80 + a
Group 14: Elevator operator; tow motor operator (solid tire no rough terrain).	33.41	24.80 + a
Group 15: Generator Operator; Compressor Operator; Pump Operator; Welding Machine Operator; Heater Operator.	32.99	24.80 + a
Group 16: Maintenance Engineer/Oiler.	32.32	24.80 + a
Group 17: Portable asphalt plant operator; portable crusher plant operator; portable concrete plant operator.	36.76	24.80 + a
Group 18: Power safety boat; vacuum truck; zim mixer; sweeper; (Minimum for any job requiring a CDL license).	34.26	24.80 + a
-----PAINTERS (Including Drywall Finishing)-----		
10a) Brush and Roller	34.62	21.80
10b) Taping Only/Drywall Finishing	35.37	21.80
10c) Paperhanger and Red Label	34.12	21.05
10e) Blast and Spray	36.62	21.05
11) Plumber (excluding HVAC pipe installation) (Trade License required: P-1,2,6,7,8,9 J-1,2,3,4 SP-1,2)	43.62	32.06
12) Well Digger, Pile Testing Machine	37.26	24.05 + a
13) Roofer (composition)	37.6	20.65
14) Roofer (slate & tile)	38.1	20.65
15) Sheetmetal Worker (Trade License required for HVAC and Ductwork: SM-1,SM-2,SM-3,SM-4,SM-5,SM-6)	37.98	38.31
16) Pipefitter (Including HVAC work) (Trade License required: S-1,2,3,4,5,6,7,8 B-1,2,3,4 D-1,2,3,4, G-1, G-2, G-8 & G-9)	43.62	32.06

As of: April 16, 2020

-----TRUCK DRIVERS-----

17a) 2 Axle	29.51	24.52 + a
17b) 3 Axle, 2 Axle Ready Mix	29.62	24.52 + a
17c) 3 Axle Ready Mix	29.67	24.52 + a
17d) 4 Axle, Heavy Duty Trailer up to 40 tons	29.72	24.52 + a
17e) 4 Axle Ready Mix	29.77	24.52 + a
17f) Heavy Duty Trailer (40 Tons and Over)	29.98	24.52 + a
17g) Specialized Earth Moving Equipment (Other Than Conventional Type on-the-Road Trucks and Semi-Trailers, Including Euclids)	29.77	24.52 + a
18) Sprinkler Fitter (Trade License required: F-1,2,3,4)	45.57	24.33 + a
19) Theatrical Stage Journeyman	25.76	7.34

Welders: Rate for craft to which welding is incidental.

**Note: Hazardous waste removal work receives additional \$1.25 per hour for truck drivers.*

***Note: Hazardous waste premium \$3.00 per hour over classified rate*

ALL Cranes: When crane operator is operating equipment that requires a fully licensed crane operator to operate he receives an extra \$4.00 premium in addition to the hourly wage rate and benefit contributions:

- 1) Crane handling or erecting structural steel or stone; hoisting engineer (2 drums or over)**
- 2) Cranes (100 ton rate capacity and over) Bauer Drill/Caisson**
- 3) Cranes (under 100 ton rated capacity)**

Crane with 150 ft. boom (including jib) - \$1.50 extra
Crane with 200 ft. boom (including jib) - \$2.50 extra
Crane with 250 ft. boom (including jib) - \$5.00 extra
Crane with 300 ft. boom (including jib) - \$7.00 extra
Crane with 400 ft. boom (including jib) - \$10.00 extra

All classifications that indicate a percentage of the fringe benefits must be calculated at the percentage rate times the "base hourly rate".

Apprentices duly registered under the Commissioner of Labor's regulations on "Work Training Standards for Apprenticeship and Training Programs" Section 31-51-d-1 to 12, are allowed to be paid the appropriate percentage of the prevailing journeymen hourly base and the full fringe benefit rate, providing the work site ratio shall not be less than one full-time journeyman instructing and supervising the work of each apprentice in a specific trade.

The Prevailing wage rates applicable to this project are subject to annual adjustments each July 1st for the duration of the project.

Each contractor shall pay the annual adjusted prevailing wage rate that is in effect each July 1st, as posted by the Department of Labor.

It is the contractor's responsibility to obtain the annual adjusted prevailing wage rate increases directly from the Department of Labor's website.

The annual adjustments will be posted on the Department of Labor's Web page: www.ct.gov/dol. For those without internet access, please contact the division listed below.

The Department of Labor will continue to issue the initial prevailing wage rate schedule to the Contracting Agency for the project.

All subsequent annual adjustments will be posted on our Web Site for contractor access.

Contracting Agencies are under no obligation pursuant to State labor law to pay any increase due to the annual adjustment provision.

Effective October 1, 2005 - Public Act 05-50: any person performing the work of any mechanic, laborer, or worker shall be paid prevailing wage

All Person who perform work ON SITE must be paid prevailing wage for the appropriate mechanic, laborer, or worker classification.

All certified payrolls must list the hours worked and wages paid to All Persons who perform work ON SITE regardless of their ownership i.e.: (Owners, Corporate Officers, LLC Members, Independent Contractors, et. al)


Reporting and payment of wages is required regardless of any contractual relationship alleged to exist between the contractor and such person.

Project: Security Door Replacement

--Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clause (29 CFR 5.5 (a) (1) (ii)).

Please direct any questions which you may have pertaining to classification of work and payment of prevailing wages to the Wage and Workplace Standards Division, telephone (860)263-6790.

As of: April 16, 2020



THIS IS A PUBLIC WORKS PROJECT

Covered by the

PREVAILING WAGE LAW

CT General Statutes Section 31-53

**If you have QUESTIONS regarding your wages
CALL (860) 263-6790**

Section 31-55 of the CT State Statutes requires every contractor or subcontractor performing work for the state to post in a prominent place the prevailing wages as determined by the Labor Commissioner.

Sec. 31-53b. Construction safety and health course. New miner training program. Proof of completion required for mechanics, laborers and workers on public works projects. Enforcement. Regulations. Exceptions. (a) Each contract for a public works project entered into on or after July 1, 2009, by the state or any of its agents, or by any political subdivision of the state or any of its agents, described in subsection (g) of section 31-53, shall contain a provision requiring that each contractor furnish proof with the weekly certified payroll form for the first week each employee begins work on such project that any person performing the work of a mechanic, laborer or worker pursuant to the classifications of labor under section 31-53 on such public works project, pursuant to such contract, has completed a course of at least ten hours in duration in construction safety and health approved by the federal Occupational Safety and Health Administration or, has completed a new miner training program approved by the Federal Mine Safety and Health Administration in accordance with 30 CFR 48 or, in the case of telecommunications employees, has completed at least ten hours of training in accordance with 29 CFR 1910.268.

(b) Any person required to complete a course or program under subsection (a) of this section who has not completed the course or program shall be subject to removal from the worksite if the person does not provide documentation of having completed such course or program by the fifteenth day after the date the person is found to be in noncompliance. The Labor Commissioner or said commissioner's designee shall enforce this section.

(c) Not later than January 1, 2009, the Labor Commissioner shall adopt regulations, in accordance with the provisions of chapter 54, to implement the provisions of subsections (a) and (b) of this section. Such regulations shall require that the ten-hour construction safety and health courses required under subsection (a) of this section be conducted in accordance with federal Occupational Safety and Health Administration Training Institute standards, or in accordance with Federal Mine Safety and Health Administration Standards or in accordance with 29 CFR 1910.268, as appropriate. The Labor Commissioner shall accept as sufficient proof of compliance with the provisions of subsection (a) or (b) of this section a student course completion card issued by the federal Occupational Safety and Health Administration Training Institute, or such other proof of compliance said commissioner deems appropriate, dated no earlier than five years before the commencement date of such public works project.

(d) This section shall not apply to employees of public service companies, as defined in section 16-1, or drivers of commercial motor vehicles driving the vehicle on the public works project and delivering or picking up cargo from public works projects provided they perform no labor relating to the project other than the loading and unloading of their cargo.

(P.A. 06-175, S. 1; P.A. 08-83, S. 1.)

History: P.A. 08-83 amended Subsec. (a) by making provisions applicable to public works project contracts entered into on or after July 1, 2009, replacing provision re total cost of work with reference to Sec. 31-53(g), requiring proof in certified payroll form that new mechanic, laborer or worker has completed a 10-hour or more construction safety course and adding provision re new miner training program, amended Subsec. (b) by substituting "person" for "employee" and adding "or program", amended Subsec. (c) by adding "or in accordance with Federal Mine Safety and Health Administration Standards" and setting new deadline of January 1, 2009, deleted former Subsec. (d) re "public building", added new Subsec. (d) re exemptions for public service company employees and delivery drivers who perform no labor other than delivery and made conforming and technical changes, effective January 1, 2009.

Informational Bulletin

THE 10-HOUR OSHA CONSTRUCTION SAFETY AND HEALTH COURSE

(applicable to public building contracts entered into *on or after July 1, 2007*, where the total cost of all work to be performed is at least \$100,000)

- (1) This requirement was created by Public Act No. 06-175, which is codified in Section 31-53b of the Connecticut General Statutes (pertaining to the prevailing wage statutes);
- (2) The course is required for public building construction contracts (projects funded in whole or in part by the state or any political subdivision of the state) entered into on or after July 1, 2007;
- (3) It is required of private employees (not state or municipal employees) and apprentices who perform manual labor for a general contractor or subcontractor on a public building project where the total cost of all work to be performed is at least \$100,000;
- (4) The ten-hour construction course pertains to the ten-hour Outreach Course conducted in accordance with federal OSHA Training Institute standards, and, for telecommunications workers, a ten-hour training course conducted in accordance with federal OSHA standard, 29 CFR 1910.268;
- (5) The internet website for the federal OSHA Training Institute is http://www.osha.gov/fso/ote/training/edcenters/fact_sheet.html;
- (6) The statutory language leaves it to the contractor and its employees to determine who pays for the cost of the ten-hour Outreach Course;
- (7) Within 30 days of receiving a contract award, a general contractor must furnish proof to the Labor Commissioner that all employees and apprentices performing manual labor on the project will have completed such a course;
- (8) Proof of completion may be demonstrated through either: (a) the presentation of a *bona fide* student course completion card issued by the federal OSHA Training Institute; or (2) the presentation of documentation provided to an employee by a trainer certified by the Institute pending the actual issuance of the completion card;
- (9) Any card with an issuance date more than 5 years prior to the commencement date of the construction project shall not constitute proof of compliance;

- (10) Each employer shall affix a copy of the construction safety course completion card to the certified payroll submitted to the contracting agency in accordance with Conn. Gen. Stat. § 31-53(f) on which such employee's name first appears;
- (11) Any employee found to be in non-compliance shall be subject to removal from the worksite if such employee does not provide satisfactory proof of course completion to the Labor Commissioner by the fifteenth day after the date the employee is determined to be in noncompliance;
- (12) Any such employee who is determined to be in noncompliance may continue to work on a public building construction project for a maximum of fourteen consecutive calendar days while bringing his or her status into compliance;
- (13) The Labor Commissioner may make complaint to the prosecuting authorities regarding any employer or agent of the employer, or officer or agent of the corporation who files a false certified payroll with respect to the status of an employee who is performing manual labor on a public building construction project;
- (14) The statute provides the minimum standards required for the completion of a safety course by manual laborers on public construction contracts; any contractor can exceed these minimum requirements; and
- (15) Regulations clarifying the statute are currently in the regulatory process, and shall be posted on the CTDOL website as soon as they are adopted in final form.
- (16) Any questions regarding this statute may be directed to the Wage and Workplace Standards Division of the Connecticut Labor Department via the internet website of <http://www.ctdol.state.ct.us/wgwkstnd/wgemenu.htm>; or by telephone at (860)263-6790.

THE ABOVE INFORMATION IS PROVIDED EXCLUSIVELY AS AN EDUCATIONAL RESOURCE, AND IS NOT INTENDED AS A SUBSTITUTE FOR LEGAL INTERPRETATIONS WHICH MAY ULTIMATELY ARISE CONCERNING THE CONSTRUCTION OF THE STATUTE OR THE REGULATIONS.

November 29, 2006

Notice
To All Mason Contractors and Interested Parties
Regarding Construction Pursuant to Section 31-53 of the
Connecticut General Statutes (Prevailing Wage)

The Connecticut Labor Department Wage and Workplace Standards Division is empowered to enforce the prevailing wage rates on projects covered by the above referenced statute.

Over the past few years the Division has withheld enforcement of the rate in effect for workers who operate a forklift on a prevailing wage rate project due to a potential jurisdictional dispute.

The rate listed in the schedules and in our Occupational Bulletin (see enclosed) has been as follows:

Forklift Operator:

- **Laborers (Group 4) Mason Tenders** - operates forklift solely to assist a mason to a maximum height of nine feet only.
- **Power Equipment Operator (Group 9)** - operates forklift to assist any trade and to assist a mason to a height over nine feet.

The U.S. Labor Department conducted a survey of rates in Connecticut but it has not been published and the rate in effect remains as outlined in the above Occupational Bulletin.

Since this is a classification matter and not one of jurisdiction, effective January 1, 2007 the Connecticut Labor Department will enforce the rate on each schedule in accordance with our statutory authority.

Your cooperation in filing appropriate and accurate certified payrolls is appreciated.

STATUTE 31-55a

- SPECIAL NOTICE -

To: All State and Political Subdivisions, Their Agents, and Contractors

Connecticut General Statute 31-55a - Annual adjustments to wage rates by contractors doing state work.

Each contractor that is awarded a contract on or after October 1, 2002, for (1) the construction of a state highway or bridge that falls under the provisions of section 31-54 of the general statutes, or (2) the construction, remodeling, refinishing, refurbishing, rehabilitation, alteration or repair of any public works project that falls under the provisions of section 31-53 of the general statutes shall contact the Labor Commissioner on or before July first of each year, for the duration of such contract, to ascertain the prevailing rate of wages on an hourly basis and the amount of payment or contributions paid or payable on behalf of each mechanic, laborer or worker employed upon the work contracted to be done, and shall make any necessary adjustments to such prevailing rate of wages and such payment or contributions paid or payable on behalf of each such employee, effective each July first.

- The prevailing wage rates applicable to any contract or subcontract awarded on or after October 1, 2002 are subject to annual adjustments each July 1st for the duration of any project which was originally advertised for bids on or after October 1, 2002.
- Each contractor affected by the above requirement shall pay the annual adjusted prevailing wage rate that is in effect each July 1st, as posted by the Department of Labor.
- It is the **contractor's** responsibility to obtain the annual adjusted prevailing wage rate increases directly from the Department of Labor's Web Site. The annual adjustments will be posted on the Department of Labor Web page: www.ctdol.state.ct.us. For those without internet access, please contact the division listed below.
- The Department of Labor will continue to issue the initial prevailing wage rate schedule to the Contracting Agency for the project. All subsequent annual adjustments will be posted on our Web Site for contractor access.

Any questions should be directed to the Contract Compliance Unit, Wage and Workplace Standards Division, Connecticut Department of Labor, 200 Folly Brook Blvd., Wethersfield, CT 06109 at (860)263-6790.

AIA® Document A101™ – 2017

Standard Form of Agreement Between Owner and Contractor where the basis of payment is a Stipulated Sum

AGREEMENT made as of the day of in the year
(In words, indicate day, month and year.)

BETWEEN the Owner:
(Name, legal status, address and other information)

TOWN OF WEST HARTFORD
50 SOUTH MAIN STREET
WEST HARTFORD, CT 06107

and the Contractor:
(Name, legal status, address and other information)

for the following Project:
(Name, location and detailed description)

BID#200032 DOOR REPLACEMENT PROJECT AT THREE (3) SCHOOLS
CONARD HIGH SCHOOL – 110 Beechwood Road
SEDGWICK MIDDLE SCHOOL – 128 Sedgwick Road
WEBSTER HILL ELEMENTARY SCHOOL – 125 Webster Hill Blvd

The Architect:
(Name, legal status, address and other information)

Oran Mills, NCARB, LEED AP B+C Architect
OakPark Architects LLC
312 Park Road Suite 202
West Hartford, CT 06119

The Owner and Contractor agree as follows.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

The parties should complete A101™–2017, Exhibit A, Insurance and Bonds, contemporaneously with this Agreement. AIA Document A201™–2017, General Conditions of the Contract for Construction, is adopted in this document by reference. Do not use with other general conditions unless this document is modified.

ELECTRONIC COPYING of any portion of this AIA® Document to another electronic file is prohibited and constitutes a violation of copyright laws as set forth in the footer of this document.

TABLE OF ARTICLES

- 1 THE CONTRACT DOCUMENTS
- 2 THE WORK OF THIS CONTRACT
- 3 DATE OF COMMENCEMENT AND SUBSTANTIAL COMPLETION
- 4 CONTRACT SUM
- 5 PAYMENTS
- 6 DISPUTE RESOLUTION
- 7 TERMINATION OR SUSPENSION
- 8 MISCELLANEOUS PROVISIONS
- 9 ENUMERATION OF CONTRACT DOCUMENTS

EXHIBIT A INSURANCE AND BONDS

ARTICLE 1 THE CONTRACT DOCUMENTS

The Contract Documents consist of this Agreement, Conditions of the Contract (General, Supplementary, and other Conditions), Drawings, Specifications, Addenda issued prior to execution of this Agreement, other documents listed in this Agreement, and Modifications issued after execution of this Agreement, all of which form the Contract, and are as fully a part of the Contract as if attached to this Agreement or repeated herein. The Contract represents the entire and integrated agreement between the parties hereto and supersedes prior negotiations, representations, or agreements, either written or oral. An enumeration of the Contract Documents, other than a Modification, appears in Article 9.

ARTICLE 2 THE WORK OF THIS CONTRACT

The Contractor shall fully execute the Work described in the Contract Documents, except as specifically indicated in the Contract Documents to be the responsibility of others.

ARTICLE 3 DATE OF COMMENCEMENT AND SUBSTANTIAL COMPLETION

§ 3.1 The date of commencement of the Work shall be:

(Check one of the following boxes.)

☒ The date of this Agreement.

☐ A date set forth in a notice to proceed issued by the Owner.

☐ Established as follows:

(Insert a date or a means to determine the date of commencement of the Work.)

If a date of commencement of the Work is not selected, then the date of commencement shall be the date of this Agreement.

§ 3.2 The Contract Time shall be measured from the date of commencement of the Work.

§ 3.3 Substantial Completion

§ 3.3.1 Subject to adjustments of the Contract Time as provided in the Contract Documents, the Contractor shall achieve Substantial Completion of the entire Work:

(Check one of the following boxes and complete the necessary information.)

[] Not later than () calendar days from the date of commencement of the Work.

[X] By the following date: August 21, 2020

§ 3.3.2 Subject to adjustments of the Contract Time as provided in the Contract Documents, if portions of the Work are to be completed prior to Substantial Completion of the entire Work, the Contractor shall achieve Substantial Completion of such portions by the following dates:

Portion of Work	Substantial Completion Date
-----------------	-----------------------------

§ 3.3.3 If the Contractor fails to achieve Substantial Completion as provided in this Section 3.3, liquidated damages, if any, shall be assessed as set forth in Section 4.5.

ARTICLE 4 CONTRACT SUM

§ 4.1 The Owner shall pay the Contractor the Contract Sum in current funds for the Contractor's performance of the Contract. The Contract Sum shall be \$ (), subject to additions and deductions as provided in the Contract Documents.

§ 4.2 Alternates

§ 4.2.1 Alternates, if any, included in the Contract Sum:

Item	Price
------	-------

1. Bid Alternate No. 1 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for DOOR REPLACEMENT AT CONARD only

for the lump sum of

Dollars (\$)

1. Bid Alternate No. 2 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for DOOR REPLACEMENT AT SEDGWICK only

for the lump sum of

Dollars (\$)

1. Bid Alternate No. 3 for furnishing all labor, materials, equipment and all else whatsoever necessary to perform all work described in the Contract Bidding Documents for DOOR REPLACEMENT AT WEBSTER HILL only

for the lump sum of

Dollars (\$)

§ 4.2.2 Subject to the conditions noted below, the following alternates may be accepted by the Owner following execution of this Agreement. Upon acceptance, the Owner shall issue a Modification to this Agreement. (Insert below each alternate and the conditions that must be met for the Owner to accept the alternate.)

Item	Price	Conditions for Acceptance
Base Bid		

§ 4.3 Allowances, if any, included in the Contract Sum:
(Identify each allowance.)

Item	Price
------	-------

§ 4.4 Unit prices, if any:
(Identify the item and state the unit price and quantity limitations, if any, to which the unit price will be applicable.)

Item	Units and Limitations	Price per Unit (\$0.00)
------	-----------------------	-------------------------

§ 4.5 Liquidated damages, if any:
(Insert terms and conditions for liquidated damages, if any.)

Liquidated Damages in the amount of \$300.00 (Three Hundred Dollars) per calendar day shall be assessed for the failure to achieve Substantial Completion of the work not later than Commencement Date as stated above and Final Completion of the Work also stated above.

§ 4.6 Other:
(Insert provisions for bonus or other incentives, if any, that might result in a change to the Contract Sum.)

ARTICLE 5 PAYMENTS

§ 5.1 Progress Payments

§ 5.1.1 Based upon Applications for Payment submitted to the Architect by the Contractor and Certificates for Payment issued by the Architect, the Owner shall make progress payments on account of the Contract Sum to the Contractor as provided below and elsewhere in the Contract Documents.

§ 5.1.2 The period covered by each Application for Payment shall be one calendar month ending on the last day of the month, or as follows:

§ 5.1.3 Provided that an Application for Payment is received by the Architect not later than the first day of a month, the Owner shall make payment of the amount certified to the Contractor not later than the first Friday after the Fifteenth day of the same month. If an Application for Payment is received by the Architect after the application date fixed above, payment of the amount certified shall be made by the Owner not later than fifteen (15) days after the Architect receives the Application for Payment.
(Federal, state or local laws may require payment within a certain period of time.)

§ 5.1.4 Each Application for Payment shall be based on the most recent schedule of values submitted by the Contractor in accordance with the Contract Documents. The schedule of values shall allocate the entire Contract Sum among the various portions of the Work. The schedule of values shall be prepared in such form, and supported by such data to substantiate its accuracy, as the Architect may require. This schedule of values shall be used as a basis for reviewing the Contractor's Applications for Payment.

§ 5.1.5 Applications for Payment shall show the percentage of completion of each portion of the Work as of the end of the period covered by the Application for Payment.

§ 5.1.6 In accordance with AIA Document A201™-2017, A201™-2007, General Conditions of the Contract for Construction, and subject to other provisions of the Contract Documents, the amount of each progress payment shall be computed as follows:

§ 5.1.6.1 The amount of each progress payment shall first include:

- ~~.1 That portion of the Contract Sum properly allocable to completed Work; Work as determined by multiplying the percentage completion of each portion of the Work by the share of the Contract Sum allocated to that portion of the Work in the schedule of values, less retainage of Five percent (5 %).~~
- .2 That portion of the Contract Sum properly allocable to materials and equipment delivered and suitably stored at the site for subsequent incorporation in the completed construction, or, if approved in advance by the Owner, suitably stored off the site at a location agreed upon in writing; and
- ~~.3 That portion of Construction Change Directives that the Architect determines, in the Architect's professional judgment, to be reasonably justified, less retainage of Five percent (5 %);~~

§ 5.1.6.2 The amount of each progress payment shall then be reduced by:

- .1 The aggregate of any amounts previously paid by the Owner;
- .2 The amount, if any, for Work that remains uncorrected and for which the Architect has previously withheld a Certificate for Payment as provided in Article 9 of AIA Document A201-2017; A201-2007;
- .3 Any amount for which the Contractor does not intend to pay a Subcontractor or material supplier, unless the Work has been performed by others the Contractor intends to pay;
- .4 For Work performed or defects discovered since the last payment application, any amount for which the Architect may withhold payment, or nullify a Certificate of Payment in whole or in part, as provided in Article 9 of AIA Document A201-2017; A201-2007; and
- .5 Retainage withheld pursuant to Section 5.1.7.

§ 5.1.7 Retainage

§ 5.1.7.1 For each progress payment made prior to Substantial Completion of the Work, the Owner may withhold the following amount, as retainage, from the payment otherwise due:

(Insert a percentage or amount to be withheld as retainage from each Application for Payment. The amount of retainage may be limited by governing law.)

§ 5.1.7.1.1 The following items are not subject to retainage:

(Insert any items not subject to the withholding of retainage, such as general conditions, insurance, etc.)

§ 5.1.7.2 Reduction or limitation of retainage, if any, shall be as follows:

(If the retainage established in Section 5.1.7.1 is to be modified prior to Substantial Completion of the entire Work, including modifications for Substantial Completion of portions of the Work as provided in Section 3.3.2, insert provisions for such modifications.)

§ 5.1.7.3 Except as set forth in this Section 5.1.7.3, upon Substantial Completion of the Work, the Contractor may submit an Application for Payment that includes the retainage withheld from prior Applications for Payment pursuant to this Section 5.1.7. The Application for Payment submitted at Substantial Completion shall not include retainage as follows:

(Insert any other conditions for release of retainage upon Substantial Completion.)

§ 5.1.8 If final completion of the Work is materially delayed through no fault of the Contractor, the Owner shall pay the Contractor any additional amounts in accordance with Article 9 of AIA Document A201-2017; A201-2007.

§ 5.1.9 Except with the Owner's prior approval, the Contractor shall not make advance payments to suppliers for materials or equipment which have not been delivered and stored at the site.

§ 5.2 Final Payment

§ 5.2.1 Final payment, constituting the entire unpaid balance of the Contract Sum, shall be made by the Owner to the Contractor when

- .1 the Contractor has fully performed the Contract except for the Contractor's responsibility to correct Work as provided in Article 12 of AIA Document A201-2017, ~~A201-2007~~, and to satisfy other requirements, if any, which extend beyond final payment; and
- .2 a final Certificate for Payment has been issued by the Architect.

§ 5.2.2 The Owner's final payment to the Contractor shall be made no later than 30 days after the issuance of the Architect's final Certificate for Payment, or as follows:

§ 5.3 Interest

Payments due and unpaid under the Contract shall bear interest from the date payment is due at the rate stated below, or in the absence thereof, at the legal rate prevailing from time to time at the place where the Project is located.

(Insert rate of interest agreed upon, if any.)

0.00 % per annum

ARTICLE 6 DISPUTE RESOLUTION

§ 6.1 Initial Decision Maker

The Architect will serve as the Initial Decision Maker pursuant to Article 15 of AIA Document A201-2017, ~~A201-2007~~, unless the parties appoint below another individual, not a party to this Agreement, to serve as the Initial Decision Maker.

(If the parties mutually agree, insert the name, address and other contact information of the Initial Decision Maker, if other than the Architect.)

§ 6.2 Binding Dispute Resolution

For any Claim subject to, but not resolved by, mediation pursuant to Article 15 of AIA Document A201-2017, ~~A201-2007~~, the method of binding dispute resolution shall be as follows:

(Check the appropriate box.)

☒ Arbitration pursuant to Section 15.4 of AIA Document A201-2017, ~~A201-2007~~

☐ Litigation in a court of competent jurisdiction

☐ Other *(Specify)*

If the Owner and Contractor do not select a method of binding dispute resolution, or do not subsequently agree in writing to a binding dispute resolution method other than litigation, Claims will be resolved by litigation in a court of competent jurisdiction, jurisdiction in Hartford County, Connecticut.

ARTICLE 7 TERMINATION OR SUSPENSION

§ 7.1 The Contract may be terminated by the Owner or the Contractor as provided in Article 14 of AIA Document A201-2017, ~~A201-2007~~.

§ 7.1.1 If the Contract is terminated for the Owner's convenience in accordance with Article 14 of AIA Document A201-2017, ~~A201-2007~~, then the Owner shall pay the Contractor a termination fee as follows:

(Insert the amount of, or method for determining, the fee, if any, payable to the Contractor following a termination for the Owner's convenience.)

§ 7.2 The Work may be suspended by the Owner as provided in Article 14 of AIA Document A201-2017, A201-2007.

ARTICLE 8 MISCELLANEOUS PROVISIONS

§ 8.1 Where reference is made in this Agreement to a provision of AIA Document A201-2017, A201-2007 or another Contract Document, the reference refers to that provision as amended or supplemented by other provisions of the Contract Documents.

§ 8.2 The Owner's representative:
(Name, address, email address, and other information)

Mike Longo, Facilities Manager 860-561-7927
Plant & Facilities
10 Brixton Street
West Hartford, CT 06110

§ 8.3 The Contractor's representative:
(Name, address, email address, and other information)

§ 8.4 Neither the Owner's nor the Contractor's representative shall be changed without ten days' prior notice to the other party.

§ 8.5 Insurance and Bonds

§ 8.5.1 The Owner and the Contractor shall purchase and maintain insurance as set forth in AIA Document A101™-2017, Standard Form of Agreement Between Owner and Contractor where the basis of payment is a Stipulated Sum, Exhibit A, Insurance and Bonds, and elsewhere in the Contract Documents.

§ 8.5.2 The Contractor shall provide bonds as set forth in AIA Document A101™-2017 Exhibit A, and elsewhere in the Contract Documents.

§ 8.6 Notice in electronic format, pursuant to Article 1 of AIA Document A201-2017, A201-2007, may be given in accordance with AIA Document E203™-2013, Building Information Modeling and Digital Data Exhibit, if completed, or as otherwise set forth below:

(If other than in accordance with AIA Document E203-2013, insert requirements for delivering notice in electronic format such as name, title, and email address of the recipient and whether and how the system will be required to generate a read receipt for the transmission.)

§ 8.7 Other provisions:

ARTICLE 9 ENUMERATION OF CONTRACT DOCUMENTS

§ 9.1 This Agreement is comprised of the following documents:

- 1 AIA Document A101™-2017, Standard Form of Agreement Between Owner and Contractor
- 2 AIA Document A101™-2017, Exhibit A, Insurance and Bonds
- 3 AIA Document A201™-2017, A201™-2007, General Conditions of the Contract for Construction
- 4 AIA Document E203™-2013, Building Information Modeling and Digital Data Exhibit, dated as indicated below:
(Insert the date of the E203-2013 incorporated into this Agreement.)

5-3 Drawings

Number	Title	Date

6-A-010 GENERAL NOTES AND SPECIFICATIONS

- A-100 WEBSTER HILL
- A-101 SEDGWICK AND CONARD
- A-102 SCHEDULES AND DETAIL
- C-DA1 SEDGWICK DOORS ABATEMENT
- C-DA2 CONARD DOORS ABATEMENT
- C-DA3 WEBSTER HILL DOORS ABATEMENT
- C-DA4 WEBSTER HILL DOORS ABATEMENT

4 Specifications are those contained in the Project Specifications Document Bid#200032 and are as in Section 9.1.8 below.

Section	Title	Date	Pages

7-DIVISION 2- ABATEMENT

- 28213 - DOOR ABATEMENT
- 28216 - ASBESTOS ABATEMENT- 3 SCHOOLS
- DIVISION 9 - FLOORING
- 96500 - RESILIENT FLOORING - 3 SCHOOLS

5 Addenda, if any:

Number	Date	Pages

Portions of Addenda relating to bidding or proposal requirements are not part of the Contract Documents unless the bidding or proposal requirements are also enumerated in this Article 9.

8-6 Other Exhibits:

(Check all boxes that apply and include appropriate information identifying the exhibit where required.)

[] AIA Document E204™-2017, Sustainable Projects Exhibit, dated as indicated below:
(Insert the date of the E204-2017 incorporated into this Agreement.)

[] The Sustainability Plan:

Title	Date	Pages

[] Supplementary and other Conditions of the ~~Contract-Contract~~
are those contained in the Project Specifications Document Bid#200032 and are as follows:

Document	Title	Date	Pages

9—INSTRUCTIONS TO BIDDERS
00101 PROJECT INFORMATION PAGE
00102 TABLE OF CONTENTS
00103 PROJECT NARRATIVE
00104 LIST OF DRAWINGS
00105 LOCATION MAP
00106 WORK RULES
00107 NOISE ORDINANCE
00108 VENDOR REGISTRATION

BIDDING REQUIREMENTS AND FORMS
00201 INVITATION TO BID
00202 INSTRUCTIONS TO BIDDERS - AIA DOCUMENT A701 - 1997
00203 SUPPLEMENTARY INSTRUCTIONS TO BIDDERS
00204 BID FORMS
00205 SAMPLE AGREEMENT FORM
LABOR REQUIREMENTS
00303 CONTRACT LABOR RATES
GENERAL CONDITIONS
00401 GENERAL CONDITIONS - AIA DOCUMENT A201 - 2007
00402 SUPPLEMENTARY GENERAL CONDITIONS

7. Other documents, if any, listed below:

(List here any additional documents that are intended to form part of the Contract Documents. AIA Document A201™-2017 provides that the advertisement or invitation to bid, Instructions to Bidders, sample forms, the Contractor's bid or proposal, portions of Addenda relating to bidding or proposal requirements, and other information furnished by the Owner in anticipation of receiving bids or proposals, are not part of the Contract Documents unless enumerated in this Agreement. Any such documents should be listed here only if intended to be part of the Contract Documents.)

Contractor's Bid Response attached herein

This Agreement entered into as of the day and year first written above.

OWNER (Signature)

Peter Privitera, Purchasing Agent
(Printed name and title)

CONTRACTOR (Signature)

(Printed name and title)

AIA[®] Document A201[™] – 2017

General Conditions of the Contract for Construction

for the following PROJECT:

(Name and location or address)

BID#200032 DOOR REPLACEMENT PROJECT AT THREE (3) SCHOOLS
CONARD HIGH SCHOOL – 110 Beechwood Road
SEDGWICK MIDDLE SCHOOL – 128 Sedgwick Road
WEBSTER HILL ELEMENTARY SCHOOL – 125 Webster Hill Blvd

THE OWNER:

(Name, legal status and address)

TOWN OF WEST HARTFORD
50 SOUTH MAIN STREET
WEST HARTFORD, CT 06107

THE ARCHITECT:

(Name, legal status and address)

OakPark Architects LLC
312 Park Road Suite 202
West Hartford, CT 06119

TABLE OF ARTICLES

- | | |
|----|--|
| 1 | GENERAL PROVISIONS |
| 2 | OWNER |
| 3 | CONTRACTOR |
| 4 | ARCHITECT |
| 5 | SUBCONTRACTORS |
| 6 | CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS |
| 7 | CHANGES IN THE WORK |
| 8 | TIME |
| 9 | PAYMENTS AND COMPLETION |
| 10 | PROTECTION OF PERSONS AND PROPERTY |
| 11 | INSURANCE AND BONDS |
| 12 | UNCOVERING AND CORRECTION OF WORK |

ADDITIONS AND DELETIONS:

The author of this document has added information needed for its completion. The author may also have revised the text of the original AIA standard form. An *Additions and Deletions Report* that notes added information as well as revisions to the standard form text is available from the author and should be reviewed. A vertical line in the left margin of this document indicates where the author has added necessary information and where the author has added to or deleted from the original AIA text.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

For guidance in modifying this document to include supplementary conditions, see AIA Document A503[™], Guide for Supplementary Conditions.

13 MISCELLANEOUS PROVISIONS

14 TERMINATION OR SUSPENSION OF THE CONTRACT

15 CLAIMS AND DISPUTES



Init.

INDEX

(Topics and numbers in bold are Section headings.)

Acceptance of Nonconforming Work

9.6.6, 9.9.3, **12.3**

Acceptance of Work

9.6.6, 9.8.2, 9.9.3, 9.10.1, 9.10.3, **12.3**

Access to Work

3.16, 6.2.1, **12.1**

Accident Prevention

10

Acts and Omissions

3.2, 3.3.2, 3.12.8, 3.18, 4.2.3, 8.3.1, 9.5.1, 10.2.5, 10.2.8, 13.3.2, 14.1, 15.1.2, **15.2**

Addenda

1.1.1

Additional Costs, Claims for

3.7.4, 3.7.5, 10.3.2, **15.1.5**

Additional Inspections and Testing

9.4.2, 9.8.3, **12.2.1**, **13.4**

Additional Time, Claims for

3.2.4, 3.7.4, 3.7.5, 3.10.2, 8.3.2, **15.1.6**

Administration of the Contract

3.1.3, **4.2**, 9.4, 9.5

Advertisement or Invitation to Bid

1.1.1

Aesthetic Effect

4.2.13

Allowances

3.8

Applications for Payment

4.2.5, 7.3.9, 9.2, **9.3**, 9.4, 9.5.1, 9.5.4, 9.6.3, 9.7, 9.10

Approvals

2.1.1, 2.3.1, 2.5, 3.1.3, 3.10.2, 3.12.8, 3.12.9, 3.12.10.1, 4.2.7, 9.3.2, **13.4.1**

Arbitration

8.3.1, **15.3.2**, **15.4**

ARCHITECT

4

Architect, Definition of

4.1.1

Architect, Extent of Authority

2.5, 3.12.7, 4.1.2, 4.2, 5.2, 6.3, 7.1.2, 7.3.4, 7.4, 9.2, 9.3.1, 9.4, 9.5, 9.6.3, 9.8, 9.10.1, 9.10.3, **12.1**, **12.2.1**, **13.4.1**, **13.4.2**, **14.2.2**, **14.2.4**, **15.1.4**, **15.2.1**

Architect, Limitations of Authority and Responsibility

2.1.1, 3.12.4, 3.12.8, 3.12.10, 4.1.2, 4.2.1, 4.2.2, 4.2.3, 4.2.6, 4.2.7, 4.2.10, 4.2.12, 4.2.13, 5.2.1, 7.4, 9.4.2, 9.5.4, 9.6.4, **15.1.4**, **15.2**

Architect's Additional Services and Expenses

2.5, **12.2.1**, **13.4.2**, **13.4.3**, **14.2.4**

Architect's Administration of the Contract

3.1.3, 3.7.4, **15.2**, 9.4.1, 9.5

Architect's Approvals

2.5, 3.1.3, 3.5, 3.10.2, 4.2.7

Architect's Authority to Reject Work

3.5, 4.2.6, **12.1.2**, **12.2.1**

Architect's Copyright

1.1.7, **1.5**

Architect's Decisions

3.7.4, 4.2.6, 4.2.7, 4.2.11, 4.2.12, 4.2.13, 4.2.14, 6.3, 7.3.4, 7.3.9, 8.1.3, 8.3.1, 9.2, 9.4.1, 9.5, 9.8.4, 9.9.1, **13.4.2**, **15.2**

Architect's Inspections

3.7.4, 4.2.2, 4.2.9, 9.4.2, 9.8.3, 9.9.2, 9.10.1, **13.4**

Architect's Instructions

3.2.4, 3.3.1, 4.2.6, 4.2.7, **13.4.2**

Architect's Interpretations

4.2.11, 4.2.12

Architect's Project Representative

4.2.10

Architect's Relationship with Contractor

1.1.2, **1.5**, **2.3.3**, **3.1.3**, **3.2.2**, **3.2.3**, **3.2.4**, **3.3.1**, **3.4.2**, **3.5**, **3.7.4**, **3.7.5**, **3.9.2**, **3.9.3**, **3.10**, **3.11**, **3.12**, **3.16**, **3.18**, **4.1.2**, **4.2**, **5.2**, **6.2.2**, **7**, **8.3.1**, **9.2**, **9.3**, **9.4**, **9.5**, **9.7**, **9.8**, **9.9**, **10.2.6**, **10.3**, **11.3**, **12**, **13.3.2**, **13.4**, **15.2**

Architect's Relationship with Subcontractors

1.1.2, **4.2.3**, **4.2.4**, **4.2.6**, **9.6.3**, **9.6.4**, **11.3**

Architect's Representations

9.4.2, 9.5.1, 9.10.1

Architect's Site Visits

3.7.4, 4.2.2, 4.2.9, 9.4.2, 9.5.1, 9.9.2, 9.10.1, **13.4**

Asbestos

10.3.1

Attorneys' Fees

3.18.1, 9.6.8, 9.10.2, **10.3.3**

Award of Separate Contracts

6.1.1, **6.1.2**

Award of Subcontracts and Other Contracts for Portions of the Work

5.2

Basic Definitions

1.1

Bidding Requirements

1.1.1

Binding Dispute Resolution

8.3.1, 9.7, **11.5**, **13.1**, **15.1.2**, **15.1.3**, **15.2.1**, **15.2.5**, **15.2.6.1**, **15.3.1**, **15.3.2**, **15.3.3**, **15.4.1**

Bonds, Lien

7.3.4.4, 9.6.8, 9.10.2, 9.10.3

Bonds, Performance, and Payment

7.3.4.4, 9.6.7, 9.10.3, **11.1.2**, **11.1.3**, **11.5**

Building Information Models Use and Reliance

1.8

Building Permit

3.7.1

Capitalization

1.3

Certificate of Substantial Completion

9.8.3, 9.8.4, 9.8.5

Certificates for Payment

4.2.1, 4.2.5, 4.2.9, 9.3.3, 9.4, 9.5, 9.6.1, 9.6.6, 9.7, 9.10.1, 9.10.3, 14.1.1.3, 14.2.4, 15.1.4

Certificates of Inspection, Testing or Approval
13.4.4

Certificates of Insurance
9.10.2

Change Orders

1.1.1, 3.4.2, 3.7.4, 3.8.2.3, 3.11, 3.12.8, 4.2.8, 5.2.3, 7.1.2, 7.1.3, 7.2, 7.3.2, 7.3.7, 7.3.9, 7.3.10, 8.3.1, 9.3.1.1, 9.10.3, 10.3.2, 11.2, 11.5, 12.1.2

Change Orders, Definition of
7.2.1

CHANGES IN THE WORK

2.2.2, 3.11, 4.2.8, 7, 7.2.1, 7.3.1, 7.4, 8.3.1, 9.3.1.1, 11.5

Claims, Definition of
15.1.1

Claims, Notice of
1.6.2, 15.1.3

CLAIMS AND DISPUTES

3.2.4, 6.1.1, 6.3, 7.3.9, 9.3.3, 9.10.4, 10.3.3, 15, 15.4
Claims and Timely Assertion of Claims
15.4.1

Claims for Additional Cost

3.2.4, 3.3.1, 3.7.4, 7.3.9, 9.5.2, 10.2.5, 10.3.2, 15.1.5

Claims for Additional Time

3.2.4, 3.3.1, 3.7.4, 6.1.1, 8.3.2, 9.5.2, 10.3.2, 15.1.6

Concealed or Unknown Conditions, Claims for
3.7.4

Claims for Damages

3.2.4, 3.18, 8.3.3, 9.5.1, 9.6.7, 10.2.5, 10.3.3, 11.3, 11.3.2, 14.2.4, 15.1.7

Claims Subject to Arbitration
15.4.1

Cleaning Up
3.15, 6.3

Commencement of the Work, Conditions Relating to
2.2.1, 3.2.2, 3.4.1, 3.7.1, 3.10.1, 3.12.6, 5.2.1, 5.2.3, 6.2.2, 8.1.2, 8.2.2, 8.3.1, 11.1, 11.2, 15.1.5

Commencement of the Work, Definition of
8.1.2

Communications

3.9.1, 4.2.4

Completion, Conditions Relating to

3.4.1, 3.11, 3.15, 4.2.2, 4.2.9, 8.2, 9.4.2, 9.8, 9.9.1, 9.10, 12.2, 14.1.2, 15.1.2

COMPLETION, PAYMENTS AND 9

Completion, Substantial

3.10.1, 4.2.9, 8.1.1, 8.1.3, 8.2.3, 9.4.2, 9.8, 9.9.1, 9.10.3, 12.2, 15.1.2

Compliance with Laws

2.3.2, 3.2.3, 3.6, 3.7, 3.12.10, 3.13, 9.6.4, 10.2.2, 13.1, 13.3, 13.4.1, 13.4.2, 13.5, 14.1.1, 14.2.1.3, 15.2.8, 15.4.2, 15.4.3

Concealed or Unknown Conditions

3.7.4, 4.2.8, 8.3.1, 10.3

Conditions of the Contract

1.1.1, 6.1.1, 6.1.4

Consent, Written

3.4.2, 3.14.2, 4.1.2, 9.8.5, 9.9.1, 9.10.2, 9.10.3, 13.2, 15.4.4.2

Consolidation or Joinder

15.4.4

CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS

1.1.4, 6

Construction Change Directive, Definition of
7.3.1

Construction Change Directives

1.1.1, 3.4.2, 3.11, 3.12.8, 4.2.8, 7.1.1, 7.1.2, 7.1.3, 7.3, 9.3.1.1

Construction Schedules, Contractor's

3.10, 3.11, 3.12.1, 3.12.2, 6.1.3, 15.1.6.2

Contingent Assignment of Subcontracts
5.4, 14.2.2.2

Continuing Contract Performance
15.1.4

Contract, Definition of

1.1.2

CONTRACT, TERMINATION OR SUSPENSION OF THE

5.4.1.1, 5.4.2, 11.5, 14

Contract Administration

3.1.3, 4, 9.4, 9.5

Contract Award and Execution, Conditions Relating to
3.7.1, 3.10, 5.2, 6.1

Contract Documents, Copies Furnished and Use of
1.5.2, 2.3.6, 5.3

Contract Documents, Definition of
1.1.1

Contract Sum

2.2.2, 2.2.4, 3.7.4, 3.7.5, 3.8, 3.10.2, 5.2.3, 7.3, 7.4, 9.1, 9.2, 9.4.2, 9.5.1.4, 9.6.7, 9.7, 10.3.2, 11.5, 12.1.2, 12.3, 14.2.4, 14.3.2, 15.1.4.2, 15.1.5, 15.2.5

Contract Sum, Definition of
9.1

Contract Time

1.1.4, 2.2.1, 2.2.2, 3.7.4, 3.7.5, 3.10.2, 5.2.3, 6.1.5, 7.2.1.3, 7.3.1, 7.3.5, 7.3.6, 7, 7, 7.3.10, 7.4, 8.1.1, 8.2.1, 8.2.3, 8.3.1, 9.5.1, 9.7, 10.3.2, 12.1.1, 12.1.2, 14.3.2, 15.1.4.2, 15.1.6.1, 15.2.5

Contract Time, Definition of
8.1.1

CONTRACTOR

3

Contractor, Definition of

3.1, 6.1.2

Contractor's Construction and Submittal Schedules

3.10, 3.12.1, 3.12.2, 4.2.3, 6.1.3, 15.1.6.2

Init.

Contractor's Employees
2.2.4, 3.3.2, 3.4.3, 3.8.1, 3.9, 3.18.2, 4.2.3, 4.2.6, 10.2, 10.3, 11.3, 14.1, 14.2.1.1

Contractor's Liability Insurance
11.1

Contractor's Relationship with Separate Contractors and Owner's Forces
3.12.5, 3.14.2, 4.2.4, 6, 11.3, 12.2.4

Contractor's Relationship with Subcontractors
1.2.2, 2.2.4, 3.3.2, 3.18.1, 3.18.2, 4.2.4, 5, 9.6.2, 9.6.7, 9.10.2, 11.2, 11.3, 11.4

Contractor's Relationship with the Architect
1.1.2, 1.5, 2.3.3, 3.1.3, 3.2.2, 3.2.3, 3.2.4, 3.3.1, 3.4.2, 3.5.1, 3.7.4, 3.10, 3.11, 3.12, 3.16, 3.18, 4.2, 5.2, 6.2.2, 7, 8.3.1, 9.2, 9.3, 9.4, 9.5, 9.7, 9.8, 9.9, 10.2.6, 10.3, 11.3, 12, 13.4, 15.1.3, 15.2.1

Contractor's Representations
3.2.1, 3.2.2, 3.5, 3.12.6, 6.2.2, 8.2.1, 9.3.3, 9.8.2

Contractor's Responsibility for Those Performing the Work
3.3.2, 3.18, 5.3, 6.1.3, 6.2, 9.5.1, 10.2.8

Contractor's Review of Contract Documents
3.2

Contractor's Right to Stop the Work
2.2.2, 9.7

Contractor's Right to Terminate the Contract
14.1

Contractor's Submittals
3.10, 3.11, 3.12, 4.2.7, 5.2.1, 5.2.3, 9.2, 9.3, 9.8.2, 9.8.3, 9.9.1, 9.10.2, 9.10.3

Contractor's Superintendent
3.9, 10.2.6

Contractor's Supervision and Construction Procedures
1.2.2, 3.3, 3.4, 3.12.10, 4.2.2, 4.2.7, 6.1.3, 6.2.4, 7.1.3, 7.3.4, 7.3.6, 8.2, 10, 12, 14, 15.1.4

Coordination and Correlation
1.2, 3.2.1, 3.3.1, 3.10, 3.12.6, 6.1.3, 6.2.1

Copies Furnished of Drawings and Specifications
1.5, 2.3.6, 3.11

Copyrights
1.5, 3.17

Correction of Work
2.5, 3.7.3, 9.4.2, 9.8.2, 9.8.3, 9.9.1, 12.1.2, 12.2, 12.3, 15.1.3.1, 15.1.3.2, 15.2.1

Correlation and Intent of the Contract Documents
1.2

Cost, Definition of
7.3.4

Costs
2.5, 3.2.4, 3.7.3, 3.8.2, 3.15.2, 5.4.2, 6.1.1, 6.2.3, 7.3.3.3, 7.3.4, 7.3.8, 7.3.9, 9.10.2, 10.3.2, 10.3.6, 11.2, 12.1.2, 12.2.1, 12.2.4, 13.4, 14

Cutting and Patching
3.14, 6.2.5

Damage to Construction of Owner or Separate Contractors
3.14.2, 6.2.4, 10.2.1.2, 10.2.5, 10.4, 12.2.4

Damage to the Work
3.14.2, 9.9.1, 10.2.1.2, 10.2.5, 10.4, 12.2.4

Damages, Claims for
3.2.4, 3.18, 6.1.1, 8.3.3, 9.5.1, 9.6.7, 10.3.3, 11.3.2, 11.3, 14.2.4, 15.1.7

Damages for Delay
6.2.3, 8.3.3, 9.5.1.6, 9.7, 10.3.2, 14.3.2

Date of Commencement of the Work, Definition of
8.1.2

Date of Substantial Completion, Definition of
8.1.3

Day, Definition of
8.1.4

Decisions of the Architect
3.7.4, 4.2.6, 4.2.7, 4.2.11, 4.2.12, 4.2.13, 6.3, 7.3.4, 7.3.9, 8.1.3, 8.3.1, 9.2, 9.4, 9.5.1, 9.8.4, 9.9.1, 13.4.2, 14.2.2, 14.2.4, 15.1, 15.2

Decisions to Withhold Certification
9.4.1, 9.5, 9.7, 14.1.1.3

Defective or Nonconforming Work, Acceptance, Rejection and Correction of
2.5, 3.5, 4.2.6, 6.2.3, 9.5.1, 9.5.3, 9.6.6, 9.8.2, 9.9.3, 9.10.4, 12.2.1

Definitions
1.1, 2.1.1, 3.1.1, 3.5, 3.12.1, 3.12.2, 3.12.3, 4.1.1, 5.1, 6.1.2, 7.2.1, 7.3.1, 8.1, 9.1, 9.8.1, 15.1.1

Delays and Extensions of Time
3.2, 3.7.4, 5.2.3, 7.2.1, 7.3.1, 7.4, 8.3, 9.5.1, 9.7, 10.3.2, 10.4, 14.3.2, 15.1.6, 15.2.5

Digital Data Use and Transmission
1.7

Disputes
6.3, 7.3.9, 15.1, 15.2

Documents and Samples at the Site
3.11

Drawings, Definition of
1.1.5

Drawings and Specifications, Use and Ownership of
3.11

Effective Date of Insurance
8.2.2

Emergencies
10.4, 14.1.1.2, 15.1.5

Employees, Contractor's
3.3.2, 3.4.3, 3.8.1, 3.9, 3.18.2, 4.2.3, 4.2.6, 10.2, 10.3.3, 11.3, 14.1, 14.2.1.1

Equipment, Labor, or Materials
1.1.3, 1.1.6, 3.4, 3.5, 3.8.2, 3.8.3, 3.12, 3.13, 3.15.1, 4.2.6, 4.2.7, 5.2.1, 6.2.1, 7.3.4, 9.3.2, 9.3.3, 9.5.1.3, 9.10.2, 10.2.1, 10.2.4, 14.2.1.1, 14.2.1.2

Execution and Progress of the Work
1.1.3, 1.2.1, 1.2.2, 2.3.4, 2.3.6, 3.1, 3.3.1, 3.4.1, 3.7.1, 3.10.1, 3.12, 3.14, 4.2, 6.2.2, 7.1.3, 7.3.6, 8.2, 9.5.1, 9.9.1, 10.2, 10.3, 12.1, 12.2, 14.2, 14.3.1, 15.1.4

Extensions of Time
3.2.4, 3.7.4, 5.2.3, 7.2.1, 7.3, 7.4, 9.5.1, 9.7, 10.3.2,
10.4, 14.3, 15.1.6, **15.2.5**

Failure of Payment
9.5.1.3, 9.7, 9.10.2, 13.5, 14.1.1.3, 14.2.1.2

Faulty Work
(See Defective or Nonconforming Work)

Final Completion and Final Payment
4.2.1, 4.2.9, 9.8.2, **9.10**, 12.3, 14.2.4, 14.4.3

Financial Arrangements, Owner's
2.2.1, 13.2.2, 14.1.1.4

GENERAL PROVISIONS
1

Governing Law
13.1

Guarantees (See Warranty)

Hazardous Materials and Substances
10.2.4, 10.3

Identification of Subcontractors and Suppliers
5.2.1

Indemnification
3.17, **3.18**, 9.6.8, 9.10.2, 10.3.3, 11.3

Information and Services Required of the Owner
2.1.2, **2.2**, 2.3, 3.2.2, 3.12.10.1, 6.1.3, 6.1.4, 6.2.5,
9.6.1, 9.9.2, 9.10.3, 10.3.3, 11.2, 13.4.1, 13.4.2,
14.1.1.4, 14.1.4, 15.1.4

Initial Decision
15.2

Initial Decision Maker, Definition of
1.1.8

Initial Decision Maker, Decisions
14.2.4, 15.1.4.2, 15.2.1, 15.2.2, 15.2.3, 15.2.4, 15.2.5

Initial Decision Maker, Extent of Authority
14.2.4, 15.1.4.2, 15.2.1, 15.2.2, 15.2.3, 15.2.4, 15.2.5

Injury or Damage to Person or Property
10.2.8, 10.4

Inspections
3.1.3, 3.3.3, 3.7.1, 4.2.2, 4.2.6, 4.2.9, 9.4.2, 9.8.3,
9.9.2, 9.10.1, 12.2.1, 13.4

Instructions to Bidders
1.1.1

Instructions to the Contractor
3.2.4, 3.3.1, 3.8.1, 5.2.1, 7, 8.2.2, 12, 13.4.2

Instruments of Service, Definition of
1.1.7

Insurance
6.1.1, 7.3.4, 8.2.2, 9.3.2, 9.8.4, 9.9.1, 9.10.2, 10.2.5, **11**

Insurance, Notice of Cancellation or Expiration
11.1.4, 11.2.3

Insurance, Contractor's Liability
11.1

Insurance, Effective Date of
8.2.2, 14.4.2

Insurance, Owner's Liability
11.2

Insurance, Property
10.2.5, 11.2, 11.4, 11.5

Insurance, Stored Materials
9.3.2

INSURANCE AND BONDS
11

Insurance Companies, Consent to Partial Occupancy
9.9.1

Insured loss, Adjustment and Settlement of
11.5

Intent of the Contract Documents
1.2.1, 4.2.7, 4.2.12, 4.2.13

Interest
13.5

Interpretation
1.1.8, 1.2.3, **1.4**, 4.1.1, 5.1, 6.1.2, 15.1.1

Interpretations, Written
4.2.11, 4.2.12

Judgment on Final Award
15.4.2

Labor and Materials, Equipment
1.1.3, 1.1.6, **3.4**, 3.5, 3.8.2, 3.8.3, 3.12, 3.13, 3.15.1,
5.2.1, 6.2.1, 7.3.4, 9.3.2, 9.3.3, 9.5.1.3, 9.10.2, 10.2.1,
10.2.4, 14.2.1.1, 14.2.1.2

Labor Disputes
8.3.1

Laws and Regulations
1.5, 2.3.2, 3.2.3, 3.2.4, 3.6, 3.7, 3.12.10, 3.13, 9.6.4,
9.9.1, 10.2.2, 13.1, 13.3.1, 13.4.2, 13.5, 14, 15.2.8,
15.4

Liens
2.1.2, 9.3.1, 9.3.3, 9.6.8, 9.10.2, 9.10.4, 15.2.8

Limitations, Statutes of
12.2.5, 15.1.2, 15.4.1.1

Limitations of Liability
3.2.2, 3.5, 3.12.10, 3.12.10.1, 3.17, 3.18.1, 4.2.6,
4.2.7, 6.2.2, 9.4.2, 9.6.4, 9.6.7, 9.6.8, 10.2.5, 10.3.3,
11.3, 12.2.5, 13.3.1

Limitations of Time
2.1.2, 2.2, 2.5, 3.2.2, 3.10, 3.11, 3.12.5, 3.15.1, 4.2.7,
5.2, 5.3, 5.4.1, 6.2.4, 7.3, 7.4, 8.2, 9.2, 9.3.1, 9.3.3,
9.4.1, 9.5, 9.6, 9.7, 9.8, 9.9, 9.10, 12.2, 13.4, 14, 15,
15.1.2, 15.1.3, 15.1.5

Materials, Hazardous
10.2.4, 10.3

Materials, Labor, Equipment and
1.1.3, 1.1.6, 3.4.1, 3.5, 3.8.2, 3.8.3, 3.12, 3.13, 3.15.1,
5.2.1, 6.2.1, 7.3.4, 9.3.2, 9.3.3, 9.5.1.3, 9.10.2,
10.2.1.2, 10.2.4, 14.2.1.1, 14.2.1.2

Means, Methods, Techniques, Sequences and
Procedures of Construction
3.3.1, 3.12.10, 4.2.2, 4.2.7, 9.4.2

Mechanic's Lien
2.1.2, 9.3.1, 9.3.3, 9.6.8, 9.10.2, 9.10.4, 15.2.8

Mediation
8.3.1, 15.1.3.2, 15.2.1, 15.2.5, 15.2.6, **15.3**, 15.4.1,
15.4.1.1

Minor Changes in the Work
1.1.1, 3.4.2, 3.12.8, 4.2.8, 7.1, 7.4

MISCELLANEOUS PROVISIONS

13

Modifications, Definition of

1.1.1

Modifications to the Contract

1.1.1, 1.1.2, 2.5, 3.11, 4.1.2, 4.2.1, 5.2.3, 7, 8.3.1, 9.7, 10.3.2

Mutual Responsibility

6.2

Nonconforming Work, Acceptance of

9.6.6, 9.9.3, 12.3

Nonconforming Work, Rejection and Correction of

2.4, 2.5, 3.5, 4.2.6, 6.2.4, 9.5.1, 9.8.2, 9.9.3, 9.10.4, 12.2

Notice

1.6, 1.6.1, 1.6.2, 2.1.2, 2.2.2, 2.2.3, 2.2.4, 2.5, 3.2.4, 3.3.1, 3.7.4, 3.7.5, 3.9.2, 3.12.9, 3.12.10, 5.2.1, 7.4, 8.2.2, 9.6.8, 9.7, 9.10.1, 10.2.8, 10.3.2, 11.5, 12.2.2.1, 13.4.1, 13.4.2, 14.1, 14.2.2, 14.4.2, 15.1.3, 15.1.5, 15.1.6, 15.4.1

Notice of Cancellation or Expiration of Insurance

11.1.4, 11.2.3

Notice of Claims

1.6.2, 2.1.2, 3.7.4, 9.6.8, 10.2.8, 15.1.3, 15.1.5, 15.1.6, 15.2.8, 15.3.2, 15.4.1

Notice of Testing and Inspections

13.4.1, 13.4.2

Observations, Contractor's

3.2, 3.7.4

Occupancy

2.3.1, 9.6.6, 9.8

Orders, Written

1.1.1, 2.4, 3.9.2, 7, 8.2.2, 11.5, 12.1, 12.2.2.1, 13.4.2, 14.3.1

OWNER

2

Owner, Definition of

2.1.1

Owner, Evidence of Financial Arrangements

2.2, 13.2.2, 14.1.1.4

Owner, Information and Services Required of the

2.1.2, 2.2, 2.3, 3.2.2, 3.12.10, 6.1.3, 6.1.4, 6.2.5, 9.3.2, 9.6.1, 9.6.4, 9.9.2, 9.10.3, 10.3.3, 11.2, 13.4.1, 13.4.2, 14.1.1.4, 14.1.4, 15.1.4

Owner's Authority

1.5, 2.1.1, 2.3.2.4, 2.5, 3.4.2, 3.8.1, 3.12.10, 3.14.2, 4.1.2, 4.2.4, 4.2.9, 5.2.1, 5.2.4, 5.4.1, 6.1, 6.3, 7.2.1, 7.3.1, 8.2.2, 8.3.1, 9.3.2, 9.5.1, 9.6.4, 9.9.1, 9.10.2, 10.3.2, 11.4, 11.5, 12.2.2, 12.3, 13.2.2, 14.3, 14.4, 15.2.7

Owner's Insurance

11.2

Owner's Relationship with Subcontractors

1.1.2, 5.2, 5.3, 5.4, 9.6.4, 9.10.2, 14.2.2

Owner's Right to Carry Out the Work

2.5, 14.2.2

Owner's Right to Clean Up

6.3

Owner's Right to Perform Construction and to Award Separate Contracts

6.1

Owner's Right to Stop the Work

2.4

Owner's Right to Suspend the Work

14.3

Owner's Right to Terminate the Contract

14.2, 14.4

Ownership and Use of Drawings, Specifications and Other Instruments of Service

1.1.1, 1.1.6, 1.1.7, 1.5, 2.3.6, 3.2.2, 3.11, 3.17, 4.2.12, 5.3

Partial Occupancy or Use

9.6.6, 9.9

Patching, Cutting and

3.14, 6.2.5

Patents

3.17

Payment, Applications for

4.2.5, 7.3.9, 9.2, 9.3, 9.4, 9.5, 9.6.3, 9.7, 9.8.5, 9.10.1, 14.2.3, 14.2.4, 14.4.3

Payment, Certificates for

4.2.5, 4.2.9, 9.3.3, 9.4, 9.5, 9.6.1, 9.6.6, 9.7, 9.10.1, 9.10.3, 14.1.1.3, 14.2.4

Payment, Failure of

9.5.1.3, 9.7, 9.10.2, 13.5, 14.1.1.3, 14.2.1.2

Payment, Final

4.2.1, 4.2.9, 9.10, 12.3, 14.2.4, 14.4.3

Payment Bond, Performance Bond and

7.3.4.4, 9.6.7, 9.10.3, 11.1.2

Payments, Progress

9.3, 9.6, 9.8.5, 9.10.3, 14.2.3, 15.1.4

PAYMENTS AND COMPLETION

9

Payments to Subcontractors

5.4.2, 9.5.1.3, 9.6.2, 9.6.3, 9.6.4, 9.6.7, 14.2.1.2

PCB

10.3.1

Performance Bond and Payment Bond

7.3.4.4, 9.6.7, 9.10.3, 11.1.2

Permits, Fees, Notices and Compliance with Laws

2.3.1, 3.7, 3.13, 7.3.4.4, 10.2.2

PERSONS AND PROPERTY, PROTECTION OF

10

Polychlorinated Biphenyl

10.3.1

Product Data, Definition of

3.12.2

Product Data and Samples, Shop Drawings

3.11, 3.12, 4.2.7

Progress and Completion

4.2.2, 8.2, 9.8, 9.9.1, 14.1.4, 15.1.4

Progress Payments

9.3, 9.6, 9.8.5, 9.10.3, 14.2.3, 15.1.4

Project, Definition of
 1.1.4
Project Representatives
 4.2.10
Property Insurance
 10.2.5, 11.2
Proposal Requirements
 1.1.1
PROTECTION OF PERSONS AND PROPERTY
 10
Regulations and Laws
 1.5, 2.3.2, 3.2.3, 3.6, 3.7, 3.12.10, 3.13, 9.6.4, 9.9.1, 10.2.2, 13.1, 13.3, 13.4.1, 13.4.2, 13.5, 14, 15.2.8, 15.4
Rejection of Work
 4.2.6, 12.2.1
Releases and Waivers of Liens
 9.3.1, 9.10.2
Representations
 3.2.1, 3.5, 3.12.6, 8.2.1, 9.3.3, 9.4.2, 9.5.1, 9.10.1
Representatives
 2.1.1, 3.1.1, 3.9, 4.1.1, 4.2.10, 13.2.1
Responsibility for Those Performing the Work
 3.3.2, 3.18, 4.2.2, 4.2.3, 5.3, 6.1.3, 6.2, 6.3, 9.5.1, 10
Retainage
 9.3.1, 9.6.2, 9.8.5, 9.9.1, 9.10.2, 9.10.3
Review of Contract Documents and Field Conditions by Contractor
 3.2, 3.12.7, 6.1.3
Review of Contractor's Submittals by Owner and Architect
 3.10.1, 3.10.2, 3.11, 3.12, 4.2, 5.2, 6.1.3, 9.2, 9.8.2
Review of Shop Drawings, Product Data and Samples by Contractor
 3.12
Rights and Remedies
 1.1.2, 2.4, 2.5, 3.5, 3.7.4, 3.15.2, 4.2.6, 5.3, 5.4, 6.1, 6.3, 7.3.1, 8.3, 9.5.1, 9.7, 10.2.5, 10.3, 12.2.1, 12.2.2, 12.2.4, 13.3, 14, 15.4
Royalties, Patents and Copyrights
 3.17
Rules and Notices for Arbitration
 15.4.1
Safety of Persons and Property
 10.2, 10.4
Safety Precautions and Programs
 3.3.1, 4.2.2, 4.2.7, 5.3, 10.1, 10.2, 10.4
Samples, Definition of
 3.12.3
Samples, Shop Drawings, Product Data and
 3.11, 3.12, 4.2.7
Samples at the Site, Documents and
 3.11
Schedule of Values
 9.2, 9.3.1
Schedules, Construction
 3.10, 3.12.1, 3.12.2, 6.1.3, 15.1.6.2

Separate Contracts and Contractors
 1.1.4, 3.12.5, 3.14.2, 4.2.4, 4.2.7, 6, 8.3.1, 12.1.2
Separate Contractors, Definition of
 6.1.1
Shop Drawings, Definition of
 3.12.1
Shop Drawings, Product Data and Samples
 3.11, 3.12, 4.2.7
Site, Use of
 3.13, 6.1.1, 6.2.1
Site Inspections
 3.2.2, 3.3.3, 3.7.1, 3.7.4, 4.2, 9.9.2, 9.4.2, 9.10.1, 13.4
Site Visits, Architect's
 3.7.4, 4.2.2, 4.2.9, 9.4.2, 9.5.1, 9.9.2, 9.10.1, 13.4
Special Inspections and Testing
 4.2.6, 12.2.1, 13.4
Specifications, Definition of
 1.1.6
Specifications
 1.1.1, 1.1.6, 1.2.2, 1.5, 3.12.10, 3.17, 4.2.14
Statute of Limitations
 15.1.2, 15.4.1.1
Stopping the Work
 2.2.2, 2.4, 9.7, 10.3, 14.1
Stored Materials
 6.2.1, 9.3.2, 10.2.1.2, 10.2.4
Subcontractor, Definition of
 5.1.1
SUBCONTRACTORS
 5
Subcontractors, Work by
 1.2.2, 3.3.2, 3.12.1, 3.18, 4.2.3, 5.2.3, 5.3, 5.4, 9.3.1.2, 9.6.7
Subcontractual Relations
 5.3, 5.4, 9.3.1.2, 9.6, 9.10, 10.2.1, 14.1, 14.2.1
Submittals
 3.10, 3.11, 3.12, 4.2.7, 5.2.1, 5.2.3, 7.3.4, 9.2, 9.3, 9.8, 9.9.1, 9.10.2, 9.10.3
Submittal Schedule
 3.10.2, 3.12.5, 4.2.7
Subrogation, Waivers of
 6.1.1, 11.3
Substances, Hazardous
 10.3
Substantial Completion
 4.2.9, 8.1.1, 8.1.3, 8.2.3, 9.4.2, 9.8, 9.9.1, 9.10.3, 12.2, 15.1.2
Substantial Completion, Definition of
 9.8.1
Substitution of Subcontractors
 5.2.3, 5.2.4
Substitution of Architect
 2.3.3
Substitutions of Materials
 3.4.2, 3.5, 7.3.8
Sub-subcontractor, Definition of
 5.1.2

Subsurface Conditions

3.7.4

Successors and Assigns

13.2

Superintendent

3.9, 10.2.6

Supervision and Construction Procedures

1.2.2, 3.3, 3.4, 3.12.10, 4.2.2, 4.2.7, 6.1.3, 6.2.4, 7.1.3, 7.3.4, 8.2, 8.3.1, 9.4.2, 10, 12, 14, 15.1.4

Suppliers

1.5, 3.12.1, 4.2.4, 4.2.6, 5.2.1, 9.3, 9.4.2, 9.5.4, 9.6, 9.10.5, 14.2.1

Surety

5.4.1.2, 9.6.8, 9.8.5, 9.10.2, 9.10.3, 11.1.2, 14.2.2, 15.2.7

Surety, Consent of

9.8.5, 9.10.2, 9.10.3

Surveys

1.1.7, 2.3.4

Suspension by the Owner for Convenience

14.3

Suspension of the Work

3.7.5, 5.4.2, 14.3

Suspension or Termination of the Contract

5.4.1.1, 14

Taxes

3.6, 3.8.2.1, 7.3.4.4

Termination by the Contractor

14.1, 15.1.7

Termination by the Owner for Cause

5.4.1.1, 14.2, 15.1.7

Termination by the Owner for Convenience

14.4

Termination of the Architect

2.3.3

Termination of the Contractor Employment

14.2.2

TERMINATION OR SUSPENSION OF THE CONTRACT

14

Tests and Inspections

3.1.3, 3.3.3, 3.7.1, 4.2.2, 4.2.6, 4.2.9, 9.4.2, 9.8.3, 9.9.2, 9.10.1, 10.3.2, 12.2.1, 13.4

TIME

8

Time, Delays and Extensions of

3.2.4, 3.7.4, 5.2.3, 7.2.1, 7.3.1, 7.4, 8.3, 9.5.1, 9.7, 10.3.2, 10.4, 14.3.2, 15.1.6, 15.2.5

Time Limits

2.1.2, 2.2, 2.5, 3.2.2, 3.10, 3.11, 3.12.5, 3.15.1, 4.2, 5.2, 5.3, 5.4, 6.2.4, 7.3, 7.4, 8.2, 9.2, 9.3.1, 9.3.3, 9.4.1, 9.5, 9.6, 9.7, 9.8, 9.9, 9.10, 12.2, 13.4, 14, 15.1.2, 15.1.3, 15.4

Time Limits on Claims

3.7.4, 10.2.8, 15.1.2, 15.1.3

Title to Work

9.3.2, 9.3.3

UNCOVERING AND CORRECTION OF WORK

12

Uncovering of Work

12.1

Unforeseen Conditions, Concealed or Unknown

3.7.4, 8.3.1, 10.3

Unit Prices

7.3.3.2, 9.1.2

Use of Documents

1.1.1, 1.5, 2.3.6, 3.12.6, 5.3

Use of Site

3.13, 6.1.1, 6.2.1

Values, Schedule of

9.2, 9.3.1

Waiver of Claims by the Architect

13.3.2

Waiver of Claims by the Contractor

9.10.5, 13.3.2, 15.1.7

Waiver of Claims by the Owner

9.9.3, 9.10.3, 9.10.4, 12.2.2.1, 13.3.2, 14.2.4, 15.1.7

Waiver of Consequential Damages

14.2.4, 15.1.7

Waiver of Liens

9.3, 9.10.2, 9.10.4

Waivers of Subrogation

6.1.1, 11.3

Warranty

3.5, 4.2.9, 9.3.3, 9.8.4, 9.9.1, 9.10.2, 9.10.4, 12.2.2, 15.1.2

Weather Delays

8.3, 15.1.6.2

Work, Definition of

1.1.3

Written Consent

1.5.2, 3.4.2, 3.7.4, 3.12.8, 3.14.2, 4.1.2, 9.3.2, 9.10.3, 13.2, 13.3.2, 15.4.4.2

Written Interpretations

4.2.11, 4.2.12

Written Orders

1.1.1, 2.4, 3.9, 7, 8.2.2, 12.1, 12.2, 13.4.2, 14.3.1

ARTICLE 1 GENERAL PROVISIONS

§ 1.1 Basic Definitions

§ 1.1.1 The Contract Documents

The Contract Documents are enumerated in the Agreement between the Owner and Contractor (hereinafter the Agreement) and consist of the Agreement, Conditions of the Contract (General, Supplementary and other Conditions), Drawings, Specifications, Addenda issued prior to execution of the Contract, other documents listed in the Agreement, and Modifications issued after execution of the Contract. A Modification is (1) a written amendment to the Contract signed by both parties, (2) a Change Order, (3) a Construction Change Directive, or (4) a written order for a minor change in the Work issued by the Architect. Unless specifically enumerated in the Agreement, the Contract Documents do not include the advertisement or invitation to bid, Instructions to Bidders, sample forms, other information furnished by the Owner in anticipation of receiving bids or proposals, the Contractor's bid or proposal, or portions of Addenda relating to bidding or proposal requirements.

§ 1.1.2 The Contract

The Contract Documents form the Contract for Construction. The Contract represents the entire and integrated agreement between the parties hereto and supersedes prior negotiations, representations, or agreements, either written or oral. The Contract may be amended or modified only by a Modification. The Contract Documents shall not be construed to create a contractual relationship of any kind (1) between the Contractor and the Architect or the Architect's consultants, (2) between the Owner and a Subcontractor or a Sub-subcontractor, (3) between the Owner and the Architect or the Architect's consultants, or (4) between any persons or entities other than the Owner and the Contractor. The Architect shall, however, be entitled to performance and enforcement of obligations under the Contract intended to facilitate performance of the Architect's duties.

§ 1.1.3 The Work

The term "Work" means the construction and services required by the Contract Documents, whether completed or partially completed, and includes all other labor, materials, equipment, and services provided or to be provided by the Contractor to fulfill the Contractor's obligations. The Work may constitute the whole or a part of the Project.

§ 1.1.4 The Project

The Project is the total construction of which the Work performed under the Contract Documents may be the whole or a part and which may include construction by the Owner and by Separate Contractors.

§ 1.1.5 The Drawings

The Drawings are the graphic and pictorial portions of the Contract Documents showing the design, location and dimensions of the Work, generally including plans, elevations, sections, details, schedules, and diagrams.

§ 1.1.6 The Specifications

The Specifications are that portion of the Contract Documents consisting of the written requirements for materials, equipment, systems, standards and workmanship for the Work, and performance of related services.

§ 1.1.7 Instruments of Service

Instruments of Service are representations, in any medium of expression now known or later developed, of the tangible and intangible creative work performed by the Architect and the Architect's consultants under their respective professional services agreements. Instruments of Service may include, without limitation, studies, surveys, models, sketches, drawings, specifications, and other similar materials.

§ 1.1.8 Initial Decision Maker

The Initial Decision Maker is the person identified in the Agreement to render initial decisions on Claims in accordance with Section 15.2. The Initial Decision Maker shall not show partiality to the Owner or Contractor and shall not be liable for results of interpretations or decisions rendered in good faith.

§ 1.2 Correlation and Intent of the Contract Documents

§ 1.2.1 The intent of the Contract Documents is to include all items necessary for the proper execution and completion of the Work by the Contractor. The Contract Documents are complementary, and what is required by one shall be as binding as if required by all; performance by the Contractor shall be required only to the extent consistent with the Contract Documents and reasonably inferable from them as being necessary to produce the indicated results.

§ 1.2.1.1 The invalidity of any provision of the Contract Documents shall not invalidate the Contract or its remaining provisions. If it is determined that any provision of the Contract Documents violates any law, or is otherwise invalid or unenforceable, then that provision shall be revised to the extent necessary to make that provision legal and enforceable. In such case the Contract Documents shall be construed, to the fullest extent permitted by law, to give effect to the parties' intentions and purposes in executing the Contract.

§ 1.2.2 Organization of the Specifications into divisions, sections and articles, and arrangement of Drawings shall not control the Contractor in dividing the Work among Subcontractors or in establishing the extent of Work to be performed by any trade.

§ 1.2.3 Unless otherwise stated in the Contract Documents, words that have well-known technical or construction industry meanings are used in the Contract Documents in accordance with such recognized meanings.

§ 1.3 Capitalization

Terms capitalized in these General Conditions include those that are (1) specifically defined, (2) the titles of numbered articles, or (3) the titles of other documents published by the American Institute of Architects.

§ 1.4 Interpretation

In the interest of brevity the Contract Documents frequently omit modifying words such as "all" and "any" and articles such as "the" and "an," but the fact that a modifier or an article is absent from one statement and appears in another is not intended to affect the interpretation of either statement.

§ 1.5 Ownership and Use of Drawings, Specifications, and Other Instruments of Service

§ 1.5.1 The Architect and the Architect's consultants shall be deemed the authors and owners of their respective Instruments of Service, including the Drawings and Specifications, and retain all common law, statutory, and other reserved rights in their Instruments of Service, including copyrights. The Contractor, Subcontractors, Sub-subcontractors, and suppliers shall not own or claim a copyright in the Instruments of Service. Submittal or distribution to meet official regulatory requirements or for other purposes in connection with the Project is not to be construed as publication in derogation of the Architect's or Architect's consultants' reserved rights.

§ 1.5.2 The Contractor, Subcontractors, Sub-subcontractors, and suppliers are authorized to use and reproduce the Instruments of Service provided to them, subject to any protocols established pursuant to Sections 1.7 and 1.8, solely and exclusively for execution of the Work. All copies made under this authorization shall bear the copyright notice, if any, shown on the Instruments of Service. The Contractor, Subcontractors, Sub-subcontractors, and suppliers may not use the Instruments of Service on other projects or for additions to the Project outside the scope of the Work without the specific written consent of the Owner, Architect, and the Architect's consultants.

§ 1.6 Notice

§ 1.6.1 Except as otherwise provided in Section 1.6.2, where the Contract Documents require one party to notify or give notice to the other party, such notice shall be provided in writing to the designated representative of the party to whom the notice is addressed and shall be deemed to have been duly served if delivered in person, by mail, by courier, or by electronic transmission if a method for electronic transmission is set forth in the Agreement.

§ 1.6.2 Notice of Claims as provided in Section 15.1.3 shall be provided in writing and shall be deemed to have been duly served only if delivered to the designated representative of the party to whom the notice is addressed by certified or registered mail, or by courier providing proof of delivery.

§ 1.7 Digital Data Use and Transmission

The parties shall agree upon protocols governing the transmission and use of Instruments of Service or any other information or documentation in digital form. The parties will use AIA Document E203™–2013, Building Information Modeling and Digital Data Exhibit, to establish the protocols for the development, use, transmission, and exchange of digital data.

§ 1.8 Building Information Models Use and Reliance

Any use of, or reliance on, all or a portion of a building information model without agreement to protocols governing the use of, and reliance on, the information contained in the model and without having those protocols set forth in AIA Document E203™–2013, Building Information Modeling and Digital Data Exhibit, and the requisite AIA Document

G202™-2013, Project Building Information Modeling Protocol Form, shall be at the using or relying party's sole risk and without liability to the other party and its contractors or consultants, the authors of, or contributors to, the building information model, and each of their agents and employees.

ARTICLE 2 OWNER

§ 2.1 General

§ 2.1.1 The Owner is the person or entity identified as such in the Agreement and is referred to throughout the Contract Documents as if singular in number. The Owner shall designate in writing a representative who shall have express authority to bind the Owner with respect to all matters requiring the Owner's approval or authorization. Except as otherwise provided in Section 4.2.1, the Architect does not have such authority. The term "Owner" means the Owner or the Owner's authorized representative.

§ 2.1.2 The Owner shall furnish to the Contractor, within fifteen days after receipt of a written request, information necessary and relevant for the Contractor to evaluate, give notice of, or enforce mechanic's lien rights. Such information shall include a correct statement of the record legal title to the property on which the Project is located, usually referred to as the site, and the Owner's interest therein.

§ 2.2 Evidence of the Owner's Financial Arrangements

§ 2.2.1 Prior to commencement of the Work and upon written request by the Contractor, the Owner shall furnish to the Contractor reasonable evidence that the Owner has made financial arrangements to fulfill the Owner's obligations under the Contract. The Contractor shall have no obligation to commence the Work until the Owner provides such evidence. If commencement of the Work is delayed under this Section 2.2.1, the Contract Time shall be extended appropriately.

§ 2.2.2 Following commencement of the Work and upon written request by the Contractor, the Owner shall furnish to the Contractor reasonable evidence that the Owner has made financial arrangements to fulfill the Owner's obligations under the Contract only if (1) the Owner fails to make payments to the Contractor as the Contract Documents require; (2) the Contractor identifies in writing a reasonable concern regarding the Owner's ability to make payment when due; or (3) a change in the Work materially changes the Contract Sum. If the Owner fails to provide such evidence, as required, within fourteen days of the Contractor's request, the Contractor may immediately stop the Work and, in that event, shall notify the Owner that the Work has stopped. However, if the request is made because a change in the Work materially changes the Contract Sum under (3) above, the Contractor may immediately stop only that portion of the Work affected by the change until reasonable evidence is provided. If the Work is stopped under this Section 2.2.2, the Contract Time shall be extended appropriately and the Contract Sum shall be increased by the amount of the Contractor's reasonable costs of shutdown, delay and start-up, plus interest as provided in the Contract Documents.

§ 2.2.3 After the Owner furnishes evidence of financial arrangements under this Section 2.2, the Owner shall not materially vary such financial arrangements without prior notice to the Contractor.

§ 2.2.4 Where the Owner has designated information furnished under this Section 2.2 as "confidential," the Contractor shall keep the information confidential and shall not disclose it to any other person. However, the Contractor may disclose "confidential" information, after seven (7) days' notice to the Owner, where disclosure is required by law, including a subpoena or other form of compulsory legal process issued by a court or governmental entity, or by court or arbitrator(s) order. The Contractor may also disclose "confidential" information to its employees, consultants, sureties, Subcontractors and their employees, Sub-subcontractors, and others who need to know the content of such information solely and exclusively for the Project and who agree to maintain the confidentiality of such information.

§ 2.3 Information and Services Required of the Owner

§ 2.3.1 Except for permits and fees that are the responsibility of the Contractor under the Contract Documents, including those required under Section 3.7.1, the Owner shall secure and pay for necessary approvals, easements, assessments and charges required for construction, use or occupancy of permanent structures or for permanent changes in existing facilities.

§ 2.3.2 The Owner shall retain an architect lawfully licensed to practice architecture, or an entity lawfully practicing architecture, in the jurisdiction where the Project is located. That person or entity is identified as the Architect in the Agreement and is referred to throughout the Contract Documents as if singular in number.

§ 2.3.3 If the employment of the Architect terminates, the Owner shall employ a successor to whom the Contractor has no reasonable objection and whose status under the Contract Documents shall be that of the Architect.

§ 2.3.4 The Owner shall furnish surveys describing physical characteristics, legal limitations and utility locations for the site of the Project, and a legal description of the site. The Contractor shall be entitled to rely on the accuracy of information furnished by the Owner but shall exercise proper precautions relating to the safe performance of the Work.

§ 2.3.5 The Owner shall furnish information or services required of the Owner by the Contract Documents with reasonable promptness. The Owner shall also furnish any other information or services under the Owner's control and relevant to the Contractor's performance of the Work with reasonable promptness after receiving the Contractor's written request for such information or services.

§ 2.3.6 Unless otherwise provided in the Contract Documents, the Owner shall furnish to the Contractor one copy of the Contract Documents for purposes of making reproductions pursuant to Section 1.5.2.

§ 2.4 Owner's Right to Stop the Work

If the Contractor fails to correct Work that is not in accordance with the requirements of the Contract Documents as required by Section 12.2 or repeatedly fails to carry out Work in accordance with the Contract Documents, the Owner may issue a written order to the Contractor to stop the Work, or any portion thereof, until the cause for such order has been eliminated; however, the right of the Owner to stop the Work shall not give rise to a duty on the part of the Owner to exercise this right for the benefit of the Contractor or any other person or entity, except to the extent required by Section 6.1.3.

§ 2.5 Owner's Right to Carry Out the Work

If the Contractor defaults or neglects to carry out the Work in accordance with the Contract Documents and fails within a ten-day period after receipt of notice from the Owner to commence and continue correction of such default or neglect with diligence and promptness, the Owner may, without prejudice to other remedies the Owner may have, correct such default or neglect. Such action by the Owner and amounts charged to the Contractor are both subject to prior approval of the Architect and the Architect may, pursuant to Section 9.5.1, withhold or nullify a Certificate for Payment in whole or in part, to the extent reasonably necessary to reimburse the Owner for the reasonable cost of correcting such deficiencies, including Owner's expenses and compensation for the Architect's additional services made necessary by such default, neglect, or failure. If current and future payments are not sufficient to cover such amounts, the Contractor shall pay the difference to the Owner. If the Contractor disagrees with the actions of the Owner or the Architect, or the amounts claimed as costs to the Owner, the Contractor may file a Claim pursuant to Article 15.

ARTICLE 3 CONTRACTOR

§ 3.1 General

§ 3.1.1 The Contractor is the person or entity identified as such in the Agreement and is referred to throughout the Contract Documents as if singular in number. The Contractor shall be lawfully licensed, if required in the jurisdiction where the Project is located. The Contractor shall designate in writing a representative who shall have express authority to bind the Contractor with respect to all matters under this Contract. The term "Contractor" means the Contractor or the Contractor's authorized representative.

§ 3.1.2 The Contractor shall perform the Work in accordance with the Contract Documents.

§ 3.1.3 The Contractor shall not be relieved of its obligations to perform the Work in accordance with the Contract Documents either by activities or duties of the Architect in the Architect's administration of the Contract, or by tests, inspections or approvals required or performed by persons or entities other than the Contractor.

§ 3.2 Review of Contract Documents and Field Conditions by Contractor

§ 3.2.1 Execution of the Contract by the Contractor is a representation that the Contractor has visited the site, become generally familiar with local conditions under which the Work is to be performed, and correlated personal observations with requirements of the Contract Documents.

§ 3.2.2 Because the Contract Documents are complementary, the Contractor shall, before starting each portion of the Work, carefully study and compare the various Contract Documents relative to that portion of the Work, as well as the information furnished by the Owner pursuant to Section 2.3.4, shall take field measurements of any existing conditions related to that portion of the Work, and shall observe any conditions at the site affecting it. These obligations are for the purpose of facilitating coordination and construction by the Contractor and are not for the purpose of discovering errors, omissions, or inconsistencies in the Contract Documents; however, the Contractor shall promptly report to the Architect any errors, inconsistencies or omissions discovered by or made known to the Contractor as a request for information in such form as the Architect may require. It is recognized that the Contractor's review is made in the Contractor's capacity as a contractor and not as a licensed design professional, unless otherwise specifically provided in the Contract Documents.

§ 3.2.3 The Contractor is not required to ascertain that the Contract Documents are in accordance with applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of public authorities, but the Contractor shall promptly report to the Architect any nonconformity discovered by or made known to the Contractor as a request for information in such form as the Architect may require.

§ 3.2.4 If the Contractor believes that additional cost or time is involved because of clarifications or instructions the Architect issues in response to the Contractor's notices or requests for information pursuant to Sections 3.2.2 or 3.2.3, the Contractor shall submit Claims as provided in Article 15. If the Contractor fails to perform the obligations of Sections 3.2.2 or 3.2.3, the Contractor shall pay such costs and damages to the Owner, subject to Section 15.1.7, as would have been avoided if the Contractor had performed such obligations. If the Contractor performs those obligations, the Contractor shall not be liable to the Owner or Architect for damages resulting from errors, inconsistencies or omissions in the Contract Documents, for differences between field measurements or conditions and the Contract Documents, or for nonconformities of the Contract Documents to applicable laws, statutes, ordinances, codes, rules and regulations, and lawful orders of public authorities.

§ 3.3 Supervision and Construction Procedures

§ 3.3.1 The Contractor shall supervise and direct the Work, using the Contractor's best skill and attention. The Contractor shall be solely responsible for, and have control over, construction means, methods, techniques, sequences, and procedures, and for coordinating all portions of the Work under the Contract. If the Contract Documents give specific instructions concerning construction means, methods, techniques, sequences, or procedures, the Contractor shall evaluate the jobsite safety thereof and shall be solely responsible for the jobsite safety of such means, methods, techniques, sequences, or procedures. If the Contractor determines that such means, methods, techniques, sequences or procedures may not be safe, the Contractor shall give timely notice to the Owner and Architect, and shall propose alternative means, methods, techniques, sequences, or procedures. The Architect shall evaluate the proposed alternative solely for conformance with the design intent for the completed construction. Unless the Architect objects to the Contractor's proposed alternative, the Contractor shall perform the Work using its alternative means, methods, techniques, sequences, or procedures.

§ 3.3.2 The Contractor shall be responsible to the Owner for acts and omissions of the Contractor's employees, Subcontractors and their agents and employees, and other persons or entities performing portions of the Work for, or on behalf of, the Contractor or any of its Subcontractors.

§ 3.3.3 The Contractor shall be responsible for inspection of portions of Work already performed to determine that such portions are in proper condition to receive subsequent Work.

§ 3.4 Labor and Materials

§ 3.4.1 Unless otherwise provided in the Contract Documents, the Contractor shall provide and pay for labor, materials, equipment, tools, construction equipment and machinery, water, heat, utilities, transportation, and other facilities and services necessary for proper execution and completion of the Work, whether temporary or permanent and whether or not incorporated or to be incorporated in the Work.

§ 3.4.2 Except in the case of minor changes in the Work approved by the Architect in accordance with Section 3.12.8 or ordered by the Architect in accordance with Section 7.4, the Contractor may make substitutions only with the consent of the Owner, after evaluation by the Architect and in accordance with a Change Order or Construction Change Directive.

§ 3.4.3 The Contractor shall enforce strict discipline and good order among the Contractor's employees and other persons carrying out the Work. The Contractor shall not permit employment of unfit persons or persons not properly skilled in tasks assigned to them.

§ 3.5 Warranty

§ 3.5.1 The Contractor warrants to the Owner and Architect that materials and equipment furnished under the Contract will be of good quality and new unless the Contract Documents require or permit otherwise. The Contractor further warrants that the Work will conform to the requirements of the Contract Documents and will be free from defects, except for those inherent in the quality of the Work the Contract Documents require or permit. Work, materials, or equipment not conforming to these requirements may be considered defective. The Contractor's warranty excludes remedy for damage or defect caused by abuse, alterations to the Work not executed by the Contractor, improper or insufficient maintenance, improper operation, or normal wear and tear and normal usage. If required by the Architect, the Contractor shall furnish satisfactory evidence as to the kind and quality of materials and equipment.

§ 3.5.2 All material, equipment, or other special warranties required by the Contract Documents shall be issued in the name of the Owner, or shall be transferable to the Owner, and shall commence in accordance with Section 9.8.4.

§ 3.6 Taxes

The Contractor shall pay sales, consumer, use and similar taxes for the Work provided by the Contractor that are legally enacted when bids are received or negotiations concluded, whether or not yet effective or merely scheduled to go into effect.

§ 3.7 Permits, Fees, Notices and Compliance with Laws

§ 3.7.1 Unless otherwise provided in the Contract Documents, the Contractor shall secure and pay for the building permit as well as for other permits, fees, licenses, and inspections by government agencies necessary for proper execution and completion of the Work that are customarily secured after execution of the Contract and legally required at the time bids are received or negotiations concluded.

§ 3.7.2 The Contractor shall comply with and give notices required by applicable laws, statutes, ordinances, codes, rules and regulations, and lawful orders of public authorities applicable to performance of the Work.

§ 3.7.3 If the Contractor performs Work knowing it to be contrary to applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of public authorities, the Contractor shall assume appropriate responsibility for such Work and shall bear the costs attributable to correction.

§ 3.7.4 Concealed or Unknown Conditions

If the Contractor encounters conditions at the site that are (1) subsurface or otherwise concealed physical conditions that differ materially from those indicated in the Contract Documents or (2) unknown physical conditions of an unusual nature that differ materially from those ordinarily found to exist and generally recognized as inherent in construction activities of the character provided for in the Contract Documents, the Contractor shall promptly provide notice to the Owner and the Architect before conditions are disturbed and in no event later than 14 days after first observance of the conditions. The Architect will promptly investigate such conditions and, if the Architect determines that they differ materially and cause an increase or decrease in the Contractor's cost of, or time required for, performance of any part of the Work, will recommend that an equitable adjustment be made in the Contract Sum or Contract Time, or both. If the Architect determines that the conditions at the site are not materially different from those indicated in the Contract Documents and that no change in the terms of the Contract is justified, the Architect shall promptly notify the Owner and Contractor, stating the reasons. If either party disputes the Architect's determination or recommendation, that party may submit a Claim as provided in Article 15.

§ 3.7.5 If, in the course of the Work, the Contractor encounters human remains or recognizes the existence of burial markers, archaeological sites or wetlands not indicated in the Contract Documents, the Contractor shall immediately suspend any operations that would affect them and shall notify the Owner and Architect. Upon receipt of such notice, the Owner shall promptly take any action necessary to obtain governmental authorization required to resume the operations. The Contractor shall continue to suspend such operations until otherwise instructed by the Owner but shall continue with all other operations that do not affect those remains or features. Requests for adjustments in the Contract Sum and Contract Time arising from the existence of such remains or features may be made as provided in Article 15.

Init.

§ 3.8 Allowances

§ 3.8.1 The Contractor shall include in the Contract Sum all allowances stated in the Contract Documents. Items covered by allowances shall be supplied for such amounts and by such persons or entities as the Owner may direct, but the Contractor shall not be required to employ persons or entities to whom the Contractor has reasonable objection.

§ 3.8.2 Unless otherwise provided in the Contract Documents,

- .1 allowances shall cover the cost to the Contractor of materials and equipment delivered at the site and all required taxes, less applicable trade discounts;
- .2 Contractor's costs for unloading and handling at the site, labor, installation costs, overhead, profit, and other expenses contemplated for stated allowance amounts shall be included in the Contract Sum but not in the allowances; and
- .3 whenever costs are more than or less than allowances, the Contract Sum shall be adjusted accordingly by Change Order. The amount of the Change Order shall reflect (1) the difference between actual costs and the allowances under Section 3.8.2.1 and (2) changes in Contractor's costs under Section 3.8.2.2.

§ 3.8.3 Materials and equipment under an allowance shall be selected by the Owner with reasonable promptness.

§ 3.9 Superintendent

§ 3.9.1 The Contractor shall employ a competent superintendent and necessary assistants who shall be in attendance at the Project site during performance of the Work. The superintendent shall represent the Contractor, and communications given to the superintendent shall be as binding as if given to the Contractor.

§ 3.9.2 The Contractor, as soon as practicable after award of the Contract, shall notify the Owner and Architect of the name and qualifications of a proposed superintendent. Within 14 days of receipt of the information, the Architect may notify the Contractor, stating whether the Owner or the Architect (1) has reasonable objection to the proposed superintendent or (2) requires additional time for review. Failure of the Architect to provide notice within the 14-day period shall constitute notice of no reasonable objection.

§ 3.9.3 The Contractor shall not employ a proposed superintendent to whom the Owner or Architect has made reasonable and timely objection. The Contractor shall not change the superintendent without the Owner's consent, which shall not unreasonably be withheld or delayed.

§ 3.10 Contractor's Construction and Submittal Schedules

§ 3.10.1 The Contractor, promptly after being awarded the Contract, shall submit for the Owner's and Architect's information a Contractor's construction schedule for the Work. The schedule shall contain detail appropriate for the Project, including (1) the date of commencement of the Work, interim schedule milestone dates, and the date of Substantial Completion; (2) an apportionment of the Work by construction activity; and (3) the time required for completion of each portion of the Work. The schedule shall provide for the orderly progression of the Work to completion and shall not exceed time limits current under the Contract Documents. The schedule shall be revised at appropriate intervals as required by the conditions of the Work and Project.

§ 3.10.2 The Contractor, promptly after being awarded the Contract and thereafter as necessary to maintain a current submittal schedule, shall submit a submittal schedule for the Architect's approval. The Architect's approval shall not be unreasonably delayed or withheld. The submittal schedule shall (1) be coordinated with the Contractor's construction schedule, and (2) allow the Architect reasonable time to review submittals. If the Contractor fails to submit a submittal schedule, or fails to provide submittals in accordance with the approved submittal schedule, the Contractor shall not be entitled to any increase in Contract Sum or extension of Contract Time based on the time required for review of submittals.

§ 3.10.3 The Contractor shall perform the Work in general accordance with the most recent schedules submitted to the Owner and Architect.

§ 3.11 Documents and Samples at the Site

The Contractor shall make available, at the Project site, the Contract Documents, including Change Orders, Construction Change Directives, and other Modifications, in good order and marked currently to indicate field changes and selections made during construction, and the approved Shop Drawings, Product Data, Samples, and similar required submittals. These shall be in electronic form or paper copy, available to the Architect and Owner, and

delivered to the Architect for submittal to the Owner upon completion of the Work as a record of the Work as constructed.

§ 3.12 Shop Drawings, Product Data and Samples

§ 3.12.1 Shop Drawings are drawings, diagrams, schedules, and other data specially prepared for the Work by the Contractor or a Subcontractor, Sub-subcontractor, manufacturer, supplier, or distributor to illustrate some portion of the Work.

§ 3.12.2 Product Data are illustrations, standard schedules, performance charts, instructions, brochures, diagrams, and other information furnished by the Contractor to illustrate materials or equipment for some portion of the Work.

§ 3.12.3 Samples are physical examples that illustrate materials, equipment, or workmanship, and establish standards by which the Work will be judged.

§ 3.12.4 Shop Drawings, Product Data, Samples, and similar submittals are not Contract Documents. Their purpose is to demonstrate how the Contractor proposes to conform to the information given and the design concept expressed in the Contract Documents for those portions of the Work for which the Contract Documents require submittals. Review by the Architect is subject to the limitations of Section 4.2.7. Informational submittals upon which the Architect is not expected to take responsive action may be so identified in the Contract Documents. Submittals that are not required by the Contract Documents may be returned by the Architect without action.

§ 3.12.5 The Contractor shall review for compliance with the Contract Documents, approve, and submit to the Architect, Shop Drawings, Product Data, Samples, and similar submittals required by the Contract Documents, in accordance with the submittal schedule approved by the Architect or, in the absence of an approved submittal schedule, with reasonable promptness and in such sequence as to cause no delay in the Work or in the activities of the Owner or of Separate Contractors.

§ 3.12.6 By submitting Shop Drawings, Product Data, Samples, and similar submittals, the Contractor represents to the Owner and Architect that the Contractor has (1) reviewed and approved them, (2) determined and verified materials, field measurements and field construction criteria related thereto, or will do so, and (3) checked and coordinated the information contained within such submittals with the requirements of the Work and of the Contract Documents.

§ 3.12.7 The Contractor shall perform no portion of the Work for which the Contract Documents require submittal and review of Shop Drawings, Product Data, Samples, or similar submittals, until the respective submittal has been approved by the Architect.

§ 3.12.8 The Work shall be in accordance with approved submittals except that the Contractor shall not be relieved of responsibility for deviations from the requirements of the Contract Documents by the Architect's approval of Shop Drawings, Product Data, Samples, or similar submittals, unless the Contractor has specifically notified the Architect of such deviation at the time of submittal and (1) the Architect has given written approval to the specific deviation as a minor change in the Work, or (2) a Change Order or Construction Change Directive has been issued authorizing the deviation. The Contractor shall not be relieved of responsibility for errors or omissions in Shop Drawings, Product Data, Samples, or similar submittals, by the Architect's approval thereof.

§ 3.12.9 The Contractor shall direct specific attention, in writing or on resubmitted Shop Drawings, Product Data, Samples, or similar submittals, to revisions other than those requested by the Architect on previous submittals. In the absence of such notice, the Architect's approval of a resubmission shall not apply to such revisions.

§ 3.12.10 The Contractor shall not be required to provide professional services that constitute the practice of architecture or engineering unless such services are specifically required by the Contract Documents for a portion of the Work or unless the Contractor needs to provide such services in order to carry out the Contractor's responsibilities for construction means, methods, techniques, sequences, and procedures. The Contractor shall not be required to provide professional services in violation of applicable law.

§ 3.12.10.1 If professional design services or certifications by a design professional related to systems, materials, or equipment are specifically required of the Contractor by the Contract Documents, the Owner and the Architect will

Init.

specify all performance and design criteria that such services must satisfy. The Contractor shall be entitled to rely upon the adequacy and accuracy of the performance and design criteria provided in the Contract Documents. The Contractor shall cause such services or certifications to be provided by an appropriately licensed design professional, whose signature and seal shall appear on all drawings, calculations, specifications, certifications, Shop Drawings, and other submittals prepared by such professional. Shop Drawings, and other submittals related to the Work, designed or certified by such professional, if prepared by others, shall bear such professional's written approval when submitted to the Architect. The Owner and the Architect shall be entitled to rely upon the adequacy and accuracy of the services, certifications, and approvals performed or provided by such design professionals, provided the Owner and Architect have specified to the Contractor the performance and design criteria that such services must satisfy. Pursuant to this Section 3.12.10, the Architect will review and approve or take other appropriate action on submittals only for the limited purpose of checking for conformance with information given and the design concept expressed in the Contract Documents.

§ 3.12.10.2 If the Contract Documents require the Contractor's design professional to certify that the Work has been performed in accordance with the design criteria, the Contractor shall furnish such certifications to the Architect at the time and in the form specified by the Architect.

§ 3.13 Use of Site

The Contractor shall confine operations at the site to areas permitted by applicable laws, statutes, ordinances, codes, rules and regulations, lawful orders of public authorities, and the Contract Documents and shall not unreasonably encumber the site with materials or equipment.

§ 3.14 Cutting and Patching

§ 3.14.1 The Contractor shall be responsible for cutting, fitting, or patching required to complete the Work or to make its parts fit together properly. All areas requiring cutting, fitting, or patching shall be restored to the condition existing prior to the cutting, fitting, or patching, unless otherwise required by the Contract Documents.

§ 3.14.2 The Contractor shall not damage or endanger a portion of the Work or fully or partially completed construction of the Owner or Separate Contractors by cutting, patching, or otherwise altering such construction, or by excavation. The Contractor shall not cut or otherwise alter construction by the Owner or a Separate Contractor except with written consent of the Owner and of the Separate Contractor. Consent shall not be unreasonably withheld. The Contractor shall not unreasonably withhold, from the Owner or a Separate Contractor, its consent to cutting or otherwise altering the Work.

§ 3.15 Cleaning Up

§ 3.15.1 The Contractor shall keep the premises and surrounding area free from accumulation of waste materials and rubbish caused by operations under the Contract. At completion of the Work, the Contractor shall remove waste materials, rubbish, the Contractor's tools, construction equipment, machinery, and surplus materials from and about the Project.

§ 3.15.2 If the Contractor fails to clean up as provided in the Contract Documents, the Owner may do so and the Owner shall be entitled to reimbursement from the Contractor.

§ 3.16 Access to Work

The Contractor shall provide the Owner and Architect with access to the Work in preparation and progress wherever located.

§ 3.17 Royalties, Patents and Copyrights

The Contractor shall pay all royalties and license fees. The Contractor shall defend suits or claims for infringement of copyrights and patent rights and shall hold the Owner and Architect harmless from loss on account thereof, but shall not be responsible for defense or loss when a particular design, process, or product of a particular manufacturer or manufacturers is required by the Contract Documents, or where the copyright violations are contained in Drawings, Specifications, or other documents prepared by the Owner or Architect. However, if an infringement of a copyright or patent is discovered by, or made known to, the Contractor, the Contractor shall be responsible for the loss unless the information is promptly furnished to the Architect.

§ 3.18 Indemnification

§ 3.18.1 To the fullest extent permitted by law, the Contractor shall indemnify and hold harmless the Owner, Architect, Architect's consultants, and agents and employees of any of them from and against claims, damages, losses, and expenses, including but not limited to attorneys' fees, arising out of or resulting from performance of the Work, provided that such claim, damage, loss, or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the Work itself), but only to the extent caused by the negligent acts or omissions of the Contractor, a Subcontractor, anyone directly or indirectly employed by them, or anyone for whose acts they may be liable, regardless of whether or not such claim, damage, loss, or expense is caused in part by a party indemnified hereunder. Such obligation shall not be construed to negate, abridge, or reduce other rights or obligations of indemnity that would otherwise exist as to a party or person described in this Section 3.18.

§ 3.18.2 In claims against any person or entity indemnified under this Section 3.18 by an employee of the Contractor, a Subcontractor, anyone directly or indirectly employed by them, or anyone for whose acts they may be liable, the indemnification obligation under Section 3.18.1 shall not be limited by a limitation on amount or type of damages, compensation, or benefits payable by or for the Contractor or a Subcontractor under workers' compensation acts, disability benefit acts, or other employee benefit acts.

ARTICLE 4 ARCHITECT

§ 4.1 General

§ 4.1.1 The Architect is the person or entity retained by the Owner pursuant to Section 2.3.2 and identified as such in the Agreement.

§ 4.1.2 Duties, responsibilities, and limitations of authority of the Architect as set forth in the Contract Documents shall not be restricted, modified, or extended without written consent of the Owner, Contractor, and Architect. Consent shall not be unreasonably withheld.

§ 4.2 Administration of the Contract

§ 4.2.1 The Architect will provide administration of the Contract as described in the Contract Documents and will be an Owner's representative during construction until the date the Architect issues the final Certificate for Payment. The Architect will have authority to act on behalf of the Owner only to the extent provided in the Contract Documents.

§ 4.2.2 The Architect will visit the site at intervals appropriate to the stage of construction, or as otherwise agreed with the Owner, to become generally familiar with the progress and quality of the portion of the Work completed, and to determine in general if the Work observed is being performed in a manner indicating that the Work, when fully completed, will be in accordance with the Contract Documents. However, the Architect will not be required to make exhaustive or continuous on-site inspections to check the quality or quantity of the Work. The Architect will not have control over, charge of, or responsibility for the construction means, methods, techniques, sequences or procedures, or for the safety precautions and programs in connection with the Work, since these are solely the Contractor's rights and responsibilities under the Contract Documents.

§ 4.2.3 On the basis of the site visits, the Architect will keep the Owner reasonably informed about the progress and quality of the portion of the Work completed, and promptly report to the Owner (1) known deviations from the Contract Documents, (2) known deviations from the most recent construction schedule submitted by the Contractor, and (3) defects and deficiencies observed in the Work. The Architect will not be responsible for the Contractor's failure to perform the Work in accordance with the requirements of the Contract Documents. The Architect will not have control over or charge of, and will not be responsible for acts or omissions of, the Contractor, Subcontractors, or their agents or employees, or any other persons or entities performing portions of the Work.

§ 4.2.4 Communications

The Owner and Contractor shall include the Architect in all communications that relate to or affect the Architect's services or professional responsibilities. The Owner shall promptly notify the Architect of the substance of any direct communications between the Owner and the Contractor otherwise relating to the Project. Communications by and with the Architect's consultants shall be through the Architect. Communications by and with Subcontractors and suppliers shall be through the Contractor. Communications by and with Separate Contractors shall be through the Owner. The Contract Documents may specify other communication protocols.

§ 4.2.5 Based on the Architect's evaluations of the Contractor's Applications for Payment, the Architect will review and certify the amounts due the Contractor and will issue Certificates for Payment in such amounts.

§ 4.2.6 The Architect has authority to reject Work that does not conform to the Contract Documents. Whenever the Architect considers it necessary or advisable, the Architect will have authority to require inspection or testing of the Work in accordance with Sections 13.4.2 and 13.4.3, whether or not the Work is fabricated, installed or completed. However, neither this authority of the Architect nor a decision made in good faith either to exercise or not to exercise such authority shall give rise to a duty or responsibility of the Architect to the Contractor, Subcontractors, suppliers, their agents or employees, or other persons or entities performing portions of the Work.

§ 4.2.7 The Architect will review and approve, or take other appropriate action upon, the Contractor's submittals such as Shop Drawings, Product Data, and Samples, but only for the limited purpose of checking for conformance with information given and the design concept expressed in the Contract Documents. The Architect's action will be taken in accordance with the submittal schedule approved by the Architect or, in the absence of an approved submittal schedule, with reasonable promptness while allowing sufficient time in the Architect's professional judgment to permit adequate review. Review of such submittals is not conducted for the purpose of determining the accuracy and completeness of other details such as dimensions and quantities, or for substantiating instructions for installation or performance of equipment or systems, all of which remain the responsibility of the Contractor as required by the Contract Documents. The Architect's review of the Contractor's submittals shall not relieve the Contractor of the obligations under Sections 3.3, 3.5, and 3.12. The Architect's review shall not constitute approval of safety precautions or of any construction means, methods, techniques, sequences, or procedures. The Architect's approval of a specific item shall not indicate approval of an assembly of which the item is a component.

§ 4.2.8 The Architect will prepare Change Orders and Construction Change Directives, and may order minor changes in the Work as provided in Section 7.4. The Architect will investigate and make determinations and recommendations regarding concealed and unknown conditions as provided in Section 3.7.4.

§ 4.2.9 The Architect will conduct inspections to determine the date or dates of Substantial Completion and the date of final completion; issue Certificates of Substantial Completion pursuant to Section 9.8; receive and forward to the Owner, for the Owner's review and records, written warranties and related documents required by the Contract and assembled by the Contractor pursuant to Section 9.10; and issue a final Certificate for Payment pursuant to Section 9.10.

§ 4.2.10 If the Owner and Architect agree, the Architect will provide one or more Project representatives to assist in carrying out the Architect's responsibilities at the site. The Owner shall notify the Contractor of any change in the duties, responsibilities and limitations of authority of the Project representatives.

§ 4.2.11 The Architect will interpret and decide matters concerning performance under, and requirements of, the Contract Documents on written request of either the Owner or Contractor. The Architect's response to such requests will be made in writing within any time limits agreed upon or otherwise with reasonable promptness.

§ 4.2.12 Interpretations and decisions of the Architect will be consistent with the intent of, and reasonably inferable from, the Contract Documents and will be in writing or in the form of drawings. When making such interpretations and decisions, the Architect will endeavor to secure faithful performance by both Owner and Contractor, will not show partiality to either, and will not be liable for results of interpretations or decisions rendered in good faith.

§ 4.2.13 The Architect's decisions on matters relating to aesthetic effect will be final if consistent with the intent expressed in the Contract Documents.

§ 4.2.14 The Architect will review and respond to requests for information about the Contract Documents. The Architect's response to such requests will be made in writing within any time limits agreed upon or otherwise with reasonable promptness. If appropriate, the Architect will prepare and issue supplemental Drawings and Specifications in response to the requests for information.

ARTICLE 5 SUBCONTRACTORS

§ 5.1 Definitions

§ 5.1.1 A Subcontractor is a person or entity who has a direct contract with the Contractor to perform a portion of the Work at the site. The term "Subcontractor" is referred to throughout the Contract Documents as if singular in number and means a Subcontractor or an authorized representative of the Subcontractor. The term "Subcontractor" does not include a Separate Contractor or the subcontractors of a Separate Contractor.

§ 5.1.2 A Sub-subcontractor is a person or entity who has a direct or indirect contract with a Subcontractor to perform a portion of the Work at the site. The term "Sub-subcontractor" is referred to throughout the Contract Documents as if singular in number and means a Sub-subcontractor or an authorized representative of the Sub-subcontractor.

§ 5.2 Award of Subcontracts and Other Contracts for Portions of the Work

§ 5.2.1 Unless otherwise stated in the Contract Documents, the Contractor, as soon as practicable after award of the Contract, shall notify the Owner and Architect of the persons or entities proposed for each principal portion of the Work, including those who are to furnish materials or equipment fabricated to a special design. Within 14 days of receipt of the information, the Architect may notify the Contractor whether the Owner or the Architect (1) has reasonable objection to any such proposed person or entity or (2) requires additional time for review. Failure of the Architect to provide notice within the 14-day period shall constitute notice of no reasonable objection.

§ 5.2.2 The Contractor shall not contract with a proposed person or entity to whom the Owner or Architect has made reasonable and timely objection. The Contractor shall not be required to contract with anyone to whom the Contractor has made reasonable objection.

§ 5.2.3 If the Owner or Architect has reasonable objection to a person or entity proposed by the Contractor, the Contractor shall propose another to whom the Owner or Architect has no reasonable objection. If the proposed but rejected Subcontractor was reasonably capable of performing the Work, the Contract Sum and Contract Time shall be increased or decreased by the difference, if any, occasioned by such change, and an appropriate Change Order shall be issued before commencement of the substitute Subcontractor's Work. However, no increase in the Contract Sum or Contract Time shall be allowed for such change unless the Contractor has acted promptly and responsively in submitting names as required.

§ 5.2.4 The Contractor shall not substitute a Subcontractor, person, or entity for one previously selected if the Owner or Architect makes reasonable objection to such substitution.

§ 5.3 Subcontractual Relations

By appropriate written agreement, the Contractor shall require each Subcontractor, to the extent of the Work to be performed by the Subcontractor, to be bound to the Contractor by terms of the Contract Documents, and to assume toward the Contractor all the obligations and responsibilities, including the responsibility for safety of the Subcontractor's Work that the Contractor, by these Contract Documents, assumes toward the Owner and Architect. Each subcontract agreement shall preserve and protect the rights of the Owner and Architect under the Contract Documents with respect to the Work to be performed by the Subcontractor so that subcontracting thereof will not prejudice such rights, and shall allow to the Subcontractor, unless specifically provided otherwise in the subcontract agreement, the benefit of all rights, remedies, and redress against the Contractor that the Contractor, by the Contract Documents, has against the Owner. Where appropriate, the Contractor shall require each Subcontractor to enter into similar agreements with Sub-subcontractors. The Contractor shall make available to each proposed Subcontractor, prior to the execution of the subcontract agreement, copies of the Contract Documents to which the Subcontractor will be bound, and, upon written request of the Subcontractor, identify to the Subcontractor terms and conditions of the proposed subcontract agreement that may be at variance with the Contract Documents. Subcontractors will similarly make copies of applicable portions of such documents available to their respective proposed Sub-subcontractors.

§ 5.4 Contingent Assignment of Subcontracts

§ 5.4.1 Each subcontract agreement for a portion of the Work is assigned by the Contractor to the Owner, provided that

- .1 assignment is effective only after termination of the Contract by the Owner for cause pursuant to Section 14.2 and only for those subcontract agreements that the Owner accepts by notifying the Subcontractor and Contractor; and
- .2 assignment is subject to the prior rights of the surety, if any, obligated under bond relating to the Contract.

When the Owner accepts the assignment of a subcontract agreement, the Owner assumes the Contractor's rights and obligations under the subcontract.

§ 5.4.2 Upon such assignment, if the Work has been suspended for more than 30 days, the Subcontractor's compensation shall be equitably adjusted for increases in cost resulting from the suspension.

§ 5.4.3 Upon assignment to the Owner under this Section 5.4, the Owner may further assign the subcontract to a successor contractor or other entity. If the Owner assigns the subcontract to a successor contractor or other entity, the Owner shall nevertheless remain legally responsible for all of the successor contractor's obligations under the subcontract.

ARTICLE 6 CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS

§ 6.1 Owner's Right to Perform Construction and to Award Separate Contracts

§ 6.1.1 The term "Separate Contractor(s)" shall mean other contractors retained by the Owner under separate agreements. The Owner reserves the right to perform construction or operations related to the Project with the Owner's own forces, and with Separate Contractors retained under Conditions of the Contract substantially similar to those of this Contract, including those provisions of the Conditions of the Contract related to insurance and waiver of subrogation.

§ 6.1.2 When separate contracts are awarded for different portions of the Project or other construction or operations on the site, the term "Contractor" in the Contract Documents in each case shall mean the Contractor who executes each separate Owner-Contractor Agreement.

§ 6.1.3 The Owner shall provide for coordination of the activities of the Owner's own forces and of each Separate Contractor with the Work of the Contractor, who shall cooperate with them. The Contractor shall participate with any Separate Contractors and the Owner in reviewing their construction schedules. The Contractor shall make any revisions to its construction schedule deemed necessary after a joint review and mutual agreement. The construction schedules shall then constitute the schedules to be used by the Contractor, Separate Contractors, and the Owner until subsequently revised.

§ 6.1.4 Unless otherwise provided in the Contract Documents, when the Owner performs construction or operations related to the Project with the Owner's own forces or with Separate Contractors, the Owner or its Separate Contractors shall have the same obligations and rights that the Contractor has under the Conditions of the Contract, including, without excluding others, those stated in Article 3, this Article 6, and Articles 10, 11, and 12.

§ 6.2 Mutual Responsibility

§ 6.2.1 The Contractor shall afford the Owner and Separate Contractors reasonable opportunity for introduction and storage of their materials and equipment and performance of their activities, and shall connect and coordinate the Contractor's construction and operations with theirs as required by the Contract Documents.

§ 6.2.2 If part of the Contractor's Work depends for proper execution or results upon construction or operations by the Owner or a Separate Contractor, the Contractor shall, prior to proceeding with that portion of the Work, promptly notify the Architect of apparent discrepancies or defects in the construction or operations by the Owner or Separate Contractor that would render it unsuitable for proper execution and results of the Contractor's Work. Failure of the Contractor to notify the Architect of apparent discrepancies or defects prior to proceeding with the Work shall constitute an acknowledgment that the Owner's or Separate Contractor's completed or partially completed construction is fit and proper to receive the Contractor's Work. The Contractor shall not be responsible for discrepancies or defects in the construction or operations by the Owner or Separate Contractor that are not apparent.

§ 6.2.3 The Contractor shall reimburse the Owner for costs the Owner incurs that are payable to a Separate Contractor because of the Contractor's delays, improperly timed activities or defective construction. The Owner shall be responsible to the Contractor for costs the Contractor incurs because of a Separate Contractor's delays, improperly timed activities, damage to the Work or defective construction.

§ 6.2.4 The Contractor shall promptly remedy damage that the Contractor wrongfully causes to completed or partially completed construction or to property of the Owner or Separate Contractor as provided in Section 10.2.5.

Init.

§ 6.2.5 The Owner and each Separate Contractor shall have the same responsibilities for cutting and patching as are described for the Contractor in Section 3.14.

§ 6.3 Owner's Right to Clean Up

If a dispute arises among the Contractor, Separate Contractors, and the Owner as to the responsibility under their respective contracts for maintaining the premises and surrounding area free from waste materials and rubbish, the Owner may clean up and the Architect will allocate the cost among those responsible.

ARTICLE 7 CHANGES IN THE WORK

§ 7.1 General

§ 7.1.1 Changes in the Work may be accomplished after execution of the Contract, and without invalidating the Contract, by Change Order, Construction Change Directive or order for a minor change in the Work, subject to the limitations stated in this Article 7 and elsewhere in the Contract Documents.

§ 7.1.2 A Change Order shall be based upon agreement among the Owner, Contractor, and Architect. A Construction Change Directive requires agreement by the Owner and Architect and may or may not be agreed to by the Contractor. An order for a minor change in the Work may be issued by the Architect alone.

§ 7.1.3 Changes in the Work shall be performed under applicable provisions of the Contract Documents. The Contractor shall proceed promptly with changes in the Work, unless otherwise provided in the Change Order, Construction Change Directive, or order for a minor change in the Work.

§ 7.2 Change Orders

§ 7.2.1 A Change Order is a written instrument prepared by the Architect and signed by the Owner, Contractor, and Architect stating their agreement upon all of the following:

- .1 The change in the Work;
- .2 The amount of the adjustment, if any, in the Contract Sum; and
- .3 The extent of the adjustment, if any, in the Contract Time.

§ 7.3 Construction Change Directives

§ 7.3.1 A Construction Change Directive is a written order prepared by the Architect and signed by the Owner and Architect, directing a change in the Work prior to agreement on adjustment, if any, in the Contract Sum or Contract Time, or both. The Owner may by Construction Change Directive, without invalidating the Contract, order changes in the Work within the general scope of the Contract consisting of additions, deletions, or other revisions, the Contract Sum and Contract Time being adjusted accordingly.

§ 7.3.2 A Construction Change Directive shall be used in the absence of total agreement on the terms of a Change Order.

§ 7.3.3 If the Construction Change Directive provides for an adjustment to the Contract Sum, the adjustment shall be based on one of the following methods:

- .1 Mutual acceptance of a lump sum properly itemized and supported by sufficient substantiating data to permit evaluation;
- .2 Unit prices stated in the Contract Documents or subsequently agreed upon;
- .3 Cost to be determined in a manner agreed upon by the parties and a mutually acceptable fixed or percentage fee; or
- .4 As provided in Section 7.3.4.

§ 7.3.4 If the Contractor does not respond promptly or disagrees with the method for adjustment in the Contract Sum, the Architect shall determine the adjustment on the basis of reasonable expenditures and savings of those performing the Work attributable to the change, including, in case of an increase in the Contract Sum, an amount for overhead and profit as set forth in the Agreement, or if no such amount is set forth in the Agreement, a reasonable amount. In such case, and also under Section 7.3.3.3, the Contractor shall keep and present, in such form as the Architect may prescribe, an itemized accounting together with appropriate supporting data. Unless otherwise provided in the Contract Documents, costs for the purposes of this Section 7.3.4 shall be limited to the following:

Init.

- 1 Costs of labor, including applicable payroll taxes, fringe benefits required by agreement or custom, workers' compensation insurance, and other employee costs approved by the Architect;
- 2 Costs of materials, supplies, and equipment, including cost of transportation, whether incorporated or consumed;
- 3 Rental costs of machinery and equipment, exclusive of hand tools, whether rented from the Contractor or others;
- 4 Costs of premiums for all bonds and insurance, permit fees, and sales, use, or similar taxes, directly related to the change; and
- 5 Costs of supervision and field office personnel directly attributable to the change.

§ 7.3.5 If the Contractor disagrees with the adjustment in the Contract Time, the Contractor may make a Claim in accordance with applicable provisions of Article 15.

§ 7.3.6 Upon receipt of a Construction Change Directive, the Contractor shall promptly proceed with the change in the Work involved and advise the Architect of the Contractor's agreement or disagreement with the method, if any, provided in the Construction Change Directive for determining the proposed adjustment in the Contract Sum or Contract Time.

§ 7.3.7 A Construction Change Directive signed by the Contractor indicates the Contractor's agreement therewith, including adjustment in Contract Sum and Contract Time or the method for determining them. Such agreement shall be effective immediately and shall be recorded as a Change Order.

§ 7.3.8 The amount of credit to be allowed by the Contractor to the Owner for a deletion or change that results in a net decrease in the Contract Sum shall be actual net cost as confirmed by the Architect. When both additions and credits covering related Work or substitutions are involved in a change, the allowance for overhead and profit shall be figured on the basis of net increase, if any, with respect to that change.

§ 7.3.9 Pending final determination of the total cost of a Construction Change Directive to the Owner, the Contractor may request payment for Work completed under the Construction Change Directive in Applications for Payment. The Architect will make an interim determination for purposes of monthly certification for payment for those costs and certify for payment the amount that the Architect determines, in the Architect's professional judgment, to be reasonably justified. The Architect's interim determination of cost shall adjust the Contract Sum on the same basis as a Change Order, subject to the right of either party to disagree and assert a Claim in accordance with Article 15.

§ 7.3.10 When the Owner and Contractor agree with a determination made by the Architect concerning the adjustments in the Contract Sum and Contract Time, or otherwise reach agreement upon the adjustments, such agreement shall be effective immediately and the Architect will prepare a Change Order. Change Orders may be issued for all or any part of a Construction Change Directive.

§ 7.4 Minor Changes in the Work

The Architect may order minor changes in the Work that are consistent with the intent of the Contract Documents and do not involve an adjustment in the Contract Sum or an extension of the Contract Time. The Architect's order for minor changes shall be in writing. If the Contractor believes that the proposed minor change in the Work will affect the Contract Sum or Contract Time, the Contractor shall notify the Architect and shall not proceed to implement the change in the Work. If the Contractor performs the Work set forth in the Architect's order for a minor change without prior notice to the Architect that such change will affect the Contract Sum or Contract Time, the Contractor waives any adjustment to the Contract Sum or extension of the Contract Time.

ARTICLE 8 TIME

§ 8.1 Definitions

§ 8.1.1 Unless otherwise provided, Contract Time is the period of time, including authorized adjustments, allotted in the Contract Documents for Substantial Completion of the Work.

§ 8.1.2 The date of commencement of the Work is the date established in the Agreement.

§ 8.1.3 The date of Substantial Completion is the date certified by the Architect in accordance with Section 9.8.

§ 8.1.4 The term "day" as used in the Contract Documents shall mean calendar day unless otherwise specifically defined.

§ 8.2 Progress and Completion

§ 8.2.1 Time limits stated in the Contract Documents are of the essence of the Contract. By executing the Agreement, the Contractor confirms that the Contract Time is a reasonable period for performing the Work.

§ 8.2.2 The Contractor shall not knowingly, except by agreement or instruction of the Owner in writing, commence the Work prior to the effective date of insurance required to be furnished by the Contractor and Owner.

§ 8.2.3 The Contractor shall proceed expeditiously with adequate forces and shall achieve Substantial Completion within the Contract Time.

§ 8.3 Delays and Extensions of Time

§ 8.3.1 If the Contractor is delayed at any time in the commencement or progress of the Work by (1) an act or neglect of the Owner or Architect, of an employee of either, or of a Separate Contractor; (2) by changes ordered in the Work; (3) by labor disputes, fire, unusual delay in deliveries, unavoidable casualties, adverse weather conditions documented in accordance with Section 15.1.6.2, or other causes beyond the Contractor's control; (4) by delay authorized by the Owner pending mediation and binding dispute resolution; or (5) by other causes that the Contractor asserts, and the Architect determines, justify delay, then the Contract Time shall be extended for such reasonable time as the Architect may determine.

§ 8.3.2 Claims relating to time shall be made in accordance with applicable provisions of Article 15.

§ 8.3.3 This Section 8.3 does not preclude recovery of damages for delay by either party under other provisions of the Contract Documents.

ARTICLE 9 PAYMENTS AND COMPLETION

§ 9.1 Contract Sum

§ 9.1.1 The Contract Sum is stated in the Agreement and, including authorized adjustments, is the total amount payable by the Owner to the Contractor for performance of the Work under the Contract Documents.

§ 9.1.2 If unit prices are stated in the Contract Documents or subsequently agreed upon, and if quantities originally contemplated are materially changed so that application of such unit prices to the actual quantities causes substantial inequity to the Owner or Contractor, the applicable unit prices shall be equitably adjusted.

§ 9.2 Schedule of Values

Where the Contract is based on a stipulated sum or Guaranteed Maximum Price, the Contractor shall submit a schedule of values to the Architect before the first Application for Payment, allocating the entire Contract Sum to the various portions of the Work. The schedule of values shall be prepared in the form, and supported by the data to substantiate its accuracy, required by the Architect. This schedule, unless objected to by the Architect, shall be used as a basis for reviewing the Contractor's Applications for Payment. Any changes to the schedule of values shall be submitted to the Architect and supported by such data to substantiate its accuracy as the Architect may require, and unless objected to by the Architect, shall be used as a basis for reviewing the Contractor's subsequent Applications for Payment.

§ 9.3 Applications for Payment

§ 9.3.1 At least ten days before the date established for each progress payment, the Contractor shall submit to the Architect an itemized Application for Payment prepared in accordance with the schedule of values, if required under Section 9.2, for completed portions of the Work. The application shall be notarized, if required, and supported by all data substantiating the Contractor's right to payment that the Owner or Architect require, such as copies of requisitions, and releases and waivers of liens from Subcontractors and suppliers, and shall reflect retainage if provided for in the Contract Documents.

§ 9.3.1.1 As provided in Section 7.3.9, such applications may include requests for payment on account of changes in the Work that have been properly authorized by Construction Change Directives, or by interim determinations of the Architect, but not yet included in Change Orders.

§ 9.3.1.2 Applications for Payment shall not include requests for payment for portions of the Work for which the Contractor does not intend to pay a Subcontractor or supplier, unless such Work has been performed by others whom the Contractor intends to pay.

§ 9.3.2 Unless otherwise provided in the Contract Documents, payments shall be made on account of materials and equipment delivered and suitably stored at the site for subsequent incorporation in the Work. If approved in advance by the Owner, payment may similarly be made for materials and equipment suitably stored off the site at a location agreed upon in writing. Payment for materials and equipment stored on or off the site shall be conditioned upon compliance by the Contractor with procedures satisfactory to the Owner to establish the Owner's title to such materials and equipment or otherwise protect the Owner's interest, and shall include the costs of applicable insurance, storage, and transportation to the site, for such materials and equipment stored off the site.

§ 9.3.3 The Contractor warrants that title to all Work covered by an Application for Payment will pass to the Owner no later than the time of payment. The Contractor further warrants that upon submittal of an Application for Payment all Work for which Certificates for Payment have been previously issued and payments received from the Owner shall, to the best of the Contractor's knowledge, information, and belief, be free and clear of liens, claims, security interests, or encumbrances, in favor of the Contractor, Subcontractors, suppliers, or other persons or entities that provided labor, materials, and equipment relating to the Work.

§ 9.4 Certificates for Payment

§ 9.4.1 The Architect will, within seven days after receipt of the Contractor's Application for Payment, either (1) issue to the Owner a Certificate for Payment in the full amount of the Application for Payment, with a copy to the Contractor; or (2) issue to the Owner a Certificate for Payment for such amount as the Architect determines is properly due, and notify the Contractor and Owner of the Architect's reasons for withholding certification in part as provided in Section 9.5.1; or (3) withhold certification of the entire Application for Payment, and notify the Contractor and Owner of the Architect's reason for withholding certification in whole as provided in Section 9.5.1.

§ 9.4.2 The issuance of a Certificate for Payment will constitute a representation by the Architect to the Owner, based on the Architect's evaluation of the Work and the data in the Application for Payment, that, to the best of the Architect's knowledge, information, and belief, the Work has progressed to the point indicated, the quality of the Work is in accordance with the Contract Documents, and that the Contractor is entitled to payment in the amount certified. The foregoing representations are subject to an evaluation of the Work for conformance with the Contract Documents upon Substantial Completion, to results of subsequent tests and inspections, to correction of minor deviations from the Contract Documents prior to completion, and to specific qualifications expressed by the Architect. However, the issuance of a Certificate for Payment will not be a representation that the Architect has (1) made exhaustive or continuous on-site inspections to check the quality or quantity of the Work; (2) reviewed construction means, methods, techniques, sequences, or procedures; (3) reviewed copies of requisitions received from Subcontractors and suppliers and other data requested by the Owner to substantiate the Contractor's right to payment; or (4) made examination to ascertain how or for what purpose the Contractor has used money previously paid on account of the Contract Sum.

§ 9.5 Decisions to Withhold Certification

§ 9.5.1 The Architect may withhold a Certificate for Payment in whole or in part, to the extent reasonably necessary to protect the Owner, if in the Architect's opinion the representations to the Owner required by Section 9.4.2 cannot be made. If the Architect is unable to certify payment in the amount of the Application, the Architect will notify the Contractor and Owner as provided in Section 9.4.1. If the Contractor and Architect cannot agree on a revised amount, the Architect will promptly issue a Certificate for Payment for the amount for which the Architect is able to make such representations to the Owner. The Architect may also withhold a Certificate for Payment or, because of subsequently discovered evidence, may nullify the whole or a part of a Certificate for Payment previously issued, to such extent as may be necessary in the Architect's opinion to protect the Owner from loss for which the Contractor is responsible, including loss resulting from acts and omissions described in Section 3.3.2, because of

- .1 defective Work not remedied;
- .2 third party claims filed or reasonable evidence indicating probable filing of such claims, unless security acceptable to the Owner is provided by the Contractor;
- .3 failure of the Contractor to make payments properly to Subcontractors or suppliers for labor, materials or equipment;

Init.

- .4 reasonable evidence that the Work cannot be completed for the unpaid balance of the Contract Sum;
- .5 damage to the Owner or a Separate Contractor;
- .6 reasonable evidence that the Work will not be completed within the Contract Time, and that the unpaid balance would not be adequate to cover actual or liquidated damages for the anticipated delay; or
- .7 repeated failure to carry out the Work in accordance with the Contract Documents.

§ 9.5.2 When either party disputes the Architect's decision regarding a Certificate for Payment under Section 9.5.1, in whole or in part, that party may submit a Claim in accordance with Article 15.

§ 9.5.3 When the reasons for withholding certification are removed, certification will be made for amounts previously withheld.

§ 9.5.4 If the Architect withholds certification for payment under Section 9.5.1.3, the Owner may, at its sole option, issue joint checks to the Contractor and to any Subcontractor or supplier to whom the Contractor failed to make payment for Work properly performed or material or equipment suitably delivered. If the Owner makes payments by joint check, the Owner shall notify the Architect and the Contractor shall reflect such payment on its next Application for Payment.

§ 9.6 Progress Payments

§ 9.6.1 After the Architect has issued a Certificate for Payment, the Owner shall make payment in the manner and within the time provided in the Contract Documents, and shall so notify the Architect.

§ 9.6.2 The Contractor shall pay each Subcontractor, no later than seven days after receipt of payment from the Owner, the amount to which the Subcontractor is entitled, reflecting percentages actually retained from payments to the Contractor on account of the Subcontractor's portion of the Work. The Contractor shall, by appropriate agreement with each Subcontractor, require each Subcontractor to make payments to Sub-subcontractors in a similar manner.

§ 9.6.3 The Architect will, on request, furnish to a Subcontractor, if practicable, information regarding percentages of completion or amounts applied for by the Contractor and action taken thereon by the Architect and Owner on account of portions of the Work done by such Subcontractor.

§ 9.6.4 The Owner has the right to request written evidence from the Contractor that the Contractor has properly paid Subcontractors and suppliers amounts paid by the Owner to the Contractor for subcontracted Work. If the Contractor fails to furnish such evidence within seven days, the Owner shall have the right to contact Subcontractors and suppliers to ascertain whether they have been properly paid. Neither the Owner nor Architect shall have an obligation to pay, or to see to the payment of money to, a Subcontractor or supplier, except as may otherwise be required by law.

§ 9.6.5 The Contractor's payments to suppliers shall be treated in a manner similar to that provided in Sections 9.6.2, 9.6.3 and 9.6.4.

§ 9.6.6 A Certificate for Payment, a progress payment, or partial or entire use or occupancy of the Project by the Owner shall not constitute acceptance of Work not in accordance with the Contract Documents.

§ 9.6.7 Unless the Contractor provides the Owner with a payment bond in the full penal sum of the Contract Sum, payments received by the Contractor for Work properly performed by Subcontractors or provided by suppliers shall be held by the Contractor for those Subcontractors or suppliers who performed Work or furnished materials, or both, under contract with the Contractor for which payment was made by the Owner. Nothing contained herein shall require money to be placed in a separate account and not commingled with money of the Contractor, create any fiduciary liability or tort liability on the part of the Contractor for breach of trust, or entitle any person or entity to an award of punitive damages against the Contractor for breach of the requirements of this provision.

§ 9.6.8 Provided the Owner has fulfilled its payment obligations under the Contract Documents, the Contractor shall defend and indemnify the Owner from all loss, liability, damage or expense, including reasonable attorney's fees and litigation expenses, arising out of any lien claim or other claim for payment by any Subcontractor or supplier of any tier. Upon receipt of notice of a lien claim or other claim for payment, the Owner shall notify the Contractor. If approved by the applicable court, when required, the Contractor may substitute a surety bond for the property against which the lien or other claim for payment has been asserted.

§ 9.7 Failure of Payment

If the Architect does not issue a Certificate for Payment, through no fault of the Contractor, within seven days after receipt of the Contractor's Application for Payment, or if the Owner does not pay the Contractor within seven days after the date established in the Contract Documents, the amount certified by the Architect or awarded by binding dispute resolution, then the Contractor may, upon seven additional days' notice to the Owner and Architect, stop the Work until payment of the amount owing has been received. The Contract Time shall be extended appropriately and the Contract Sum shall be increased by the amount of the Contractor's reasonable costs of shutdown, delay and start-up, plus interest as provided for in the Contract Documents.

§ 9.8 Substantial Completion

§ 9.8.1 Substantial Completion is the stage in the progress of the Work when the Work or designated portion thereof is sufficiently complete in accordance with the Contract Documents so that the Owner can occupy or utilize the Work for its intended use.

§ 9.8.2 When the Contractor considers that the Work, or a portion thereof which the Owner agrees to accept separately, is substantially complete, the Contractor shall prepare and submit to the Architect a comprehensive list of items to be completed or corrected prior to final payment. Failure to include an item on such list does not alter the responsibility of the Contractor to complete all Work in accordance with the Contract Documents.

§ 9.8.3 Upon receipt of the Contractor's list, the Architect will make an inspection to determine whether the Work or designated portion thereof is substantially complete. If the Architect's inspection discloses any item, whether or not included on the Contractor's list, which is not sufficiently complete in accordance with the Contract Documents so that the Owner can occupy or utilize the Work or designated portion thereof for its intended use, the Contractor shall, before issuance of the Certificate of Substantial Completion, complete or correct such item upon notification by the Architect. In such case, the Contractor shall then submit a request for another inspection by the Architect to determine Substantial Completion.

§ 9.8.4 When the Work or designated portion thereof is substantially complete, the Architect will prepare a Certificate of Substantial Completion that shall establish the date of Substantial Completion; establish responsibilities of the Owner and Contractor for security, maintenance, heat, utilities, damage to the Work and insurance; and fix the time within which the Contractor shall finish all items on the list accompanying the Certificate. Warranties required by the Contract Documents shall commence on the date of Substantial Completion of the Work or designated portion thereof unless otherwise provided in the Certificate of Substantial Completion.

§ 9.8.5 The Certificate of Substantial Completion shall be submitted to the Owner and Contractor for their written acceptance of responsibilities assigned to them in the Certificate. Upon such acceptance, and consent of surety if any, the Owner shall make payment of retainage applying to the Work or designated portion thereof. Such payment shall be adjusted for Work that is incomplete or not in accordance with the requirements of the Contract Documents.

§ 9.9 Partial Occupancy or Use

§ 9.9.1 The Owner may occupy or use any completed or partially completed portion of the Work at any stage when such portion is designated by separate agreement with the Contractor, provided such occupancy or use is consented to by the insurer and authorized by public authorities having jurisdiction over the Project. Such partial occupancy or use may commence whether or not the portion is substantially complete, provided the Owner and Contractor have accepted in writing the responsibilities assigned to each of them for payments, retainage, if any, security, maintenance, heat, utilities, damage to the Work and insurance, and have agreed in writing concerning the period for correction of the Work and commencement of warranties required by the Contract Documents. When the Contractor considers a portion substantially complete, the Contractor shall prepare and submit a list to the Architect as provided under Section 9.8.2. Consent of the Contractor to partial occupancy or use shall not be unreasonably withheld. The stage of the progress of the Work shall be determined by written agreement between the Owner and Contractor or, if no agreement is reached, by decision of the Architect.

§ 9.9.2 Immediately prior to such partial occupancy or use, the Owner, Contractor, and Architect shall jointly inspect the area to be occupied or portion of the Work to be used in order to determine and record the condition of the Work.

§ 9.9.3 Unless otherwise agreed upon, partial occupancy or use of a portion or portions of the Work shall not constitute acceptance of Work not complying with the requirements of the Contract Documents.

§ 9.10 Final Completion and Final Payment

§ 9.10.1 Upon receipt of the Contractor's notice that the Work is ready for final inspection and acceptance and upon receipt of a final Application for Payment, the Architect will promptly make such inspection. When the Architect finds the Work acceptable under the Contract Documents and the Contract fully performed, the Architect will promptly issue a final Certificate for Payment stating that to the best of the Architect's knowledge, information and belief, and on the basis of the Architect's on-site visits and inspections, the Work has been completed in accordance with the Contract Documents and that the entire balance found to be due the Contractor and noted in the final Certificate is due and payable. The Architect's final Certificate for Payment will constitute a further representation that conditions listed in Section 9.10.2 as precedent to the Contractor's being entitled to final payment have been fulfilled.

§ 9.10.2 Neither final payment nor any remaining retained percentage shall become due until the Contractor submits to the Architect (1) an affidavit that payrolls, bills for materials and equipment, and other indebtedness connected with the Work for which the Owner or the Owner's property might be responsible or encumbered (less amounts withheld by Owner) have been paid or otherwise satisfied, (2) a certificate evidencing that insurance required by the Contract Documents to remain in force after final payment is currently in effect, (3) a written statement that the Contractor knows of no reason that the insurance will not be renewable to cover the period required by the Contract Documents, (4) consent of surety, if any, to final payment, (5) documentation of any special warranties, such as manufacturers' warranties or specific Subcontractor warranties, and (6) if required by the Owner, other data establishing payment or satisfaction of obligations, such as receipts and releases and waivers of liens, claims, security interests, or encumbrances arising out of the Contract, to the extent and in such form as may be designated by the Owner. If a Subcontractor refuses to furnish a release or waiver required by the Owner, the Contractor may furnish a bond satisfactory to the Owner to indemnify the Owner against such lien, claim, security interest, or encumbrance. If a lien, claim, security interest, or encumbrance remains unsatisfied after payments are made, the Contractor shall refund to the Owner all money that the Owner may be compelled to pay in discharging the lien, claim, security interest, or encumbrance, including all costs and reasonable attorneys' fees.

§ 9.10.3 If, after Substantial Completion of the Work, final completion thereof is materially delayed through no fault of the Contractor or by issuance of Change Orders affecting final completion, and the Architect so confirms, the Owner shall, upon application by the Contractor and certification by the Architect, and without terminating the Contract, make payment of the balance due for that portion of the Work fully completed, corrected, and accepted. If the remaining balance for Work not fully completed or corrected is less than retainage stipulated in the Contract Documents, and if bonds have been furnished, the written consent of the surety to payment of the balance due for that portion of the Work fully completed and accepted shall be submitted by the Contractor to the Architect prior to certification of such payment. Such payment shall be made under terms and conditions governing final payment, except that it shall not constitute a waiver of Claims.

§ 9.10.4 The making of final payment shall constitute a waiver of Claims by the Owner except those arising from

- .1 liens, Claims, security interests, or encumbrances arising out of the Contract and unsettled;
- .2 failure of the Work to comply with the requirements of the Contract Documents;
- .3 terms of special warranties required by the Contract Documents; or
- .4 audits performed by the Owner, if permitted by the Contract Documents, after final payment.

§ 9.10.5 Acceptance of final payment by the Contractor, a Subcontractor, or a supplier, shall constitute a waiver of claims by that payee except those previously made in writing and identified by that payee as unsettled at the time of final Application for Payment.

ARTICLE 10 PROTECTION OF PERSONS AND PROPERTY

§ 10.1 Safety Precautions and Programs

The Contractor shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the performance of the Contract.

§ 10.2 Safety of Persons and Property

§ 10.2.1 The Contractor shall take reasonable precautions for safety of, and shall provide reasonable protection to prevent damage, injury, or loss to

- .1 employees on the Work and other persons who may be affected thereby;
- .2 the Work and materials and equipment to be incorporated therein, whether in storage on or off the site, under care, custody, or control of the Contractor, a Subcontractor, or a Sub-subcontractor; and
- .3 other property at the site or adjacent thereto, such as trees, shrubs, lawns, walks, pavements, roadways, structures, and utilities not designated for removal, relocation, or replacement in the course of construction.

§ 10.2.2 The Contractor shall comply with, and give notices required by applicable laws, statutes, ordinances, codes, rules and regulations, and lawful orders of public authorities, bearing on safety of persons or property or their protection from damage, injury, or loss.

§ 10.2.3 The Contractor shall implement, erect, and maintain, as required by existing conditions and performance of the Contract, reasonable safeguards for safety and protection, including posting danger signs and other warnings against hazards; promulgating safety regulations; and notifying the owners and users of adjacent sites and utilities of the safeguards.

§ 10.2.4 When use or storage of explosives or other hazardous materials or equipment, or unusual methods are necessary for execution of the Work, the Contractor shall exercise utmost care and carry on such activities under supervision of properly qualified personnel.

§ 10.2.5 The Contractor shall promptly remedy damage and loss (other than damage or loss insured under property insurance required by the Contract Documents) to property referred to in Sections 10.2.1.2 and 10.2.1.3 caused in whole or in part by the Contractor, a Subcontractor, a Sub-subcontractor, or anyone directly or indirectly employed by any of them, or by anyone for whose acts they may be liable and for which the Contractor is responsible under Sections 10.2.1.2 and 10.2.1.3. The Contractor may make a Claim for the cost to remedy the damage or loss to the extent such damage or loss is attributable to acts or omissions of the Owner or Architect or anyone directly or indirectly employed by either of them, or by anyone for whose acts either of them may be liable, and not attributable to the fault or negligence of the Contractor. The foregoing obligations of the Contractor are in addition to the Contractor's obligations under Section 3.18.

§ 10.2.6 The Contractor shall designate a responsible member of the Contractor's organization at the site whose duty shall be the prevention of accidents. This person shall be the Contractor's superintendent unless otherwise designated by the Contractor in writing to the Owner and Architect.

§ 10.2.7 The Contractor shall not permit any part of the construction or site to be loaded so as to cause damage or create an unsafe condition.

§ 10.2.8 Injury or Damage to Person or Property

If either party suffers injury or damage to person or property because of an act or omission of the other party, or of others for whose acts such party is legally responsible, notice of the injury or damage, whether or not insured, shall be given to the other party within a reasonable time not exceeding 21 days after discovery. The notice shall provide sufficient detail to enable the other party to investigate the matter.

§ 10.3 Hazardous Materials and Substances

§ 10.3.1 The Contractor is responsible for compliance with any requirements included in the Contract Documents regarding hazardous materials or substances. If the Contractor encounters a hazardous material or substance not addressed in the Contract Documents and if reasonable precautions will be inadequate to prevent foreseeable bodily injury or death to persons resulting from a material or substance, including but not limited to asbestos or polychlorinated biphenyl (PCB), encountered on the site by the Contractor, the Contractor shall, upon recognizing the condition, immediately stop Work in the affected area and notify the Owner and Architect of the condition.

§ 10.3.2 Upon receipt of the Contractor's notice, the Owner shall obtain the services of a licensed laboratory to verify the presence or absence of the material or substance reported by the Contractor and, in the event such material or substance is found to be present, to cause it to be rendered harmless. Unless otherwise required by the Contract Documents, the Owner shall furnish in writing to the Contractor and Architect the names and qualifications of persons or entities who are to perform tests verifying the presence or absence of the material or substance or who are to perform the task of removal or safe containment of the material or substance. The Contractor and the Architect will

promptly reply to the Owner in writing stating whether or not either has reasonable objection to the persons or entities proposed by the Owner. If either the Contractor or Architect has an objection to a person or entity proposed by the Owner, the Owner shall propose another to whom the Contractor and the Architect have no reasonable objection. When the material or substance has been rendered harmless, Work in the affected area shall resume upon written agreement of the Owner and Contractor. By Change Order, the Contract Time shall be extended appropriately and the Contract Sum shall be increased by the amount of the Contractor's reasonable additional costs of shutdown, delay, and start-up.

§ 10.3.3 To the fullest extent permitted by law, the Owner shall indemnify and hold harmless the Contractor, Subcontractors, Architect, Architect's consultants, and agents and employees of any of them from and against claims, damages, losses, and expenses, including but not limited to attorneys' fees, arising out of or resulting from performance of the Work in the affected area if in fact the material or substance presents the risk of bodily injury or death as described in Section 10.3.1 and has not been rendered harmless, provided that such claim, damage, loss, or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the Work itself), except to the extent that such damage, loss, or expense is due to the fault or negligence of the party seeking indemnity.

§ 10.3.4 The Owner shall not be responsible under this Section 10.3 for hazardous materials or substances the Contractor brings to the site unless such materials or substances are required by the Contract Documents. The Owner shall be responsible for hazardous materials or substances required by the Contract Documents, except to the extent of the Contractor's fault or negligence in the use and handling of such materials or substances.

§ 10.3.5 The Contractor shall reimburse the Owner for the cost and expense the Owner incurs (1) for remediation of hazardous materials or substances the Contractor brings to the site and negligently handles, or (2) where the Contractor fails to perform its obligations under Section 10.3.1, except to the extent that the cost and expense are due to the Owner's fault or negligence.

§ 10.3.6 If, without negligence on the part of the Contractor, the Contractor is held liable by a government agency for the cost of remediation of a hazardous material or substance solely by reason of performing Work as required by the Contract Documents, the Owner shall reimburse the Contractor for all cost and expense thereby incurred.

§ 10.4 Emergencies

In an emergency affecting safety of persons or property, the Contractor shall act, at the Contractor's discretion, to prevent threatened damage, injury, or loss. Additional compensation or extension of time claimed by the Contractor on account of an emergency shall be determined as provided in Article 15 and Article 7.

ARTICLE 11 INSURANCE AND BONDS

§ 11.1 Contractor's Insurance and Bonds

§ 11.1.1 The Contractor shall purchase and maintain insurance of the types and limits of liability, containing the endorsements, and subject to the terms and conditions, as described in the Agreement or elsewhere in the Contract Documents. The Contractor shall purchase and maintain the required insurance from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located. The Owner, Architect, and Architect's consultants shall be named as additional insureds under the Contractor's commercial general liability policy or as otherwise described in the Contract Documents.

§ 11.1.2 The Contractor shall provide surety bonds of the types, for such penal sums, and subject to such terms and conditions as required by the Contract Documents. The Contractor shall purchase and maintain the required bonds from a company or companies lawfully authorized to issue surety bonds in the jurisdiction where the Project is located.

§ 11.1.3 Upon the request of any person or entity appearing to be a potential beneficiary of bonds covering payment of obligations arising under the Contract, the Contractor shall promptly furnish a copy of the bonds or shall authorize a copy to be furnished.

§ 11.1.4 Notice of Cancellation or Expiration of Contractor's Required Insurance. Within three (3) business days of the date the Contractor becomes aware of an impending or actual cancellation or expiration of any insurance required by the Contract Documents, the Contractor shall provide notice to the Owner of such impending or actual cancellation or

expiration. Upon receipt of notice from the Contractor, the Owner shall, unless the lapse in coverage arises from an act or omission of the Owner, have the right to stop the Work until the lapse in coverage has been cured by the procurement of replacement coverage by the Contractor. The furnishing of notice by the Contractor shall not relieve the Contractor of any contractual obligation to provide any required coverage.

§ 11.2 Owner's Insurance

§ 11.2.1 The Owner shall purchase and maintain insurance of the types and limits of liability, containing the endorsements, and subject to the terms and conditions, as described in the Agreement or elsewhere in the Contract Documents. The Owner shall purchase and maintain the required insurance from an insurance company or insurance companies lawfully authorized to issue insurance in the jurisdiction where the Project is located.

§ 11.2.2 Failure to Purchase Required Property Insurance. If the Owner fails to purchase and maintain the required property insurance, with all of the coverages and in the amounts described in the Agreement or elsewhere in the Contract Documents, the Owner shall inform the Contractor in writing prior to commencement of the Work. Upon receipt of notice from the Owner, the Contractor may delay commencement of the Work and may obtain insurance that will protect the interests of the Contractor, Subcontractors, and Sub-Subcontractors in the Work. When the failure to provide coverage has been cured or resolved, the Contract Sum and Contract Time shall be equitably adjusted. In the event the Owner fails to procure coverage, the Owner waives all rights against the Contractor, Subcontractors, and Sub-subcontractors to the extent the loss to the Owner would have been covered by the insurance to have been procured by the Owner. The cost of the insurance shall be charged to the Owner by a Change Order. If the Owner does not provide written notice, and the Contractor is damaged by the failure or neglect of the Owner to purchase or maintain the required insurance, the Owner shall reimburse the Contractor for all reasonable costs and damages attributable thereto.

§ 11.2.3 Notice of Cancellation or Expiration of Owner's Required Property Insurance. Within three (3) business days of the date the Owner becomes aware of an impending or actual cancellation or expiration of any property insurance required by the Contract Documents, the Owner shall provide notice to the Contractor of such impending or actual cancellation or expiration. Unless the lapse in coverage arises from an act or omission of the Contractor: (1) the Contractor, upon receipt of notice from the Owner, shall have the right to stop the Work until the lapse in coverage has been cured by the procurement of replacement coverage by either the Owner or the Contractor; (2) the Contract Time and Contract Sum shall be equitably adjusted; and (3) the Owner waives all rights against the Contractor, Subcontractors, and Sub-subcontractors to the extent any loss to the Owner would have been covered by the insurance had it not expired or been cancelled. If the Contractor purchases replacement coverage, the cost of the insurance shall be charged to the Owner by an appropriate Change Order. The furnishing of notice by the Owner shall not relieve the Owner of any contractual obligation to provide required insurance.

§ 11.3 Waivers of Subrogation

§ 11.3.1 The Owner and Contractor waive all rights against (1) each other and any of their subcontractors, sub-subcontractors, agents, and employees, each of the other; (2) the Architect and Architect's consultants; and (3) Separate Contractors, if any, and any of their subcontractors, sub-subcontractors, agents, and employees, for damages caused by fire, or other causes of loss, to the extent those losses are covered by property insurance required by the Agreement or other property insurance applicable to the Project, except such rights as they have to proceeds of such insurance. The Owner or Contractor, as appropriate, shall require similar written waivers in favor of the individuals and entities identified above from the Architect, Architect's consultants, Separate Contractors, subcontractors, and sub-subcontractors. The policies of insurance purchased and maintained by each person or entity agreeing to waive claims pursuant to this section 11.3.1 shall not prohibit this waiver of subrogation. This waiver of subrogation shall be effective as to a person or entity (1) even though that person or entity would otherwise have a duty of indemnification, contractual or otherwise, (2) even though that person or entity did not pay the insurance premium directly or indirectly, or (3) whether or not the person or entity had an insurable interest in the damaged property.

§ 11.3.2 If during the Project construction period the Owner insures properties, real or personal or both, at or adjacent to the site by property insurance under policies separate from those insuring the Project, or if after final payment property insurance is to be provided on the completed Project through a policy or policies other than those insuring the Project during the construction period, to the extent permissible by such policies, the Owner waives all rights in accordance with the terms of Section 11.3.1 for damages caused by fire or other causes of loss covered by this separate property insurance.

§ 11.4 Loss of Use, Business Interruption, and Delay in Completion Insurance

The Owner, at the Owner's option, may purchase and maintain insurance that will protect the Owner against loss of use of the Owner's property, or the inability to conduct normal operations, due to fire or other causes of loss. The Owner waives all rights of action against the Contractor and Architect for loss of use of the Owner's property, due to fire or other hazards however caused.

§11.5 Adjustment and Settlement of Insured Loss

§ 11.5.1 A loss insured under the property insurance required by the Agreement shall be adjusted by the Owner as fiduciary and made payable to the Owner as fiduciary for the insureds, as their interests may appear, subject to requirements of any applicable mortgagee clause and of Section 11.5.2. The Owner shall pay the Architect and Contractor their just shares of insurance proceeds received by the Owner, and by appropriate agreements the Architect and Contractor shall make payments to their consultants and Subcontractors in similar manner.

§ 11.5.2 Prior to settlement of an insured loss, the Owner shall notify the Contractor of the terms of the proposed settlement as well as the proposed allocation of the insurance proceeds. The Contractor shall have 14 days from receipt of notice to object to the proposed settlement or allocation of the proceeds. If the Contractor does not object, the Owner shall settle the loss and the Contractor shall be bound by the settlement and allocation. Upon receipt, the Owner shall deposit the insurance proceeds in a separate account and make the appropriate distributions. Thereafter, if no other agreement is made or the Owner does not terminate the Contract for convenience, the Owner and Contractor shall execute a Change Order for reconstruction of the damaged or destroyed Work in the amount allocated for that purpose. If the Contractor timely objects to either the terms of the proposed settlement or the allocation of the proceeds, the Owner may proceed to settle the insured loss, and any dispute between the Owner and Contractor arising out of the settlement or allocation of the proceeds shall be resolved pursuant to Article 15. Pending resolution of any dispute, the Owner may issue a Construction Change Directive for the reconstruction of the damaged or destroyed Work.

ARTICLE 12 UNCOVERING AND CORRECTION OF WORK

§ 12.1 Uncovering of Work

§ 12.1.1 If a portion of the Work is covered contrary to the Architect's request or to requirements specifically expressed in the Contract Documents, it must, if requested in writing by the Architect, be uncovered for the Architect's examination and be replaced at the Contractor's expense without change in the Contract Time.

§ 12.1.2 If a portion of the Work has been covered that the Architect has not specifically requested to examine prior to its being covered, the Architect may request to see such Work and it shall be uncovered by the Contractor. If such Work is in accordance with the Contract Documents, the Contractor shall be entitled to an equitable adjustment to the Contract Sum and Contract Time as may be appropriate. If such Work is not in accordance with the Contract Documents, the costs of uncovering the Work, and the cost of correction, shall be at the Contractor's expense.

§ 12.2 Correction of Work

§ 12.2.1 Before Substantial Completion

The Contractor shall promptly correct Work rejected by the Architect or failing to conform to the requirements of the Contract Documents, discovered before Substantial Completion and whether or not fabricated, installed or completed. Costs of correcting such rejected Work, including additional testing and inspections, the cost of uncovering and replacement, and compensation for the Architect's services and expenses made necessary thereby, shall be at the Contractor's expense.

§ 12.2.2 After Substantial Completion

§ 12.2.2.1 In addition to the Contractor's obligations under Section 3.5, if, within one year after the date of Substantial Completion of the Work or designated portion thereof or after the date for commencement of warranties established under Section 9.9.1, or by terms of any applicable special warranty required by the Contract Documents, any of the Work is found to be not in accordance with the requirements of the Contract Documents, the Contractor shall correct it promptly after receipt of notice from the Owner to do so, unless the Owner has previously given the Contractor a written acceptance of such condition. The Owner shall give such notice promptly after discovery of the condition. During the one-year period for correction of Work, if the Owner fails to notify the Contractor and give the Contractor an opportunity to make the correction, the Owner waives the rights to require correction by the Contractor and to make a claim for breach of warranty. If the Contractor fails to correct nonconforming Work within a reasonable time during

Init.

that period after receipt of notice from the Owner or Architect, the Owner may correct it in accordance with Section 2.5.

§ 12.2.2.2 The one-year period for correction of Work shall be extended with respect to portions of Work first performed after Substantial Completion by the period of time between Substantial Completion and the actual completion of that portion of the Work.

§ 12.2.3 The one-year period for correction of Work shall not be extended by corrective Work performed by the Contractor pursuant to this Section 12.2.

§ 12.2.3 The Contractor shall remove from the site portions of the Work that are not in accordance with the requirements of the Contract Documents and are neither corrected by the Contractor nor accepted by the Owner.

§ 12.2.4 The Contractor shall bear the cost of correcting destroyed or damaged construction of the Owner or Separate Contractors, whether completed or partially completed, caused by the Contractor's correction or removal of Work that is not in accordance with the requirements of the Contract Documents.

§ 12.2.5 Nothing contained in this Section 12.2 shall be construed to establish a period of limitation with respect to other obligations the Contractor has under the Contract Documents. Establishment of the one-year period for correction of Work as described in Section 12.2.2 relates only to the specific obligation of the Contractor to correct the Work, and has no relationship to the time within which the obligation to comply with the Contract Documents may be sought to be enforced, nor to the time within which proceedings may be commenced to establish the Contractor's liability with respect to the Contractor's obligations other than specifically to correct the Work.

§ 12.3 Acceptance of Nonconforming Work

If the Owner prefers to accept Work that is not in accordance with the requirements of the Contract Documents, the Owner may do so instead of requiring its removal and correction, in which case the Contract Sum will be reduced as appropriate and equitable. Such adjustment shall be effected whether or not final payment has been made.

ARTICLE 13 MISCELLANEOUS PROVISIONS

§ 13.1 Governing Law

The Contract shall be governed by the law of the place where the Project is located, excluding that jurisdiction's choice of law rules. If the parties have selected arbitration as the method of binding dispute resolution, the Federal Arbitration Act shall govern Section 15.4.

§ 13.2 Successors and Assigns

§ 13.2.1 The Owner and Contractor respectively bind themselves, their partners, successors, assigns, and legal representatives to covenants, agreements, and obligations contained in the Contract Documents. Except as provided in Section 13.2.2, neither party to the Contract shall assign the Contract as a whole without written consent of the other. If either party attempts to make an assignment without such consent, that party shall nevertheless remain legally responsible for all obligations under the Contract.

§ 13.2.2 The Owner may, without consent of the Contractor, assign the Contract to a lender providing construction financing for the Project, if the lender assumes the Owner's rights and obligations under the Contract Documents. The Contractor shall execute all consents reasonably required to facilitate the assignment.

§ 13.3 Rights and Remedies

§ 13.3.1 Duties and obligations imposed by the Contract Documents and rights and remedies available thereunder shall be in addition to and not a limitation of duties, obligations, rights, and remedies otherwise imposed or available by law.

§ 13.3.2 No action or failure to act by the Owner, Architect, or Contractor shall constitute a waiver of a right or duty afforded them under the Contract, nor shall such action or failure to act constitute approval of or acquiescence in a breach thereunder, except as may be specifically agreed upon in writing.

§ 13.4 Tests and Inspections

§ 13.4.1 Tests, inspections, and approvals of portions of the Work shall be made as required by the Contract Documents and by applicable laws, statutes, ordinances, codes, rules, and regulations or lawful orders of public authorities. Unless otherwise provided, the Contractor shall make arrangements for such tests, inspections, and approvals with an independent testing laboratory or entity acceptable to the Owner, or with the appropriate public authority, and shall bear all related costs of tests, inspections, and approvals. The Contractor shall give the Architect timely notice of when and where tests and inspections are to be made so that the Architect may be present for such procedures. The Owner shall bear costs of tests, inspections, or approvals that do not become requirements until after bids are received or negotiations concluded. The Owner shall directly arrange and pay for tests, inspections, or approvals where building codes or applicable laws or regulations so require.

§ 13.4.2 If the Architect, Owner, or public authorities having jurisdiction determine that portions of the Work require additional testing, inspection, or approval not included under Section 13.4.1, the Architect will, upon written authorization from the Owner, instruct the Contractor to make arrangements for such additional testing, inspection, or approval, by an entity acceptable to the Owner, and the Contractor shall give timely notice to the Architect of when and where tests and inspections are to be made so that the Architect may be present for such procedures. Such costs, except as provided in Section 13.4.3, shall be at the Owner's expense.

§ 13.4.3 If procedures for testing, inspection, or approval under Sections 13.4.1 and 13.4.2 reveal failure of the portions of the Work to comply with requirements established by the Contract Documents, all costs made necessary by such failure, including those of repeated procedures and compensation for the Architect's services and expenses, shall be at the Contractor's expense.

§ 13.4.4 Required certificates of testing, inspection, or approval shall, unless otherwise required by the Contract Documents, be secured by the Contractor and promptly delivered to the Architect.

§ 13.4.5 If the Architect is to observe tests, inspections, or approvals required by the Contract Documents, the Architect will do so promptly and, where practicable, at the normal place of testing.

§ 13.4.6 Tests or inspections conducted pursuant to the Contract Documents shall be made promptly to avoid unreasonable delay in the Work.

§ 13.5 Interest

Payments due and unpaid under the Contract Documents shall bear interest from the date payment is due at the rate the parties agree upon in writing or, in the absence thereof, at the legal rate prevailing from time to time at the place where the Project is located.

ARTICLE 14 TERMINATION OR SUSPENSION OF THE CONTRACT

§ 14.1 Termination by the Contractor

§ 14.1.1 The Contractor may terminate the Contract if the Work is stopped for a period of 30 consecutive days through no act or fault of the Contractor, a Subcontractor, a Sub-subcontractor, their agents or employees, or any other persons or entities performing portions of the Work, for any of the following reasons:

- .1 Issuance of an order of a court or other public authority having jurisdiction that requires all Work to be stopped;
- .2 An act of government, such as a declaration of national emergency, that requires all Work to be stopped;
- .3 Because the Architect has not issued a Certificate for Payment and has not notified the Contractor of the reason for withholding certification as provided in Section 9.4.1, or because the Owner has not made payment on a Certificate for Payment within the time stated in the Contract Documents; or
- .4 The Owner has failed to furnish to the Contractor reasonable evidence as required by Section 2.2.

§ 14.1.2 The Contractor may terminate the Contract if, through no act or fault of the Contractor, a Subcontractor, a Sub-subcontractor, their agents or employees, or any other persons or entities performing portions of the Work, repeated suspensions, delays, or interruptions of the entire Work by the Owner as described in Section 14.3, constitute in the aggregate more than 100 percent of the total number of days scheduled for completion, or 120 days in any 365-day period, whichever is less.

§ 14.1.3 If one of the reasons described in Section 14.1.1 or 14.1.2 exists, the Contractor may, upon seven days' notice to the Owner and Architect, terminate the Contract and recover from the Owner payment for Work executed, as well as reasonable overhead and profit on Work not executed, and costs incurred by reason of such termination.

§ 14.1.4 If the Work is stopped for a period of 60 consecutive days through no act or fault of the Contractor, a Subcontractor, a Sub-subcontractor, or their agents or employees or any other persons or entities performing portions of the Work because the Owner has repeatedly failed to fulfill the Owner's obligations under the Contract Documents with respect to matters important to the progress of the Work, the Contractor may, upon seven additional days' notice to the Owner and the Architect, terminate the Contract and recover from the Owner as provided in Section 14.1.3.

§ 14.2 Termination by the Owner for Cause

§ 14.2.1 The Owner may terminate the Contract if the Contractor

- .1 repeatedly refuses or fails to supply enough properly skilled workers or proper materials;
- .2 fails to make payment to Subcontractors or suppliers in accordance with the respective agreements between the Contractor and the Subcontractors or suppliers;
- .3 repeatedly disregards applicable laws, statutes, ordinances, codes, rules and regulations, or lawful orders of a public authority; or
- .4 otherwise is guilty of substantial breach of a provision of the Contract Documents.

§ 14.2.2 When any of the reasons described in Section 14.2.1 exist, and upon certification by the Architect that sufficient cause exists to justify such action, the Owner may, without prejudice to any other rights or remedies of the Owner and after giving the Contractor and the Contractor's surety, if any, seven days' notice, terminate employment of the Contractor and may, subject to any prior rights of the surety:

- .1 Exclude the Contractor from the site and take possession of all materials, equipment, tools, and construction equipment and machinery thereon owned by the Contractor;
- .2 Accept assignment of subcontracts pursuant to Section 5.4; and
- .3 Finish the Work by whatever reasonable method the Owner may deem expedient. Upon written request of the Contractor, the Owner shall furnish to the Contractor a detailed accounting of the costs incurred by the Owner in finishing the Work.

§ 14.2.3 When the Owner terminates the Contract for one of the reasons stated in Section 14.2.1, the Contractor shall not be entitled to receive further payment until the Work is finished.

§ 14.2.4 If the unpaid balance of the Contract Sum exceeds costs of finishing the Work, including compensation for the Architect's services and expenses made necessary thereby, and other damages incurred by the Owner and not expressly waived, such excess shall be paid to the Contractor. If such costs and damages exceed the unpaid balance, the Contractor shall pay the difference to the Owner. The amount to be paid to the Contractor or Owner, as the case may be, shall be certified by the Initial Decision Maker, upon application, and this obligation for payment shall survive termination of the Contract.

§ 14.3 Suspension by the Owner for Convenience

§ 14.3.1 The Owner may, without cause, order the Contractor in writing to suspend, delay or interrupt the Work, in whole or in part for such period of time as the Owner may determine.

§ 14.3.2 The Contract Sum and Contract Time shall be adjusted for increases in the cost and time caused by suspension, delay, or interruption under Section 14.3.1. Adjustment of the Contract Sum shall include profit. No adjustment shall be made to the extent

- .1 that performance is, was, or would have been, so suspended, delayed, or interrupted, by another cause for which the Contractor is responsible; or
- .2 that an equitable adjustment is made or denied under another provision of the Contract.

§ 14.4 Termination by the Owner for Convenience

§ 14.4.1 The Owner may, at any time, terminate the Contract for the Owner's convenience and without cause.

§ 14.4.2 Upon receipt of notice from the Owner of such termination for the Owner's convenience, the Contractor shall

- .1 cease operations as directed by the Owner in the notice;

- .2 take actions necessary, or that the Owner may direct, for the protection and preservation of the Work; and
- .3 except for Work directed to be performed prior to the effective date of termination stated in the notice, terminate all existing subcontracts and purchase orders and enter into no further subcontracts and purchase orders.

§ 14.4.3 In case of such termination for the Owner's convenience, the Owner shall pay the Contractor for Work properly executed; costs incurred by reason of the termination, including costs attributable to termination of Subcontracts; and the termination fee, if any, set forth in the Agreement.

ARTICLE 15 CLAIMS AND DISPUTES

§ 15.1 Claims

§ 15.1.1 Definition

A Claim is a demand or assertion by one of the parties seeking, as a matter of right, payment of money, a change in the Contract Time, or other relief with respect to the terms of the Contract. The term "Claim" also includes other disputes and matters in question between the Owner and Contractor arising out of or relating to the Contract. The responsibility to substantiate Claims shall rest with the party making the Claim. This Section 15.1.1 does not require the Owner to file a Claim in order to impose liquidated damages in accordance with the Contract Documents.

§ 15.1.2 Time Limits on Claims

The Owner and Contractor shall commence all Claims and causes of action against the other and arising out of or related to the Contract, whether in contract, tort, breach of warranty or otherwise, in accordance with the requirements of the binding dispute resolution method selected in the Agreement and within the period specified by applicable law, but in any case not more than 10 years after the date of Substantial Completion of the Work. The Owner and Contractor waive all Claims and causes of action not commenced in accordance with this Section 15.1.2.

§ 15.1.3 Notice of Claims

§ 15.1.3.1 Claims by either the Owner or Contractor, where the condition giving rise to the Claim is first discovered prior to expiration of the period for correction of the Work set forth in Section 12.2.2, shall be initiated by notice to the other party and to the Initial Decision Maker with a copy sent to the Architect, if the Architect is not serving as the Initial Decision Maker. Claims by either party under this Section 15.1.3.1 shall be initiated within 21 days after occurrence of the event giving rise to such Claim or within 21 days after the claimant first recognizes the condition giving rise to the Claim, whichever is later.

§ 15.1.3.2 Claims by either the Owner or Contractor, where the condition giving rise to the Claim is first discovered after expiration of the period for correction of the Work set forth in Section 12.2.2, shall be initiated by notice to the other party. In such event, no decision by the Initial Decision Maker is required.

§ 15.1.4 Continuing Contract Performance

§ 15.1.4.1 Pending final resolution of a Claim, except as otherwise agreed in writing or as provided in Section 9.7 and Article 14, the Contractor shall proceed diligently with performance of the Contract and the Owner shall continue to make payments in accordance with the Contract Documents.

§ 15.1.4.2 The Contract Sum and Contract Time shall be adjusted in accordance with the Initial Decision Maker's decision, subject to the right of either party to proceed in accordance with this Article 15. The Architect will issue Certificates for Payment in accordance with the decision of the Initial Decision Maker.

§ 15.1.5 Claims for Additional Cost

If the Contractor wishes to make a Claim for an increase in the Contract Sum, notice as provided in Section 15.1.3 shall be given before proceeding to execute the portion of the Work that is the subject of the Claim. Prior notice is not required for Claims relating to an emergency endangering life or property arising under Section 10.4.

§ 15.1.6 Claims for Additional Time

§ 15.1.6.1 If the Contractor wishes to make a Claim for an increase in the Contract Time, notice as provided in Section 15.1.3 shall be given. The Contractor's Claim shall include an estimate of cost and of probable effect of delay on progress of the Work. In the case of a continuing delay, only one Claim is necessary.

§ 15.1.6.2 If adverse weather conditions are the basis for a Claim for additional time, such Claim shall be documented by data substantiating that weather conditions were abnormal for the period of time, could not have been reasonably anticipated, and had an adverse effect on the scheduled construction.

§ 15.1.7 Waiver of Claims for Consequential Damages

The Contractor and Owner waive Claims against each other for consequential damages arising out of or relating to this Contract. This mutual waiver includes

- .1 damages incurred by the Owner for rental expenses, for losses of use, income, profit, financing, business and reputation, and for loss of management or employee productivity or of the services of such persons; and
- .2 damages incurred by the Contractor for principal office expenses including the compensation of personnel stationed there, for losses of financing, business and reputation, and for loss of profit, except anticipated profit arising directly from the Work.

This mutual waiver is applicable, without limitation, to all consequential damages due to either party's termination in accordance with Article 14. Nothing contained in this Section 15.1.7 shall be deemed to preclude assessment of liquidated damages, when applicable, in accordance with the requirements of the Contract Documents.

§ 15.2 Initial Decision

§ 15.2.1 Claims, excluding those where the condition giving rise to the Claim is first discovered after expiration of the period for correction of the Work set forth in Section 12.2.2 or arising under Sections 10.3, 10.4, and 11.5, shall be referred to the Initial Decision Maker for initial decision. The Architect will serve as the Initial Decision Maker, unless otherwise indicated in the Agreement. Except for those Claims excluded by this Section 15.2.1, an initial decision shall be required as a condition precedent to mediation of any Claim. If an initial decision has not been rendered within 30 days after the Claim has been referred to the Initial Decision Maker, the party asserting the Claim may demand mediation and binding dispute resolution without a decision having been rendered. Unless the Initial Decision Maker and all affected parties agree, the Initial Decision Maker will not decide disputes between the Contractor and persons or entities other than the Owner.

§ 15.2.2 The Initial Decision Maker will review Claims and within ten days of the receipt of a Claim take one or more of the following actions: (1) request additional supporting data from the claimant or a response with supporting data from the other party, (2) reject the Claim in whole or in part, (3) approve the Claim, (4) suggest a compromise, or (5) advise the parties that the Initial Decision Maker is unable to resolve the Claim if the Initial Decision Maker lacks sufficient information to evaluate the merits of the Claim or if the Initial Decision Maker concludes that, in the Initial Decision Maker's sole discretion, it would be inappropriate for the Initial Decision Maker to resolve the Claim.

§ 15.2.3 In evaluating Claims, the Initial Decision Maker may, but shall not be obligated to, consult with or seek information from either party or from persons with special knowledge or expertise who may assist the Initial Decision Maker in rendering a decision. The Initial Decision Maker may request the Owner to authorize retention of such persons at the Owner's expense.

§ 15.2.4 If the Initial Decision Maker requests a party to provide a response to a Claim or to furnish additional supporting data, such party shall respond, within ten days after receipt of the request, and shall either (1) provide a response on the requested supporting data, (2) advise the Initial Decision Maker when the response or supporting data will be furnished, or (3) advise the Initial Decision Maker that no supporting data will be furnished. Upon receipt of the response or supporting data, if any, the Initial Decision Maker will either reject or approve the Claim in whole or in part.

§ 15.2.5 The Initial Decision Maker will render an initial decision approving or rejecting the Claim, or indicating that the Initial Decision Maker is unable to resolve the Claim. This initial decision shall (1) be in writing; (2) state the reasons therefor; and (3) notify the parties and the Architect, if the Architect is not serving as the Initial Decision Maker, of any change in the Contract Sum or Contract Time or both. The initial decision shall be final and binding on the parties but subject to mediation and, if the parties fail to resolve their dispute through mediation, to binding dispute resolution.

§ 15.2.6 Either party may file for mediation of an initial decision at any time, subject to the terms of Section 15.2.6.1.

§ 15.2.6.1 Either party may, within 30 days from the date of receipt of an initial decision, demand in writing that the other party file for mediation. If such a demand is made and the party receiving the demand fails to file for mediation within 30 days after receipt thereof, then both parties waive their rights to mediate or pursue binding dispute resolution proceedings with respect to the initial decision.

§ 15.2.7 In the event of a Claim against the Contractor, the Owner may, but is not obligated to, notify the surety, if any, of the nature and amount of the Claim. If the Claim relates to a possibility of a Contractor's default, the Owner may, but is not obligated to, notify the surety and request the surety's assistance in resolving the controversy.

§ 15.2.8 If a Claim relates to or is the subject of a mechanic's lien, the party asserting such Claim may proceed in accordance with applicable law to comply with the lien notice or filing deadlines.

§ 15.3 Mediation

§ 15.3.1 Claims, disputes, or other matters in controversy arising out of or related to the Contract, except those waived as provided for in Sections 9.10.4, 9.10.5, and 15.1.7, shall be subject to mediation as a condition precedent to binding dispute resolution.

§ 15.3.2 The parties shall endeavor to resolve their Claims by mediation which, unless the parties mutually agree otherwise, shall be administered by the American Arbitration Association in accordance with its Construction Industry Mediation Procedures in effect on the date of the Agreement. A request for mediation shall be made in writing, delivered to the other party to the Contract, and filed with the person or entity administering the mediation. The request may be made concurrently with the filing of binding dispute resolution proceedings but, in such event, mediation shall proceed in advance of binding dispute resolution proceedings, which shall be stayed pending mediation for a period of 60 days from the date of filing, unless stayed for a longer period by agreement of the parties or court order. If an arbitration is stayed pursuant to this Section 15.3.2, the parties may nonetheless proceed to the selection of the arbitrator(s) and agree upon a schedule for later proceedings.

§ 15.3.3 Either party may, within 30 days from the date that mediation has been concluded without resolution of the dispute or 60 days after mediation has been demanded without resolution of the dispute, demand in writing that the other party file for binding dispute resolution. If such a demand is made and the party receiving the demand fails to file for binding dispute resolution within 60 days after receipt thereof, then both parties waive their rights to binding dispute resolution proceedings with respect to the initial decision.

§ 15.3.4 The parties shall share the mediator's fee and any filing fees equally. The mediation shall be held in the place where the Project is located, unless another location is mutually agreed upon. Agreements reached in mediation shall be enforceable as settlement agreements in any court having jurisdiction thereof.

§ 15.4 Arbitration

§ 15.4.1 If the parties have selected arbitration as the method for binding dispute resolution in the Agreement, any Claim subject to, but not resolved by, mediation shall be subject to arbitration which, unless the parties mutually agree otherwise, shall be administered by the American Arbitration Association in accordance with its Construction Industry Arbitration Rules in effect on the date of the Agreement. The Arbitration shall be conducted in the place where the Project is located, unless another location is mutually agreed upon. A demand for arbitration shall be made in writing, delivered to the other party to the Contract, and filed with the person or entity administering the arbitration. The party filing a notice of demand for arbitration must assert in the demand all Claims then known to that party on which arbitration is permitted to be demanded.

§ 15.4.1.1 A demand for arbitration shall be made no earlier than concurrently with the filing of a request for mediation, but in no event shall it be made after the date when the institution of legal or equitable proceedings based on the Claim would be barred by the applicable statute of limitations. For statute of limitations purposes, receipt of a written demand for arbitration by the person or entity administering the arbitration shall constitute the institution of legal or equitable proceedings based on the Claim.

§ 15.4.2 The award rendered by the arbitrator or arbitrators shall be final, and judgment may be entered upon it in accordance with applicable law in any court having jurisdiction thereof.

§ 15.4.3 The foregoing agreement to arbitrate and other agreements to arbitrate with an additional person or entity duly consented to by parties to the Agreement, shall be specifically enforceable under applicable law in any court having jurisdiction thereof.

§ 15.4.4 Consolidation or Joinder

§ 15.4.4.1 Subject to the rules of the American Arbitration Association or other applicable arbitration rules, either party may consolidate an arbitration conducted under this Agreement with any other arbitration to which it is a party provided that (1) the arbitration agreement governing the other arbitration permits consolidation, (2) the arbitrations to be consolidated substantially involve common questions of law or fact, and (3) the arbitrations employ materially similar procedural rules and methods for selecting arbitrator(s).

§ 15.4.4.2 Subject to the rules of the American Arbitration Association or other applicable arbitration rules, either party may include by joinder persons or entities substantially involved in a common question of law or fact whose presence is required if complete relief is to be accorded in arbitration, provided that the party sought to be joined consents in writing to such joinder. Consent to arbitration involving an additional person or entity shall not constitute consent to arbitration of any claim, dispute or other matter in question not described in the written consent.

§ 15.4.4.3 The Owner and Contractor grant to any person or entity made a party to an arbitration conducted under this Section 15.4, whether by joinder or consolidation, the same rights of joinder and consolidation as those of the Owner and Contractor under this Agreement.

GENERAL

A. RELATED DOCUMENTS

AIA Document A 201 "General Conditions of the Contract for Construction", (Sixteenth Edition, Copyright 2007, The American Institute of Architects, Articles 1 through 15) and the Town of West Hartford's Supplementary General Conditions (Section 00402 Articles 1-15) are bound herein, and are hereby made a part of the Contract Bidding Documents and shall apply to all Contractors and Subcontractors.

B. AMENDMENTS TO THE GENERAL CONDITIONS

- a. The Supplementary General Conditions include:
 - 1. Any and all revisions to, deletions from, replacement of, and additions to portions of the AIA General Conditions, Articles 1 through 15.
 - 2. Such additional articles beyond Article 15 as may be included herein.
- b. Certain articles of the AIA General Conditions, or portions thereof, are revised by, are deleted, are replaced by, or are supplemented by the requirements of the following Supplementary Conditions. Such revisions, deletions, replacements, or additions shall take precedence over the AIA General Conditions.
- c. Where any such Article is revised, deleted, or replaced, the provisions of such Article not so specifically revised, deleted or replaced shall remain in effect.
- d. The following paragraphs are numbered in sequence corresponding to those of the General Conditions. Revised paragraphs and clauses have the same numerical designations occurring in the General Conditions. Additions to paragraphs, subparagraphs and clauses are numbered in sequence.

ARTICLE 1 – GENERAL PROVISIONS

- 1.1.1 Delete the word "not" on line 7 so that the sentence begins "The Contract Documents do include."
- 1.1.3 Add the following words after the word "obligations" in line 3:

or to be provided by Subcontractors, material suppliers, or any other entity for whom the Contractor is responsible under or pursuant to the Contract Documents.
- 1.2.4 Add new subparagraph 1.2.4 as follows:

In case of any conflict or inconsistency among the Contract Documents, the Architect's decision shall govern. If there is any inconsistency in the Drawings, or between the Drawings and the Specifications, unless otherwise ordered in writing by the Architect or the Owner, the Contractor shall provide the better quality of, or the greater quantity of, work or materials.

- 1.2.5 Add new subparagraph 1.2.5 as follows:

Where a typical or representative detail is shown on the Drawings, such detail shall constitute the standard of workmanship and materials throughout corresponding portions of the Work. Where necessary, the Contractor shall adopt such detail for use in said corresponding portions of the Work in a manner that is satisfactory to the Architect.

- 1.5.1 Add the following after the first sentence:

Such drawings, specifications, other documents and copies thereof are and shall remain the joint property of the Architect and Owner.

ARTICLE 2 - OWNER

- 2.2.1 Delete third and forth sentences.

- 2.2.2 Add the following at the end of 2.2.2 "unless otherwise provided in the contract documents."

- 2.2.3 Delete the words "and utility locations" on line 1.

- 2.2.4 Delete the second sentence of 2.2.4.

- 2.2.5 Delete subparagraph 2.2.5 in its' entirety and substitute with the following:

The Contractor will be furnished up to fifteen (15) sets of the Contract Bidding Documents at no charge.

- 2.3 Change subparagraph 2.3 as follows:

Delete the word "repeatedly" in line 2.
Add the following at the end of 2.3:

The Owner's right to order the Contractor to stop the Work shall not relieve the Contractor of any of his responsibilities and obligations under or pursuant to the Contract Documents.

- 2.5 Add new paragraph 2.5 as follows:

2.5 - Additional Rights

The rights stated in Article 2 shall be in addition to and shall not be in limitation of any other rights of the Owner granted in the Contract Documents or at law or in equity.

ARTICLE 3 - CONTRACTOR

3.2.2 Delete subparagraph 3.2.2 in its' entirety and substitute with the following:

The Contractor shall carefully study and compare the Contract Documents with each other and with information furnished by the Owner pursuant to subparagraph 2.2.3 and 3.2.3 and shall at once report to the Architect errors, inconsistencies or omissions discovered, or any variance from applicable laws, statutes, ordinances, building codes, rules, regulations or any lawful orders of any governmental body, or public or quasi-public authority. The Contractor shall not be liable to the Owner or Architect for damage resulting from errors, inconsistencies or omissions in the Contract Documents unless the Contractor recognized or should have recognized such error, inconsistency or omission and failed to report it to the Architect. If the Contractor performs any construction activity knowing it involves a recognized error, inconsistency or omission in the Contract Documents without such notice to the Architect, the Contractor shall assume responsibility for such performance and shall bear an appropriate amount of the attributable costs for correction.

3.2.3 Delete subparagraph 3.2.3 in its' entirety and substitute with the following:

The Contractor shall take field measurements and verify field conditions and shall carefully compare such field measurements and conditions and other information known to the Contractor with the Contract Documents before commencing activities. Errors, inconsistencies or omissions discovered shall be reported to the Architect at once. After reporting to the Architect any error, inconsistency or omission the Contractor may discover in the Contract Documents, the Contractor shall not proceed with any work so affected without the Architect's written modifications to the Contract Documents.

3.2.4 Delete subparagraph 3.2.4 in its' entirety and substitute with the following:

The Contractor shall fully comply, or assure full compliance by Subcontractors or others under his direction, with Connecticut General Statutes Section 16-345, et seq. ("Call Before You Dig") and the regulations pertaining thereto. The Contractor shall be responsible to make certain of the exact location of the public and private mains, ducts, poles and utility services prior to excavation. The utility mains, ducts,

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

poles and services in the construction area where referred to on the Project plans or elsewhere in the Contract Documents are at the approximate locations furnished by various Utilities concerned. These locations are subject to possible errors in the source of the information and also errors in transcription. Connecticut General Statutes Section 16-349, as amended, makes it mandatory to notify Utilities of any proposed excavation, discharge of explosives, or demolition within the purview of Connecticut General Statutes Section 16-345, et seq. The Contractor shall call 1-800-922-4455 (toll free), 7:00 A.M. to 6:00 P.M., Monday through Friday, at least forty-eight hours prior to beginning the excavation, discharge of explosives, or demolition. The Owner shall be notified in a similar manner. This "Call Before You Dig" service is provided by the Utility companies. Once the call is made, it is the utilities' responsibility to analyze the site and identify and mark their underground facilities. Privately or Town-owned utility mains, ducts, poles and services may be located in the construction area and the Contractor shall contact the Architect to verify their existence and location.

- 3.3.1 Delete the last sentence of subparagraph 3.3.1 and add the following:

Should the Contractor fail to perform his work to the satisfaction of the Architect and Owner, the Architect and Owner have the right to order that all work must stop until the work is rectified.

- 3.3.4 Add new subparagraph 3.3.4 as follows:

The Contractor will be required to attend weekly Project Meetings from the time the Agreement is executed until Final Acceptance.

- 3.4.4 Add new subparagraph 3.4.4 as follows:

The Contractor is encouraged to use local labor where feasible, but not when it is at the expense of poor workmanship and/or higher costs. The Contractor shall not discriminate or permit discrimination in employment or in the award of sub-contracts or in the selection of materials suppliers, in any manner prohibited by the laws and regulations of the United States, the State of Connecticut or the Town of West Hartford.

- 3.5 Add the words "or Owner" after the word "Architect" in line 8.

- 3.6 Delete subparagraph 3.6 in its' entirety and substitute the following:

No amount shall be included in the Bid for Connecticut Sales or Service Taxes or for Federal Excise Tax on materials or supplies purchased for this project. If applicable, the owner shall provide tax exempt documentation for the contractor's records.

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

3.7.2 Add the following sentence: A copy of the State license for general and major Subcontractors issued in accordance with C.G.S Section 20-341gg shall be furnished to the Owner upon request.

3.7.4 Add the following before the word "If" on line 1: "Except as in regards to claims relating to hazardous materials which are discussed in Article 3.7.8.."

Line 6, place a period after disturbed and delete rest of sentence.

If the Contractor performs work contrary to laws, statutes, ordinances, building codes, and rules and regulations, the Contractor shall assume responsibility for such work and shall bear the costs attributable to correction.

3.7.6 Add new subparagraph 3.7.6 as follows:

The requirements of subparagraphs preceding do not waive the Contractor's responsibility of complying with the requirements of the contract documents, when such regulations and requirements exceed those of any laws, ordinances, rules, regulations, and orders of any public authority bearing on the work.

3.7.7 Add new subparagraph 3.7.7 as follows:

The Town of West Hartford Building Permit Fee will be waived, however, the General Contractor must apply for the Building Permit, and in all other ways comply with procedures of the office of the Building Official for the Town of West Hartford.

3.7.8 Add new subparagraph 3.7.8 as follows:

The Owner and Architect shall bear no responsibility to the Contractor, or subcontractor(s) for any delay damages claimed to have resulted from activities claimed to relate to the detection, abatement, or handling of hazardous materials known to exist or subsequently discovered upon the premises. The sole remedy of the Contractor under such circumstances shall be an appropriate extension of contract completion time. No damages shall be paid by the Architect or Owner, their agents, servants or independent Contractors as a result of any such claim.

3.12.10 Delete the word "properly" in line 9 and substitute the word "Connecticut".

3.17 Delete subparagraph 3.17 and substitute with the following:

The Contractor shall pay all royalties and license fees. The Contractor shall defend all suits or claims for infringement of any copyrights and patent rights and shall hold the Owner harmless from loss (including, but not limited to, attorneys' fees and any litigation expenses) unless a particular design, process or the product of a particular

manufacturer or manufacturers is specified in the Contract Documents or where copyright violations are contained in Drawings, Specifications or other documents prepared by the Owner or Architect; provided, however, that if the Contractor has reason to believe that the design, process or product specified is an infringement of a copyright or a patent, the Contractor shall be responsible for such loss unless the Contractor promptly gives such information to the Architect and Owner.

- 3.18.1 Delete subparagraph 3.18.1 in its entirety and replace the original language with the attached Indemnification and Insurance Exhibit which shall be fully incorporated by reference into this Agreement:

ARTICLE 4 - ARCHITECT

- 4.1.2 Delete subparagraph 4.1.2 in its' entirety and substitute the following:

Duties, responsibilities and limitations of authority of the Architect as set forth in the Contract Documents shall not be restricted, modified or extended without written agreement of the Owner and Architect. The Contractor shall be notified of such restriction, modification or extension in writing.

- 4.1.3 Delete the words "as to whom the Contractor makes no reasonable objection and".

ARTICLE 5 - SUB-CONTRACTORS

- 5.2.1 Delete the word "after" on the second line and substitute with the words "prior to" award.

- 5.2.3 Delete subparagraph 5.2.3 in its entirety and substitute the following:

If the Owner or Architect has reasonable objection to a person or entity proposed by the Contractor, the Contractor shall propose another to whom the Owner or Architect has no reasonable objection. If no suitable substitute is agreed upon, the Owner will allow the Contractor to withdraw its bid without penalty.

ARTICLE 6 - CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS

- 6.1.1 Add the word "unreasonable" before the word "delay" in the last sentence, line 4.

- 6.1.4 Delete subparagraph 6.1.4 in its' entirety.

- 6.2.3 Delete the second sentence of subparagraph 6.2.3.

6.2.4 Delete the word "wrongfully" on line 1.

ARTICLE 7 - CHANGES IN THE WORK

7.3.3 Delete subparagraph 7.3.3.1 - 7.3.3.4 and substitute with the following:

- .1 Unit prices stated in the Contract Documents or subsequently agreed upon.
- .2 In the absence of unit prices, the mutual acceptance of a lump sum properly itemized and supported by sufficient substantiating data to permit evaluation, to be determined as follows:
 - A. The cost of labor performed and material used by the Contractor with his own forces.
 - B. The cost of Worker's Compensation, Federal Social Security, and Connecticut Unemployment Compensation at established rates, actual additional cost of payment and performance bonds.
 - C. Actual cost of rental rates for equipment (exclusive of hand tools) employed and used directly on the work.
 - D. Fifteen percent (15%) of (A), (B), and (C) above mentioned for overhead, superintendence and profit. However, if the work to be performed results in a credit to the Owner, no percentage of overhead and profit will apply.
 - E. On work to be performed by a Subcontractor, the Contractor's allowance, for overhead superintendence and profit, is to be ten percent (10%) applied to total cost of Subcontractor's work, including his allowance as per paragraph G.
 - F. On any changes involving the Contractor, Subcontractor or any Contractor of theirs, their total cost and/or omissions shall be combined as one before the application of the percentage allowed for the Contractor's overhead, superintendence and profit in accordance with paragraph E above.
 - G. On work to be performed by a Subcontractor, the Subcontractor's allowance is to be fifteen percent (15%) for his overhead, superintendence and profit applied to paragraphs A, B, and C.

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

- H. The Contractor, when performing the work under A, B and C above shall, when requested, promptly furnish in a form satisfactory to the Owner, itemized statements of the cost of the work so ordered, including but not limited to, certified payrolls and copies of accounts, bills and vouchers to substantiate the above estimates.

7.3.4 Delete the word "shall" in line 4 and substitute the word "may".

7.3.7 Delete subparagraph 7.3.7 and substitute with the following:

If the Contractor does not respond promptly or disagrees with the method of adjustment in the Contract Sum, the method and adjustment shall be determined by the Architect in accordance with subparagraph 7.3.3. Under subparagraph 7.3.3 the Contractor shall keep and present, in such form as the Architect may prescribe, an itemized accounting together with appropriate supporting data.

7.3.8 Add the following sentence at the beginning of subparagraph 7.3.8:

"Pending final determination of cost to the Owner, amounts not in dispute may be included in Application for Payment."

7.3.9 Delete subparagraph 7.3.9 in its' entirety and substitute the following:

"If the Owner and Contractor do not agree with the adjustment in Contract Time or the method for determining it, the adjustment or the method shall be referred to the Architect for determination."

ARTICLE 8 - TIME

8.2.1 Delete second sentence only and change to read as follows:

By executing the Agreement the Contractor confirms that the Contract Time is a reasonable period for performing the Work and that he is capable of properly completing the Work within the Contract Time.

8.3.1 Delete the words "and arbitration" on line 4 and substitute with the words "or resolution of claims or disputes".

ARTICLE 9 – PAYMENTS AND COMPLETION

9.2 Add the words "and the Owner" after the word Architect on line 2 and add the words "or the Owner" after the word Architect on line 4.

9.2.1 Add subparagraph 9.2.1 as follows:

The Schedule of Values to be submitted by the Contractor, will include, as a minimum, a separate line item for each Division of the Specifications. Any allowances called for in the Drawings and Specifications will be shown as a separate line item. Additional items to be listed may be required by the Architect.

9.3.1 Delete subparagraph 9.3.1 in its' entirety and substitute with the following:

Not later than the first day of each calendar month, the Contractor shall submit to the Architect an itemized Application for Payment for work performed during the previous month, notarized, supported by such data substantiating the Contractor's

right to payment as the Owner or the Architect may require, and reflecting retainage, if any, as provided elsewhere in the Contract Documents.

9.3.1.1 Delete 9.3.1.1 in its' entirety and substitute with the following:

In order to expedite monthly payments during the course of the project, the Contractor shall, no later than the first day of the month, review with the Architect and Owner a preliminary draft of the Application for Payment to assure agreement with the Contractor before final copies of the Application are typed and formally submitted. The Architect shall then review the Contractor's formal Application for Payment and certify in writing in accordance with Section 9.4, the total value of work done, including an allowance for the value of materials delivered and suitably stored at the site to the time of such estimate. The Owner shall retain five (5) percent of such estimated value until a maximum of five (5) percent of the Agreement sum has been retained, said retainage to be held by the Owner as part security for the fulfillment of the Agreement by the Contractor. Final payment, including the retainage, shall be due thirty (30) days after final completion of the work, provided the work be then fully completed and the Agreement fully performed.

9.3.3 Delete subparagraph 9.3.3 in its' entirety and substitute with the following:

The Contractor warrants that title to all work covered by an Application for Payment, except materials and equipment suitably stored on or off the site, will pass to the Owner no later than the time of payment. However, title to materials and equipment suitably stored on or off site shall not pass to the Owner until such time as said materials and equipment are properly installed by the Contractor even though payment for such materials and equipment may have been previously effected. The Contractor further warrants that upon submittal of an Application for Payment all Work for which Certificates for Payment have been previously issued and payments received from the Owner shall, to the best of the Contractor's knowledge, information and belief, be free and clear of liens, claims, security interests or encumbrances in favor of the Contractor, Subcontractors, material suppliers, or other persons or entities making a claim by reason of having provided labor,

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

materials and equipment relating to the Work. This provision may not be explained, supplemented, or modified by a course of dealing, a usage of trade, a course of performance or other interpretation that may arise out of the commercial context in which this provision is used.

9.4.1 Delete subparagraph 9.4.1 in its' entirety and substitute with the following:

The Architect, will, not later than the seventh (7th) day of each calendar month, either issue and deliver to the Owner a Certificate for Payment, with a copy to the Contractor, for such amount as the Architect determined is properly due, or notify the Contractor and Owner in writing the Architect's reasons for withholding a Certificate as provided in sub-paragraph 9.5.1.

9.4.3 Add new subparagraph 9.4.3 as follows:

If the Application for Payment discloses any problems, the Architect shall immediately bring such problems to the Owner's attention.

9.5.1 Delete the word "reasonably" in line 1; delete the words "in the Architect's opinion" in lines 2 and 8; delete the word "repeated" in sub-subparagraph 9.5.1.7.

9.5.2 Add the following to subparagraph 9.5.2:

The Owner shall not be deemed in default by reason of withholding payment while any of the above grounds remain uncured as stated in paragraph 9.5.1.

9.5.4 Add new subparagraph 9.5.4 as follows:

No interest is to be allowed or paid by the Owner upon any monies retained under the provisions of this Contract.

9.6.1 Delete subparagraph 9.6.1 in its' entirety and substitute with the following:

After the Architect has issued a Certificate for Payments, the Owner shall make payment to the Contractor not later than the first Friday after the 15th day of the calendar month during which the Application has been submitted. Delays in submitting the application for payment in accordance with subparagraph 9.3.1 above will result in a corresponding delay in payment.

9.7 Delete the word "seven" on lines 1, 2 and 4 and replace with the word "fourteen" on both lines. Delete the words "plus interest as provided for in the Contract Documents" on line 7.

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

9.8.2 Change subparagraph 9.8.2 as follows:

In line 1, add the words "and Architect" after the word "Owner" and change the word "agrees" to "agree" in line 1. Add the words "and Owner" after the word "Architect" on line 3.

9.8.3 Insert the words "and Owner" after the word "Architect" on lines 1 and 6. Insert the words "and Owner's" after the word "Architect's" on line 2.

9.8.5 Delete subparagraph 9.8.5 in its' entirety and substitute the following:

"The Certificate of Substantial Completion shall be submitted to the Owner and Contractor for their written acceptance of responsibilities assigned to them in such Certificate. Upon Substantial Completion of the Work or designated portion thereof and upon application by the Contractor and certification by the Architect, the Owner shall make payment reflecting adjustments in retainage, if any, for such work or portion thereof as provided in the Contract Documents."

9.10.1 Add the words "and Owner" on both lines 2 and 3 after the word "Architect".

9.10.2 Delete subparagraph 9.10.2 in its' entirety and substitute with the following:

Neither final payment nor any remaining retained percentage shall become due until the Contractor submits to the Architect in a form satisfactory to the Owner (1) an affidavit that payrolls, bills for materials and equipment, and other indebtedness connected with the Work for which the Owner or the Owner's property might be responsible or encumbered (less amounts withheld by Owner) have been paid or otherwise satisfied, (2) a certificate evidencing that insurance required by the Contract Documents to remain in force after final payment is currently in effect and will not be canceled or allowed to expire until at least 30 days after written notice has been given to the Owner, (3) a written statement that the Contractor knows of no substantial reason that the insurance will not be renewable to cover the period required by the Contract Documents, (4) consent of surety, if any, to final payment, (5) final prints for record drawing use marked by the Contractor with record information as set forth in the Contract Documents, (6) a final sworn statement from the Contractor duly executed and acknowledged showing all Subcontractors to be fully paid and similar sworn statements from Subcontractors and, where appropriate, from Sub-Subcontractors, (7) if required by the Owner, other data establishing payment or satisfaction of obligations, such as receipts, releases and waivers of liens, claims, security interests or encumbrances arising out of the Contract, to the extent and in such form as may be designated by the Owner. If a Subcontractor or Sub-Subcontractor refuses to furnish a release or waiver required by the Owner, the Contractor may furnish a bond satisfactory to the Owner to indemnify the Owner against such lien. If such lien remains unsatisfied after payments are made, or is not bonded over as provided in the preceding sentence, the Contractor shall promptly

pay to the Owner all money that the Owner may be compelled to pay in discharging such lien, including all costs and reasonable attorneys' fees.

ARTICLE 10 - PROTECTION OF PERSONS AND PROPERTY

10.2.1.4 Add the following as new sub-subparagraph 10.2.1.4:

the environment, including, without limitation, air, water, land, including wetlands, and other natural resources, and plant and animal life of all types.

10.2.2 Delete subparagraph 10.2.2 in its' entirety and substitute with the following:

The Contractor shall give notices and comply with applicable laws (including, without limitation, the requirements of Connecticut General Statutes Section 31-40m relating to toxic substances and the requirements of the Occupational Safety and Health Act and the Construction Safety Act of 1969, as amended, and regulations and standards promulgated thereunder), ordinances, rules, regulations and lawful orders of public authorities bearing on safety of persons or property or the environment or their protection from damage, injury, destruction, pollution or loss. Said laws, ordinances, rules, regulations, standards, and lawful orders are incorporated herein by reference.

10.2.2.1 Add new sub-subparagraph 10.2.2.1 as follows:

The Contractor shall be directly responsible for compliance therewith on the part of its agents, employees, materialmen and Subcontractors and shall directly receive and be responsible for all citations, assessments, fines or penalties which may be incurred by reason of its agents', employees', materialmen's or Subcontractors' failure to so comply.

10.2.4 Add the following to subparagraph 10.2.4:

The Contractor shall comply fully and require compliance with all applicable laws, including Connecticut General Statutes Sec. 16-345, et. seq., and the regulations promulgated thereunder, relating to discharge of explosives.

10.2.5 Add the number "10.2.1.4" after the number "10.2.1.3" on lines 2 and 5.

10.2.8 Delete the number "21" in line 4 and replace with the number "10".

10.2.9 Delete the number "21" in line 4 and replace with the number "10".

Add new subparagraph 10.2.9 as follows:

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

The Contractor shall be responsible for the adequate strength and safety of all scaffolding, staging and hoisting equipment and for temporary shoring, bracing and tying.

10.2.10 Add new subparagraph 10.2.10 as follows:

The Contractor shall protect all streets, roads and sidewalks and shall make all necessary repairs at his own expense, and shall maintain these reasonably clean of dirt, mud or other debris that is due to the construction operation.

10.2.11 Add new subparagraph 10.2.11 as follows:

It shall be the Contractor's responsibility to protect finished sidewalks and curbs against damage caused by trucks, etc., driving over them. If they are damaged they must be replaced by the Contractor without cost to the Owner.

10.2.12 Add new subparagraph 10.2.12 as follows:

The Contractor shall furnish approved hard hats, other personal protective equipment as required, approved first aid supplies, name of first aid attendant and a posted list of emergency facilities.

10.3.2 Delete subparagraph 10.3.2 in its' entirety and substitute with the following:

The Owner shall obtain the services of a licensed laboratory to verify the presence of absence of the material or substance reported by the Contractor and, in the event such material or substance is found to be present, to verify that it has been rendered harmless. When the material or substance has been rendered harmless, work in the affected area shall resume. The Contract Time may be extended appropriately.

10.3.3 Delete subparagraph 10.3.3 in its' entirety.

10.3.4 Insert a period after the word "Site" on line 2 and delete the rest of the paragraph.

10.3.6 Delete paragraph 10.3.6 in its' entirety.

ARTICLE 11 - INSURANCE AND BONDS

11.1.2 – 11.3.10 Delete subparagraphs 11.1.2 through 11.3.10 in their entirety and replace them with the attached Indemnification and Insurance Exhibit which shall be fully incorporated by reference into this Agreement.

11.4.3 Add new subparagraph 11.4.3 as follows:

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

The Contractor shall increase the principal amount of the performance and labor and materials payments bond(s) in direct proportion to any increase in the value of the Contract resulting from such change orders.

11.4.4 Add new subparagraph 11.4.4 as follows:

Bonds furnished by the Contractor shall comply with all relevant Connecticut statutes including Conn. Gen. Stat. Sec. 49-41.

ARTICLE 12 - UNCOVERING AND CORRECTION OF WORK

12.1.1 Add the words "or Owner's" after the word "Architect's" in lines 1 and 3. Add the words "or Owner" after the word "Architect" in line 2.

12.1.2 Add the words "or Owner" after the word "Architect" on lines 1 and 2.

12.2.2 Delete sub-subparagraphs 12.2.2.1, 12.2.2.2 and 12.2.2.3 in their entirety and substitute with the following:

12.2.2 If, within one year after the date of final completion of the Work or designated portion thereof, or after the date for commencement of warranties established under subparagraph 9.9.1, or by terms of any applicable special warranty required by the Contract Documents, any of the Work is found to be not in accordance with the requirements of the Contract Documents, the Contractor shall correct it promptly at the Contractor's sole expense after receipt of written notice from the Owner to do so unless the Owner has previously given the Contractor a written acceptance of such condition. This period of one year shall be extended with respect to portions of Work first performed after final completion, by the period of time between final completion and the actual performance of the Work. This obligation under this subparagraph 12.2.2 shall survive acceptance of the Work under the Contract and termination of the Contract. The Owner shall give such notice promptly after discovery of the condition.

ARTICLE 13 - MISCELLANEOUS PROVISIONS

13.1 Add the following to the end of subparagraph 13.1:

The Work shall comply with all applicable laws, statutes, ordinances, codes, rules, regulations or orders during its performance and its completion.

13.4.1 Delete the words "by law" in line 3 and substitute with the words "at law or in equity".

13.4.3 Add new subparagraph 13.4.3 as follows:

No provision contained in the Contract Documents shall create or give to third parties any claim or right of action against the Owner or the Contractor except as specifically provided herein.

13.5.1 Delete subparagraph 13.5.1 in its' entirety and substitute with the following:

If the Contract Documents, or any laws, ordinances, building codes, rules, regulations or orders of any governmental body or public or quasi-public authority having jurisdiction over the Work or the site of the Project require any portion of the Work to be inspected, tested or approved, the Contractor shall give the Architect and the Owner timely notice thereof so Architect and Owner may observe such inspection, testing or approval. The Contractor shall bear all costs of such inspections, test or approvals except where the Contract Documents provide otherwise.

13.6 Delete subparagraph 13.6 in its' entirety.

13.7 Delete paragraph 13.7 in its' entirety.

13.8 CAPTIONS

13.8. The captions and headings of various Articles and Paragraphs in the Contract Documents are for convenience only and are not to be construed as defining or limiting, in any way, the scope or intent of the provisions hereof.

13.9 Add a new Paragraph 13.9 as follows:

13.9 SEVERABILITY

13.9 The invalidity of any covenant, restriction, condition, limitation in any other part or provision of the Contract Documents shall not impair or affect in any manner the validity, enforceability or effect of the remainder of the Contract Documents.

13.10 Add a new Paragraph 13.10 as follows:

In the event of any unavoidable cause beyond the control of the parties, whether natural or man-made, which renders the performance of this contract impossible, the contract shall be terminated. Such occurrences shall include, without limitation, death of the Contractor (in the event that the Contractor is a sole proprietor); destruction of all, or a major portion of the Contractor's equipment; legal order by a court of competent jurisdiction, or referendum barring performance of the contract;

war, famine, flood, plague, pestilence or act of God. Any amounts due to either party by the other as the result of actions taken pursuant to the contract prior to the occurrence which renders performance impossible shall be paid, but no further sums shall be due from either party to the other, by way of damages for the termination of the contract.

13.11 Add new paragraph 13.11 as follows:

The Contractor shall comply with Section 12-43 of the Connecticut General Statutes as may be amended.

Sec. 12-43. Property of nonresidents. All owners of real estate, or of tangible personal property located in any town for three months or more during the assessment year immediately preceding any assessment day, who are nonresidents of such town, shall file lists of such real estate and personal property with the assessors of the town in which the same is located on such assessment day, if located in such town for three months or more in such year, otherwise, in the town in which such property is located for the three months or more in such year nearest to such assessment day, under the same provisions as apply to residents, and such personal property shall not be liable to taxation in any other town in this state. The list of each nonresident taxpayer shall contain his post-office and street address. The assessors shall mail to each nonresident, or to his attorney or agent having custody of his taxable property, at least fifteen days before the expiration of the time for filing lists, blank forms for filing lists of such property. The lists of taxable property of nonresidents shall be arranged in alphabetical order and separate from the lists of residents, provided no such separation shall be necessary in any town the board of assessors of which, upon the request of its property tax collector, has made rules and regulations approved by the secretary of the office of policy and management setting up an alternative method of arrangement.

ARTICLE 14 - TERMINATION OR SUSPENSION OF THE CONTRACT

14.1.1 Delete the number "30" on line 1 and substitute with the number "60".

14.1.3 Delete subparagraph 14.1.3 in its entirety and substitute with the following:

If one of the reasons described in subparagraph 14.1.1 or 14.1.2 exists, the Contractor may, upon seven additional days written notice to the Owner and Architect, terminate the Contract and recover from the Owner payment for work executed.

14.2.1 Delete subparagraph 14.2.1 in its' entirety and substitute with the following:

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

- 14.2.1 The Owner may terminate the Contract for any of the following causes:
- 14.2.1.1 If the Contractor shall institute or consent to proceedings requesting relief or arrangement under the Federal Bankruptcy Act or any similar or applicable federal or state law or if a petition under any federal or state bankruptcy or insolvency law is filed against the Contractor and such petition is not dismissed within sixty (60) days from the date of said filing, or if the Contractor admits in writing his inability to pay his debts generally as they become due, or if he makes a general assignment for the benefit of his creditors, or if a receiver, liquidator, trustee or assignee is appointed on account of his bankruptcy or insolvency; or
- 14.2.1.2 If a receiver of all or any substantial portion of the Contractor's properties is appointed; or
- 14.2.1.3 If the Contractor abandons the Works; or
- 14.2.1.4 If the Contractor fails to prosecute the Work promptly and diligently; or
- 14.2.1.5 If the Contractor fails or refuses to supply enough properly skilled workers or proper materials for the Work; or
- 14.2.1.6 If the Contractor submits an Application for Payment, sworn statement, waiver of lien, affidavit or document of any nature whatsoever which is intentionally falsified; or
- 14.2.1.7 If the Contractor fails to make prompt payment to Subcontractors or for materials or labor or otherwise breaches his obligations under any Subcontract with a Subcontractor; or
- 14.2.1.8 If a mechanic's or materialman's lien or notice of lien is filed against any part of the Work or the site of the Project and not promptly bonded or insured over by the Contractor in a manner satisfactory to the Owner; or
- 14.2.1.9 If the Contractor disregards any laws, statutes, ordinances, rules, regulations or orders of any governmental body or public or quasi-public authority having jurisdiction of the Work or the site of the Project; or

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

14.2.1.10 If the Contractor otherwise substantively violates any provision of the Contract Documents.

14.2.2.1 Delete the semicolon after "Contractor" in line 2 and add:

and may request that the Contractor remove any part or all of his equipment, machinery, and supplies from the site of the Project within seven (7) days from the date of such request, and in the event of Contractor's failure to do so, may remove or store such equipment, machinery and supplies at the Contractor's expense;

14.2.4 Delete subparagraph 14.2.4 in its' entirety and substitute with the following:

If the unpaid balance of the Contract Sum exceeds all costs to the Owner of completing the Work, then the Contractor shall be paid for all Work performed by the Contractor to the date of termination. If such costs to the Owner of completing the Work exceed such unpaid balance, the Contractor shall pay the difference to the Owner immediately upon the Owner's demand. The costs to the Owner of completing the Work shall include (but not be limited to) the cost of any additional architectural, managerial and administrative services required thereby, any costs incurred in retaining another Contractor or other Subcontractors, any additional interest or fees which the Owner must pay by reason of a delay in completion of the Work, attorney's fees and expenses, and any other damages, costs and expenses the Owner may incur by reason of completing the Work or any delay thereof. The amount, if any, to be paid to the Owner or Contractor shall be certified by the Architect, upon application, in the manner provided in Paragraph 9.4, and this obligation for payment shall survive the termination of the Contract".

14.3.2 In line 1, delete "shall" and insert "may".

14.4.3 On line 2, insert a period after the word "termination" and delete the remaining words on lines 2 and 3.

ARTICLE 15 – CLAIMS AND DISPUTES

15.1.2 Delete the number "21" in line 4 and replace with the number "10".

15.2.1 Delete subparagraph 15.2.1 and substitute the following:

Decision of Architect. Claims, including those alleging an error or omission by the Architect, shall be referred initially to the Architect for decision. A decision by the Architect shall be required as a condition precedent to mediation, litigation or other formal method of dispute resolution of all Claims between the Contractor and the Owner arising prior to the date final payment is due, unless no decision has been

TOWN OF WEST HARTFORD
SUPPLEMENTARY GENERAL CONDITIONS

rendered by the Architect within 45 days of referral of the Claim to the Architect or the Architect fails to provide a decision as scheduled in subparagraphs 15.2.2 through 15.2.5, whichever is later.

15.2.2 On line 4 add the word “or” after the word “Claim,” and add a period after the word “compromise.” Delete the balance of the paragraph after the word “compromise”.

15.2.3 On lines 3 and 4 replace the words “Owner” and “Owner’s” with “claimant” and “claimant’s”.

15.2.4 Delete the last sentence of subparagraph 15.2.4 and substitute the following:

“Within 10 days of receipt of the response or supporting data, if any, the Architect will either reject or approve the claims in whole or in part, or suggest a compromise.”

15.2.5 Delete the second sentence of subparagraph 15.2.5.

15.2.9 Add new subparagraph 15.2.9 as follows:

If a claim has not been resolved after consideration of steps described in subparagraphs 15.2.1 through 15.2.5, then the parties shall make an additional good faith effort to resolve the claim through an informal dispute resolution process mutually agreeable to the parties. If the claim is still not capable of resolution within ten days or such other time period that is mutually agreed upon, the parties may proceed to arbitration, litigation, or formal alternate dispute resolution.

15.2.10 Add new subparagraph 15.2.10 as follows:

If no form of dispute resolution is mutually agreed upon, no party may compel arbitration, mediation or alternate dispute resolution, and the parties may pursue whatever legal remedies are available to them.

15.3 (15.3.1 – 15.3.3) Delete in its' entirety.

15.4 (15.4.1 – 15.4.3) Delete in its' entirety.

END OF SUPPLEMENTARY GENERAL CONDITIONS

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

SECTION 028213 - DOOR ABATEMENT

PART 1 - GENERAL

1.1 SUMMARY:

- A. This section specifies the procedures for removal and containerization of door systems at Sedgwick Middle School, Webster Hill Elementary School, and Conard High School in West Hartford as outlined on Drawings DA1, DA2, DA3, & DA4. The lintels above selected door frames are painted with lead-based paint. Selected doors and door frames are painted with lead-based paint. The door frames have presumed PCB-containing caulk at the masonry opening perimeter. The door frames at Sedgwick School have old residual asbestos-containing caulk under the newer caulk.

1.2 SUBMITTALS AND NOTICES

- A. Prior to Commencement of Work:
1. Submit certification of required insurance evidencing that the required coverages are in effect.
 2. Submit proof satisfactory to the Owner that all required permits, site locations, supplies, and the like have been obtained.
 3. Submit documentation to the Owner indicating that each employee has instruction on Construction Site Safety, HAZWOPPER training, Asbestos training & license, Lead Paint training, on use and fitting of respirators, on protective dress, on entry and exit from work areas, and on all aspects of work procedures and protective measures and understands this instruction. Also submit verification that all employees have received medical examinations as required by OSHA regulations.
 4. Health & Safety Plan (HASP) developed specific to the Work activities. All workers will follow applicable Federal and State regulations regarding the work activities, including but not limited to OSHA regulations, fall protection standards, respiratory protection, ladder/scaffolding safety, personal protective equipment, etc.
 5. Remediation Work Plan: The work plan shall include, but not be limited to, a drawing indicating the location of work areas (boundaries, signage, poly sheeting, etc.), location and details of decontamination facilities, sequencing of materials removal, work procedures, types of equipment, crew size, and emergency procedures for fire and medical emergencies.
- B. Submit notification and fee to the following agencies at least ten (10) working days before work commences on the project:
1. Department of Public Health
Environmental Health Section
450 Capitol Avenue, MS#51AIR
P.O. Box 340308
Hartford, CT 06134-0308
 2. Asbestos Demo/Reno Notifications
US EPA Region 1
5 Post Office Square, Mail Code OES05-4
Boston, MA 02109-3912

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- C. Project Close-out Submittals:
 - 1. Within 30 days after completion submit the documents listed below:
 - a. Daily progress log and sign-in sheets
 - b. Personal air monitoring results.

1.3 QUALITY ASSURANCE

- A. Contractor shall provide and assure that the quality of work practices and procedures are consistent with the below listed agencies. Contractor shall utilize the latest edition, including all addenda, revisions and supplements for all regulatory agencies codes, etc., including but not limited to:
 - 1. Environmental Protection Agency (EPA).
 - 2. Occupational Safety and Health Administration.
 - 3. State of Connecticut DEEP and DPH codes and laws.
 - 4. All local codes.
- B. Pre-Work Conference: Before the Work of this Section is scheduled to commence, a conference will be held by the Owner's Representative at the Site for the purpose of reviewing the Contract Documents, discussing requirements for the Work, and reviewing the Work procedures.
 - 1. The conference shall be attended by the Owner's Representative, the Contractor, and the testing/monitoring laboratory employed by the Owner.

PART 2 - PRODUCTS

2.1 PROTECTIVE CLOTHING

- A. Safety equipment (e.g., hard hats meeting the requirements of ANSI Standard Z89.1-1981, eye protection meeting the requirements of ANSI Standard Z87.1-1979, safety shoes meeting the requirements of ANSI Standard Z41.1- 1967, disposable PVC gloves or other work gloves, and disposable suits), shall be provided to all workers and authorized visitors.
- B. All personnel must utilize proper Personal Protective Equipment (PPE) during all work activities. Proper PPE may vary depending on the job task, but may include disposable gloves, disposable rubber boots, steel-toe boots, disposable suits, respirators, hard hats, hearing protection, and/or eye protection.
- C. Provide sufficient quantities of protective clothing to assure that enough complete disposable outfits are available for each individual performing remediation Work each day.
- D. Authorized visitors shall be provided with suitable protective clothing, headgear, eye protection, and footwear whenever they enter the Work Area. No unauthorized visitors will be allowed to enter the Work Area.

2.2 RESPIRATORY PROTECTION

- A. Select respirators from those approved by the Mine Safety and Health Administration (MSHA), and/or the National Institute for Occupational Safety and Health (NIOSH), Department of Health and Human Services.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- B. Respirators shall be individually fit-tested to personnel under the direction of an Industrial Hygienist on a yearly basis. Fit-tested respirators shall be permanently marked to identify the individual fitted, and use shall be limited to that individual. The Contractor shall maintain fit-test records for each employee using a respirator.
- C. No respirators shall be issued to personnel without such personnel participating in a respirator training program.
- D. High Efficiency Particulate Air (HEPA) respirator filters shall be approved by NIOSH and shall conform to the OSHA requirements in 29 CFR 1910.134.
- E. Provide a storage area where respirators will be kept in a clean environment.
- F. Provide and make available a sufficient quantity of respirator filters so that filter changes can be made as necessary during the work day.
- G. Filters shall be removed and discarded during the decontamination process at a frequency at least as often as recommended by the manufacturer's specifications. Filters cannot be reused.

2.3 SIGNS, LABELS & CONTAINERS

- A. Provide Asbestos and Lead Paint warning signs and barrier tapes at all approaches to Door Removal Work Areas. Locate signs at such distance that personnel may read the sign and take the necessary protective steps required before entering the area. Provide signage in English and Spanish.
- B. Provide 6 mil polyethylene disposal bags.
- C. Provide secure, lined, and covered waste container (roll-off or equivalent) and 55-gallon DOT-approved steel containers.

2.4 MATERIALS

- A. Deliver all materials in the original packages, containers, or bundles bearing the name of the manufacturer and the brand name. Damaged or deteriorating materials shall not be used and shall be removed from the premises.
- B. All polyethylene (plastic) sheeting used on the Project (including but not limited to sheeting used for barriers, fixed objects, walls, floors, ceilings, waste containers) shall be at least 6 mil.
- C. Tape shall be used that is capable of sealing joints in adjacent plastic sheets and for attachment of plastic sheet to finished or unfinished surfaces of dissimilar materials and capable of adhering under both dry and wet conditions.

2.5 TOOLS & EQUIPMENT

- A. Tools used for the removal of caulking or paint shall be used in a manner that minimizes dust generation, as appropriate.
- B. All dry vacuuming performed under this contract shall be performed with High Efficiency Particulate Air (HEPA) filter equipped industrial vacuums conforming to ANSI Z9.2.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- C. Any power tools used to drill, cut into, or otherwise disturb caulking or painted material shall be cowed with HEPA filtered local exhaust ventilation.
- D. Ladders, lifts, and/or scaffolds are to be of adequate length and sufficient quantity to support work schedule.
- E. Other Materials - provide all other materials such as lumber, nails and hardware, which may be required to construct and dismantle the decontamination area and the barriers that isolate the Work Area.
- F. Vehicle Storage - No construction vehicles shall be stored, serviced, washed or flushed out in a location where leaks, spillage, waste materials, cleaners or waters will flow or be otherwise introduced into wetlands, reservoirs or watercourses.

PART 3 - EXECUTION

3.1 GENERAL REQUIREMENTS

- A. The work of this section consists of, but is not limited to:
 - 1. Furnishing of all labor, materials, facilities, equipment, services, and insurance necessary to perform the work;
 - 2. Maintenance of work area/site security;
 - 3. Preparation of work area, including installation of containment and decontamination areas as required;
 - 4. Removal and containerization of window systems;
 - 5. Clean-up and final decontamination of all work areas;
 - 6. Implementation of a worker protection program in compliance with all applicable regulations;
 - 7. Proper storage, wrapping/bagging, and labeling of all waste generated as part of window remediation activities.
- B. Maintain the following documentation on-site during remediation activities:
 - 1. Medical approval to wear a respirator for all workers, fit test reports
 - 2. Supervisor 40 hour HAZWOPER training certificate, worker 8 hour HAZWOPER training certificates
 - 3. OSHA 10 hour construction safety training card for all workers dated within 5 years
 - 4. Asbestos Supervisor 40 hour training certificate & current refresher, Asbestos Worker 32 hour training certificates & current refresher
 - 5. Lead Paint 8 hour awareness training certificates for all workers
 - 6. Project documents (remediation plan, work plan, drawings, specifications, etc.)
 - 7. Material Safety Data Sheets
 - 8. List of Emergency Contact information
 - 9. Project logs

3.2 WORK AREA PREPARATION

- A. Install 2 layers of 6 mil poly sheeting on interior side of the door opening. Secure perimeter with 3" duct tape.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- B. Install 10' wide 6 mil ground tarps on ground outside door system being removed. Secure tarp for wind loading.
- C. Create a regulated area around the exterior window removal area with warning tape. Post Lead Paint and Asbestos warning signs at the perimeter of the regulated area.

3.3 WORKER HAND WASH STATION

- A. Maintain a trailer-mounted worker hand washing facility consisting of running potable water, a wash basin, hand cleaning cream, and towels at the job site.
- B. Door removal and cleanup workers shall wash their hands at the hand washing facility prior to breaks, lunch, or leaving site at end of work day.
- C. Solidify waste wash water with absorbent and dispose of in waste trailer.

3.4 WINDOW REMOVAL

- A. Manually remove windows, panels, and doors from openings with power tools. Do not machine pull windows, panels, and doors out. Except where noted, remove framing surrounding windows, panels, and doors back to masonry or steel opening. Transport removed components to waste trailer.
- B. Remove existing caulk on masonry window openings with caulk cutter equipped with cowl and HEPA vacuum collection. Mist caulk with water prior to removal. Completely remove caulk from masonry, leaving no visible caulk residue. Bag and dispose of caulk removed from masonry along with windows in the waste trailer.
- C. Manually scrape caulk, loose paint, and loose rust from lintels and structural steel surrounding door opening. Mist caulk with water prior to removal. Completely remove caulk from steel, leaving no visible caulk residue. Bag and dispose of removed caulk, loose paint, and loose rust from steel in the waste trailer.
- D. After completion of work, clean up of all surfaces and work areas shall be conducted in accordance with Part 3.6 of this Section.
- E. If at any time during door removal, should the Contractor or the Owner's Consultant suspect contamination of areas outside the work area, all abatement work shall cease until the Contractor takes steps to decontaminate these areas and eliminate causes of such contamination.

3.5 AIR MONITORING

- A. Air monitoring activities shall be conducted by the Owner's Consultant during remediation work. The air monitoring shall include, at a minimum, hourly readings within a zone perimeter to the Work Area (Support Work Zone or SWZ) so as to assure that work practices are protective of human health to persons outside of the Work Area. Air monitoring shall be conducted with a particulate aerosol monitor capable of displaying real-time concentrations of airborne particulates in a mass per volume ratio to 0.001 milligrams per cubic meter (mg/m³). Prior to the active removal actions and at periodic points during the project, air monitoring readings will be recorded to document background particulate matter concentrations.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- B. If total particulate concentrations in the SWZ exceed the action limits (e.g., 0.1 mg/m³ above background) and are sustained (i.e. greater than 5 minutes), then the work will be stopped and additional dust suppression techniques to mitigate fugitive dust shall be initiated.

3.6 CLEAN-UP & CLEARANCE TESTING

- A. Remove visible accumulations of caulk and debris. Wet clean or HEPA vacuum all surfaces within the Work Area.
- B. Removal of door systems and caulk to be considered complete based on results of visual inspection conducted by the Owner's Consultant.
- C. A visual inspection of all work areas shall be conducted by the Owner's Consultant following completion of remediation activities. The visual inspection will document incomplete work, damage caused by the abatement activity, and inadequate clean-up of the worksite, as applicable. Additional cleaning, repair work, or remediation work shall be conducted to the satisfaction of the Owner at the Contractor's expense.

3.7 WASTE MANAGEMENT AND DISPOSAL

- A. All wastes shall be placed in authorized leak-tight containers and kept closed and locked at all times except for adding or removing waste. All wastes shall be kept in a secure location with proper signage visible at all times.
- B. Labeled assumed PCB waste containers or bags shall not be used for non-PCB waste or trash. Any material placed in labeled containers or bags, whether turned inside out or not shall be handled and disposed of as assumed PCB waste.
- C. All containers with assumed PCB materials that are not regulated as Hazardous Waste shall be properly labeled and marked in accordance with applicable State requirements and the requirements of the selected disposal facility.
- D. Temporary Storage of Waste Trailers - The Owner will make available distinct areas where waste trailers can be stored temporarily on site. The Owner's representative will verify the segregation of the waste going to the waste containers during the work and will record the number of trailers of assumed PCB waste leaving the site and verify that the amount recorded agrees with the amount listed on the waste disposal manifest at the time of removal from the site.
- E. All assumed PCB materials are to be placed in appropriate waste containers immediately upon removal. Assumed PCB materials may be stored within the work area until such time as the removal work in that area is complete or until the end of the working day.
- F. All assumed PCB and lead paint waste generated shall be stored on-site in a secure, lined, and covered waste container (roll-off or equivalent), 55-gallon DOT-approved steel containers, or equivalent staged for the collection of assumed PCB wastes generated during the work activities in accordance with 40 CFR 761.65. The staging area for assumed PCB waste will be approved by the Owner prior to beginning the assumed PCB remediation activities.
- G. Transporter and Disposal Site shall be approved by the Owner. Selected disposal site shall be in accordance with the requirements of 40 CFR 761.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- H. Provide twenty-four (24) hour notification prior to removing any waste from the site. Waste shall be removed from the site only during normal working hours unless otherwise specified. No waste may be taken from the site unless the Contractor is present and the Owner authorizes the release of the waste as described herein.
- I. All waste generated as part of the assumed PCB project shall be removed from the site within 30 calendar days after successful completion of all assumed PCB Remediation work.
- J. Upon arrival at the Project Site, the Transporter must possess and present to the Contractor a valid Waste Transporter Permit for the subject waste.
- K. The Transporter, with the Contractor shall inspect all material in the transport container prior to taking possession and signing the Manifests.
- L. Supply and complete the manifests and all other required waste disposal documentation in accordance with all applicable federal and state regulations. All manifests and other waste documentation shall be signed by the Owner or a designated representative. Allow 1 week processing time for Owner to sign waste documentation. Copies of all waste documentation shall be provided to the Owner and Owner's Consultant.

END OF SECTION 028213

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

SECTION 028216 - ASBESTOS ABATEMENT

PART 1 - GENERAL

1.1 SCOPE

- A. The work specified herein shall be the abatement of asbestos-containing materials by persons who are knowledgeable, qualified, certified, and trained in the removal, treatment, handling, and disposal of asbestos-containing material, and the subsequent cleaning of the affected environment. The Contractor shall have a Competent Person in control on the job site at all times during asbestos abatement work. This person must comply with applicable Federal, State and Local regulations which mandate work practices, and be capable of performing the work of this contract.
- B. The Contractor shall be licensed by the State of Connecticut in accordance with State of Connecticut Regulations, Sections 20-440-1 through 9 & 20-441. The asbestos supervisor and workers shall be licensed by the State of Connecticut in accordance with State of Connecticut Regulations, Sections 20-437 and 20-438. Should any portion of the work be subcontracted, the subcontractor must also be licensed in accordance with these regulations. The licensing requirements are available from the Environmental Health Services Division, Department of Public Health, 410 Capitol Avenue, MS#51AIR, P.O. Box 340308, Hartford, CT 06134.
- C. The Town of West Hartford (Owner) will retain the services of a Project Monitor for protection of its interests and those using the building. Pre-abatement, during abatement and post-abatement sampling will be conducted as deemed necessary.
- D. Deviations from this Specification require the written approval of the Town of West Hartford.
- E. The Contractor is responsible for restoring all work areas and auxiliary areas utilized during abatement to conditions equal to or better than original. Any damage caused during the performance of abatement activities shall be repaired by the Contractor (e.g., paint peeled off by barrier tape, nail holes, water damage, removal of ceiling tiles or concrete blocks, broken glass, etc.) at no additional expense to the Owner. The Contractor is responsible for protecting all objects in work areas that are permanent fixtures or too large to remove.
- F. The Contractor shall be responsible for the following general requirements:
 - 1. Obtain all approvals and permits, and submit all notifications required.
 - 2. Provide, erect, and maintain all planking, bracing, shoring, barricades, and warning signs.
 - 3. Unless otherwise specified, all equipment, fixtures, piping and debris resulting from demolition shall become the property of the Contractor and shall be removed from the premises.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

4. Materials to be reused shall be removed with the utmost care to prevent damage of any kind. All material to be reused shall be stored as directed. The Contractor shall coordinate with the Owner as to the storage location.
 5. Materials not scheduled for reuse shall be removed from the site and disposed of in accordance with all applicable Federal, State and Local requirements.
- G. It shall be the responsibility of the Contractor to protect and preserve in operating condition, all utilities traversing the building and site. Damage to any utility due to work under this Contract shall be repaired to the satisfaction of the Owner at no cost to the Owner.

1.2 DESCRIPTION OF WORK

- A. The Contractor shall supply all labor, materials, equipment, services, insurance (with specific coverage for work on asbestos), and incidentals which are necessary or required to perform the work in accordance with applicable governmental regulations and these specifications.
- B. The asbestos abatement work shall include the removal and disposal of asbestos-containing vinyl floor tile and mastic from selected vestibules at Webster Hill Elementary School and Sedgwick Middle School as shown on Drawings DA1, DA3, & DA4 and specified herein.

1.3 DEFINITIONS

Adequately Wet - Sufficiently mix or penetrate with liquid to prevent the release of particulates. If visible emissions are observed coming from asbestos-containing material, then that material has not been adequately wetted. However, the absence of visible emissions is not sufficient evidence of being adequately wet.

AHERA - Asbestos Hazard Emergency Response Act - U. S. EPA regulation 40 CFR Part 763 under Section 203 of Title II of the Toxic Substances Control Act (TSCA), 15 U.S.C. 2643. This rule mandates inspections, accreditations of persons involved with asbestos, and final air clearances following abatement in public and private schools.

Alternative Work Practice (AWP) - Deviation from Asbestos Standards (Sections 19a-332a-1 to 19a-332a-16 inclusive). Deviation requires a written approval letter from the State of Connecticut Department of Public Health and the Owner.

Asbestos - The term asbestos includes chrysotile, amosite, crocidolite, asbestiform tremolite, anthophyllite asbestos, actinolite asbestos and any of these minerals that has been chemically treated and/or altered.

Asbestos Abatement - The removal, encapsulation, enclosure, renovation, repair, demolition or other disturbance of asbestos-containing materials except activities which are related to the removal or repair of asbestos cement pipe and are performed as defined in Section 25-32a of the Connecticut General Statutes.

Asbestos-Containing Material (ACM) - Any material containing more than one percent asbestos.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

Asbestos-Containing Waste Materials - Mill tailings or any waste that contains commercial asbestos and is generated by a source subject to the provisions of this subpart. This term includes filters from control devices, friable asbestos waste material, and bags or other similar packaging contaminated with commercial asbestos. As applied to demolition and renovations operations, this term also includes regulated asbestos-containing material waste and materials contaminated with asbestos including disposable equipment and clothing.

Asbestos Control Area - An area where asbestos abatement operations are performed which is isolated by physical boundaries which assist in the prevention of the uncontrolled release of asbestos dust, fibers, or debris. Two examples of an Asbestos Control Area are a "full containment" and a "glove-bag."

Asbestos Fiber - A particulate form of asbestos, tremolite, anthophyllite, actinolite, or a combination of these minerals having a length of five micrometers or longer, with a length-to-diameter ratio of at least 3 to 1.

Authorized Asbestos Disposal Facility - A location approved by the Connecticut Department of Energy and Environmental Protection for handling and disposing of asbestos waste or by an equivalent regulatory agency if the material is disposed of outside the State of Connecticut.

Category I Non-Friable Asbestos-Containing Material (ACM) -Asbestos-containing packings, gaskets, resilient floor coverings and asphalt roofing products containing more than 1 percent asbestos as determined using the method specified in Appendix A, subpart F, 40 CFR part 763, section 1, Polarized Light Microscopy.

Category II Non-Friable ACM - Any material, excluding Category I non-friable ACM, containing more than 1 percent asbestos as determined using the method specified in Appendix A, subpart F, 40 CFR part 763, section 1, Polarized Light Microscopy that when dry, cannot be crumbled, pulverized, or reduced to powder by hand pressure.

Competent Person - Individual capable of identifying existing asbestos, tremolite, anthophyllite, or actinolite hazards and corrective measures to eliminate them, as specified in 29 CFR 1926.32. The duties of the Competent Person include at least the following: establishing the pressure differential, ensuring its integrity, and controlling entry to and exit from the enclosure; supervising any employee exposure monitoring required by the standard; ensuring that all employees working within such an enclosure wear the appropriate personal protective equipment, are trained in the use of appropriate methods of exposure control, and use the hygiene facilities and decontamination procedures specified; and ensuring that engineering controls in use are in proper operating condition and are functioning properly.

Concealed Space - Space which is out of sight. Examples of a concealed space include area above ceilings; below floors; between double walls; furred-in areas; pipe and duct shafts; and similar spaces.

Critical Barrier - A minimum of two layers of six (6) mil polyethylene sheeting taped securely over windows, doorways, diffusers, grilles and any other openings between the Work Area and uncontaminated areas outside of the Work Area, including the outside

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

of the building. Three layers of 6 mil poly sheeting shall be used on free-standing walls and ceilings exceeding 15 SF in area.

Decontamination Enclosure System - A series of rooms separated from the Work Area and from each other by air locks, for the decontamination of workers and equipment.

Demolition - The wrecking or taking out of any load-supporting structural member of a facility together with any related handling operations or the intentional burning of any facility.

DEEP - The Connecticut Department of Energy and Environmental Protection, 79 Elm Street, Hartford, CT 06106.

DPH - The Connecticut Department of Public Health, 410 Capitol Avenue, MS#51AIR, P.O. Box 340308, Hartford, CT 06134.

Differential Pressure - A difference in the static air pressure between the Work Area and occupied areas, and is developed by the use of HEPA filtered exhaust fans. This differential is generally in the range of 0.02 to 0.04 inches of water column.

Encapsulant - Specific materials in various forms used to chemically entrap asbestos fibers in various configurations to prevent these fibers from becoming airborne. There are four types of encapsulant as follows:

- a) **Removal Encapsulant** (can be used as a wetting agent).
- b) **Bridging Encapsulant** (used to provide a tough durable surface coating to asbestos-containing material).
- c) **Penetrating Encapsulant** (used to penetrate the asbestos containing material down to substrate, encapsulating all asbestos fibers).
- d) **Lock-down Encapsulant** (used to seal off "lock-down" minute asbestos fibers left on surfaces from which asbestos containing materials have been removed).

Encapsulation - The application of an encapsulant to asbestos-containing building materials to control the possible release of asbestos fibers into the air.

Engineering Controls - Controls to include, but not be limited to, pressure differential equipment, decontamination enclosures, critical barriers and related procedures.

Equipment Decontamination Enclosure System - The portion of a Decontamination Enclosure System designed for controlled transfer of materials and equipment into or out of the Work Area, typically consisting of a Washroom and a Holding Area.

Exposed - Open to view.

Finished Space - Space used for habitation or occupancy where rough surfaces are plastered, paneled or otherwise treated to provide a pleasing appearance.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

Fixed Critical Barrier - Barrier constructed of 2" x 4" metal framing 16" O.C., with 1/2" wallboard on the occupied side and 1/2" wallboard and two layers of six (6) mil polyethylene sheeting on the Work Area side to prevent unauthorized access or air flow.

Fixed Object - A piece of equipment or furniture in the Work Area which cannot be removed from the Work Area, as determined by the Owner.

Friable Asbestos Material - Material containing more than 1 percent asbestos as determined using the method specified in Appendix A, subpart F, 40 CFR part 763, Section 1, Polarized Light Microscopy, that when dry can be crumbled, pulverized or reduced to powder by hand pressure. If the asbestos content is less than 10 percent as determined by a method other than point counting by polarized light microscopy (PLM), verify the asbestos content by point counting using PLM.

Glove-Bag - A sealed compartment with attached inner gloves used for the handling of asbestos-containing materials. Properly installed and used glove bags provide a small Work Area enclosure typically used for small scale asbestos stripping operations. Information on glove-bag installation, equipment and supplies, and work practices is contained in the Occupational Safety and Health Administration's (OSHA's) final rule on occupational exposure to asbestos (29 CFR 1926.1101).

Glove-Bag Technique - A method with limited applications for removing small amounts of friable asbestos-containing material from HVAC ducts, short piping runs, valves, joints, elbows, and other non-planar surfaces in a non-contaminated work area. The glove-bag assembly is a manufactured or fabricated device consisting of a glove-bag (typically constructed of six (6) mil polyethylene or polyvinyl chloride plastic), two inward projecting long sleeves, an internal tool pouch, and an attached, labeled receptacle for asbestos waste. The glove-bag is constructed and installed in such a manner that it surrounds the object or material to be removed and contains all asbestos fibers released during the process.

High-efficiency particulate air (HEPA) A filter capable of trapping and retaining at least 99.97 percent of all mono-dispersed particles 0.3 microns in diameter.

Lock-down - The procedure of spraying polyethylene sheeting and building materials with an encapsulant type sealant to seal in non-visible asbestos-containing residue.

Movable Object - A piece of equipment or furniture in the Work Area which can be removed from the Work Area, as determined by the Owner.

Non-Friable Asbestos-containing Material - Material containing more than 1 percent asbestos as determined using the method specified in Appendix A, subpart F, 40 CFR part 763, section 1, Polarized Light Microscopy, that when dry cannot be crumbled, pulverized or reduced to powder by hand pressure.

Permissible Exposure Limit (PEL) - An airborne concentration of asbestos, tremolite, anthophyllite, actinolite or a combination of these minerals of 0.1 fibers per cubic centimeter (f/cc) of air calculated as an eight (8) hour time-weighted average, as determined by Phase Contrast Microscopy.

Personal Monitoring - Air sampling within the breathing zone of an employee.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

Pre-Clean - The process of cleaning an area before asbestos abatement activities begin to ensure all dust and debris in the area considered to be asbestos-containing are properly contained and disposed of. This increases the likelihood the area will pass aggressive air sampling clearance requirements after asbestos-containing materials have been removed.

Regulated Area - Area established by the employer to demarcate areas where airborne concentrations of asbestos, tremolite, anthophyllite, actinolite or a combination of these minerals exceed, or can reasonably be expected to exceed, the Permissible Exposure Limit.

Regulated Asbestos-Containing Material (RACM) - (a) Friable asbestos material, (b) Category I non-friable ACM that has become friable, (c) Category I non-friable ACM that will be or has been subjected to sanding, grinding, cutting, or abrading, or (d) Category II non-friable ACM that has a high probability of becoming or has become crumbled, pulverized, or reduced to powder by the forces expected to act on the material in the course of demolition or renovation operations.

Renovation - Altering a facility or one or more facility components in any way, including the stripping or removal of RACM from a facility component. Operations in which load-supporting members are wrecked or taken out are demolitions.

Repair - Overhauling, rebuilding, reconstructing or reconditioning of structures or substrates where asbestos, tremolite, anthophyllite or actinolite is present.

Unfinished Space - Space used for storage, utilities or work area where appearance is not a factor. Examples of an unfinished space include crawlspace; pipe tunnel and similar spaces.

Visible Emissions - Any emissions, which are visually detectable without the aid of instruments, coming from RACM or asbestos-containing waste material or from any asbestos milling, manufacturing, or fabricating operation. This does not include condensed, uncombined water vapor.

Visible Residue - Any debris or dust on surfaces in areas within the Work Area where asbestos abatement has taken place and which is visible to the unaided eye. All visible residue is assumed to contain asbestos.

Waste Generator - Any owner or operator of a source whose act or process produces asbestos-containing waste material.

Waste Shipment Record - The shipping document, required to be originated and signed by the waste generator, used to track and substantiate the disposition of asbestos-containing waste material.

Wet Cleaning - The process of eliminating asbestos contamination from building surfaces and objects by using cloths, mops, or other cleaning tools which have been dampened with water, and afterwards thoroughly decontaminated or disposed of as asbestos-contaminated waste.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

Work Area - Specific area or location where the actual work is being performed or such other area of a facility which the Commissioner determines may be hazardous to public health as a result of such asbestos abatement.

Worker Decontamination Enclosure System - The portion of a Decontamination Enclosure System designed for controlled passage of workers and authorized visitors, typically consisting of a Clean Room, a Shower Room and an Equipment Room.

1.4 REFERENCES

- A. The current issue of each document shall govern. Where conflict among requirements or with these specifications exists, the more stringent requirements shall apply.

1. Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1001 - Asbestos, Tremolite, Anthophyllite, and Actinolite.

29 CFR 1910.134 - Respiratory Protection.

29 CFR 1926.21 - Safety Training and Education

29 CFR 1926.32 - Definitions

29 CFR 1926.51 - Sanitation

29 CFR 1910.134 - Gases, Vapors, Fumes, Dusts, and Mists

29 CFR 1926.59 - Hazard Communication.

29 CFR 1926.200 - Accident Prevention Signs and Tags.

29 CFR 1926.417 - Lockout and Tagging of Circuits.

29 CFR 1926.1101 - Asbestos

2. Environmental Protection Agency (EPA)

40 CFR 61, Subpart M - National Emission Standards for Hazardous Air Pollutants; Asbestos NESHAP Revision; Final Rule.

40 CFR 763, Subpart E - Asbestos Hazard Emergency Response Act (AHERA).

40 CFR 763, Subpart G - Worker Protection Rule.

3. State of Connecticut, Department of Public Health Regulations (DPH)

Section 19a-332a-1 through 19a-332a-16 - Standards for Asbestos Abatement.

Section 20-440-1 through 20-440-9 and 20-441 Licensure and Training.

4. American National Standards Institute (ANSI)

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

ANSI Z9.2 - Fundamentals Governing the Design and Operation of Local Exhaust Systems.

ANSI Z88.2 - Respiratory Protection.

5. American Society of Testing and Materials (ASTM)

ASTM E 84 - Surface Burning Characteristics of Building Materials.

ASTM E 96 - Water Vapor Transmission of Materials.

ASTM E 119 - Fire Tests of Building and Construction Materials.

ASTM E 736 - Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members.

ASTM E 1368 - Visual Inspection of Asbestos Abatement Projects.

ASTM E 1494 - Encapsulants for Spray- or Trowel-Applied Friable Asbestos-Containing Building Materials.

6. Underwriters Laboratories, Inc. (UL)

UL 586 - High-Efficiency, Particulate, Air Filter Units.

1.5 DOCUMENTATION

A. Submit two copies of the following documentation to ensure compliance with the applicable regulations. An up to date copy shall be retained at the job site at all times.

B. Manufacturer's Catalog Data:

SDS for All Materials Delivered to the Site

C. Statements:

Connecticut Notification

EPA Notification

Worker Medical Certification

Worker Training Certification

Worker Respirator Fit Testing

Worker Asbestos Licenses

OSHA Laboratory Certification for personal sample analysis

Landfill Approval

Safety Plan

Respirator Protection Plan

Initial Exposure Assessment

1. Submit notification to the following agencies at least ten (10) working days before work commences on the project:

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- a. Department of Public Health
Environmental Health Section
450 Capitol Avenue, MS#51AIR
P.O. Box 340308
Hartford, CT 06134-0308
 - b. Asbestos Demo/Reno Notifications
US EPA Region 1
5 Post Office Square, Mail Code OES05-4
Boston, MA 02109-3912
2. Copies of all required notifications, approvals and permits for the removal, disposal and transport asbestos-containing or contaminated materials.
 3. Documentation from a physician certifying that all employees who may be exposed to airborne asbestos in excess of the background level have been provided medical monitoring to determine whether they are physically capable of working while wearing the respirator required without suffering adverse health affects. In addition, document that personnel have received medical monitoring required in 29 CFR 1926.1101. They shall also be informed of the specific types of respirators the employee shall be required to wear and the work he/she will be required to perform as well as special work place conditions such as high temperature, high humidity and chemical contaminants to which he/she may be exposed.
 4. Documentation certifying that all employees have received training in the proper handling of materials that contain asbestos; understand the health implications and risks involved, including the illnesses possible from exposure to airborne asbestos fibers; understands the use and limits of respiratory equipment to be used; and understands the results of monitoring of airborne quantities of asbestos as related to health and respiratory equipment as indicated in 29 CFR 1926.1101 on an initial and annual basis.
 5. Documentation of respiratory fit testing for all employees who must enter the Work Area. This fit testing shall be in accordance with qualitative procedures as detailed in 29 CFR 1926.1101.
 6. Qualifications of the person proposed for air sampling to assure workers are using appropriate respiratory protection in accordance with OSHA Standard 1926.1101. Include the name and address of the testing laboratory proposed to perform air sample analysis on behalf of the Contractor, along with their NIOSH PAT Program I.D. number.
 7. Establish and supervise in accordance with 29 CFR 1926.21, a program for the education and training of workers in the recognition, avoidance and prevention of unsafe conditions and the regulations applicable to the work environment to control or eliminate any hazards or other exposure to illness or injury. Include any site specific information to address health and safety procedures unique to this project.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

8. Establish a written Respiratory Protection Plan in accordance with 29 CFR 1910.134. This plan shall establish procedures governing the selection and use of respirators and shall include such information as training in the proper use of respirators; medical examination of workers to determine whether or not they may be assigned an activity where respiratory protection is required; training in proper use and limitations of respirators; respirator fit testing; regular inspection and evaluation of the continued effectiveness of the program; and other elements included in the standard.
9. Demonstrate that employees exposure will be below the PEL's. For Class I asbestos work until the employer conducts exposure monitoring and documents that employees on that job will not be exposed in excess of the PEL's, or otherwise makes a negative exposure assessment, the employer shall presume that employees are exposed in excess of the TWA and excursion limit.

D. Records:

Sign-in/out Logs
Personal Air Sampling Results
Waste Shipment Records
Pressure Differential Recording Data

1.6 PERSONNEL PROTECTION

- A. Instruct workers in all aspects of personnel protection, work procedures, emergency evacuation procedures and use of equipment including procedures unique to this project.
- B. Ensure workers are fully protected with respirators and protective clothing during work in the Asbestos Control Area.
- C. Respiratory protection shall meet the requirements of OSHA as required in 29 CFR 1910.134 and 29 CFR 1926.1101. Provide appropriate respiratory protection for each worker and ensure usage during potential asbestos exposure.
- D. Select respirators from among those jointly approved as being acceptable for protection by the Mine Safety and Health Administration (MSHA) and the National Institute for Occupational Safety and Health (NIOSH) under the provisions of 30 CFR Part 11. Provide an adequate supply of filter elements for respirators in use.
- E. Minimum respiratory protection shall be as follows:

Airborne concentration of asbestos,
tremolite, anthophyllite, actinolite
or a combination of these minerals.

Required Respirator

Not in excess of 10 f/cc
(100 x PEL)

1. Any powered air purifying
respirator equipped with
high efficiency filters.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

	2. Any supplied-air respirator operated in continuous flow mode.
Not in excess of 100 f/cc (1000 x PEL)	1. Full facepiece supplied supplied air respirator operated in pressure demand mode.
Greater than 100 f/cc (>1000 x PEL) or unknown concentration	1. Full facepiece supplied air respirator operated in pressure demand mode equipped with an auxiliary positive pressure self-contained breathing apparatus.

-
- Note:
1. Respirators assigned for higher airborne fiber concentrations may be used at lower concentrations.
 2. A high-efficiency filter means a filter that is at least 99.97 percent efficient against mono-dispersed particles of 0.3 micrometers in diameter or larger.
-

- F. Provide and require all workers to wear protective clothing in Asbestos Work Areas. Protective clothing shall include impervious coveralls with elastic wrists and ankles, head covering, gloves and foot coverings.
 - G. Provide all authorized persons entering contaminated areas with proper respirators and protective clothing.
 - H. Ensure that all workers and authorized persons enter and leave the Asbestos Control Area through the Worker Decontamination Enclosure System.
 - I. Ensure all contaminated protective clothing remains in the Equipment Room for reuse or disposal of as contaminated waste.
 - J. Ensure workers do not eat, drink, smoke or chew gum or tobacco while in the Asbestos Control Area.
- 1.7 EQUIPMENT REMOVAL PROCEDURE
- A. Clean surfaces of contaminated containers and equipment thoroughly by vacuuming with HEPA filtered equipment and wet wiping before moving such items into the Equipment Decontamination Enclosure System for final cleaning and removal to uncontaminated areas. Ensure that personnel do not leave the Asbestos Control Area through the Equipment Decontamination Enclosure System.
- 1.8 SEQUENCE OF WORK

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- A. Proceed in accordance with the sequence of work as mutually agreed upon with the Construction Manager. Work shall be divided into convenient Work Areas, each of which is to be completed as a separate unit.
- B. The following sequence of work shall be used for the asbestos abatement work:
 - 1. A visual inspection of the Work Area to determine pre-existing damage to facility components.
 - 2. Release of floor area (Phase) to the Contractor.
 - 3. All temporary utilities required for the project shall be on site and operational prior to the initiation of asbestos work.
 - 4. Abatement of all asbestos-containing materials by the Contractor.
 - 5. Air sampling by the Project Monitor for reoccupancy.
 - 6. Containment tear-down and clean-up.

1.9 DELIVERY, STORAGE, AND HANDLING

- A. Deliver all materials in the original packages, containers, or bundles bearing the name of the manufacturer and the brand name and product technical description. Do not use damaged or deteriorating materials. Material that becomes contaminated with asbestos shall be decontaminated or disposed of as asbestos waste.

PART 2 - PRODUCTS

2.1 MATERIALS

- A. Fire retardant polyethylene sheet in roll size to minimize the frequency of joints, shall be delivered to job site with factory label indicating four (4) or six (6) mil.
- B. Polyethylene disposable bags shall be six (6) mil with pre-printed label. Disposable bags shall be opaque.
- C. Tape shall be capable of sealing joints in adjacent polyethylene sheets and for attachment of polyethylene sheet to finished or unfinished surfaces. Tape must be capable of adhering under both dry and wet conditions.
- D. Surfactant (wetting agent) shall consist of fifty (50) percent polyoxyethylene ether and fifty (50) percent polyoxyethylene ester, or equivalent, and shall be mixed with water to provide a concentration one (1) ounce surfactant to five (5) gallons of water or as directed by the manufacturer.
- E. Containers must be impermeable and shall be both air and watertight. Containers shall be labeled in accordance with OSHA Standard 29 CFR 1926.1101 and EPA 40 CFR Part 61.152 as appropriate.
- F. Labels and signs shall conform to OSHA Standard 29 CFR 1926.1101.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- G. Encapsulant shall be bridging or penetrating type which has been approved by the Design Consultant. Usage shall be in accordance with manufacturer's printed technical data. Encapsulant must be compatible with new materials being installed. Encapsulant shall dry clear.

2.2 TOOLS AND EQUIPMENT

- A. Tools and equipment shall be suitable for asbestos removal.
- B. Protective clothing, respirators, filter cartridges, air filters and sample filter cassettes shall be provided in sufficient quantities for the project.
- C. Electrical equipment, protective devices and power cables shall conform to all applicable codes.
- D. Shower stalls and plumbing shall include sufficient hose length and drain system or an acceptable alternate. Showers shall be equipped with hot and cold or warm running water. One shower stall shall be provided for each eight workers.
- E. Exhaust air filtration units shall be equipped with HEPA filters capable of providing sufficient air exhaust to create a minimum pressure differential of 0.02 inches of water column, and to allow a sufficient flow of air through the area. An automatic warning system shall be incorporated into the equipment to indicate pressure drop or unit failure. No air movement system or air filtering equipment shall discharge unfiltered air outside the Asbestos Control Area.
- F. Pressure differential monitoring equipment shall be provided to ensure exhaust air filtration devices provide the minimum pressure differential required between the Work Area and occupied areas of the facility.
- G. Spray equipment shall be capable of mixing wetting agent with water and capable of generating sufficient pressure and volume. Hose length shall be sufficient to reach all of the Asbestos Control Area.
- H. Vacuum units, of suitable size and capabilities for the project, shall have HEPA filters capable of trapping and retaining at least 99.97 percent of all monodispersed particles of 0.3 microns in diameter or larger.
- I. Ladders and/or scaffolds shall be of adequate length, strength and sufficient quantity to support the work schedule.
- J. Other materials such as lumber, nails and hardware necessary to construct and dismantle the decontamination enclosures and the barriers that isolate the Work Area shall be provided as appropriate for the work.

PART 3 - EXECUTION

3.1 PREPARATION OF WORK AREA ENCLOSURE SYSTEM

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- A. Prior to beginning work, the Owner, Design Consultant, and Contractor shall conduct a pre-abatement meeting, perform a visual survey of each Work Area and list all pre-existing damage to building components. The Contractor shall submit to the Owner a list which shall include all damaged areas not scheduled to be repaired under this Contract and include photographs, video tapes as applicable.
- B. Post warning signs meeting the specifications of OSHA 29 CFR 1910 and 29 CFR 1926.1101 at each Regulated Area. In addition, signs shall be posted at all approaches to Regulated Areas so that an employee may read the sign and take the necessary protective steps before entering the area. Additional signs may require posting following construction of work place enclosure barriers.
- C. Utilize engineering controls and personnel protective equipment while installing enclosures and supports when asbestos-containing materials may be disturbed.
- D. When feasible, shut down and lock out electrical power, including all receptacles and light fixtures. Protect receptacles and light fixtures remaining in the Work Area with six (6) mil polyethylene and seal with tape. Coordinate all power isolation with the Owner.
- E. Provide temporary power and lighting and ensure safe installation, including ground fault protection, of temporary power sources and equipment in compliance with applicable electrical code and OSHA requirements. The Contractor is responsible for proper connection and installation of electrical wiring.
- F. Shut down and isolate heating, cooling, and ventilating air systems to prevent contamination and fiber dispersal to other areas of the building. Seal all vents.
- G. Pre-clean movable objects within the proposed Work Areas using HEPA filtered vacuum equipment and/or wet cleaning methods as appropriate and remove such objects from Work Areas to a temporary location.
- H. Pre-clean fixed objects within the proposed Work Areas, using HEPA filtered vacuum equipment and/or wet cleaning methods as appropriate, and enclose with two layers of six (6) mil polyethylene sheeting sealed with tape.
- I. Clean the proposed Work Areas using HEPA filtered vacuum equipment and/or wet cleaning methods as appropriate. Do not use methods that raise dust, such as dry sweeping or vacuuming with equipment not equipped with HEPA filters.
- J. Seal off all windows, doorways, skylights, ducts, grilles, diffusers, and any other openings between the Work Area and the uncontaminated areas outside of the Work Area with critical barriers. Doorways and corridors which will not be used for passage during work must be sealed with fixed critical barriers.
- K. Cover floor and wall surfaces with polyethylene sheeting sealed with tape. Polyethylene shall be applied alternately to floors and walls. Cover floors first, with a layer of six (6) mil polyethylene sheeting, so that polyethylene extends at least twelve (12) inches up on walls. Cover walls with a layer of four (4) mil polyethylene sheeting to twelve (12) inches beyond the wall floor intersection, thus overlapping the floor material by a minimum of twenty-four (24) inches. Repeat the process for the second

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

layer of polyethylene. There shall be no seams in the plastic sheet at wall-to-floor joints.

- L. Conspicuously label and maintain emergency and fire exits from the Asbestos Control Area satisfactory to fire officials.
- M. No asbestos abatement (including prep work and containment tear-down) may occur with children under age 18 in the school building.

3.2 WORKER DECONTAMINATION ENCLOSURE SYSTEM

- A. Establish contiguous to the Work Area, a Worker Decontamination Enclosure System consisting of Equipment Room, Shower Room and Clean Room in series. Access to the Work Area shall only be through this enclosure.
- B. Access between rooms in the Worker Decontamination Enclosure System shall be through double flap curtained openings (air locks). Other effective designs are permissible. The Clean Room, Shower Room and Equipment Room located within the Worker Decontamination Enclosure, shall be completely sealed ensuring sole source of air flow into the Asbestos Control Area originates from the outside uncontaminated areas.
- C. The Clean Room shall be adequately sized to accommodate workers and shall be equipped with a suitable number of hooks, lockers, shelves, etc., for workers to store personal articles and clothing. Changing areas of the Clean Room shall be suitably screened from areas occupied by the public.
- D. The Shower Room shall be of sufficient capacity to accommodate the number of workers. Supply warm water to showers. Provide one shower for each eight workers. No worker or other person shall leave an Asbestos Control Area without showering. Shower water shall be collected and filtered using best available technology and dumped down an approved drain.
- E. No personnel or equipment shall be permitted to leave the Asbestos Control Area unless just decontaminated by showering, wet cleaning or HEPA vacuuming to remove all asbestos debris. No asbestos-contaminated materials or persons shall enter the Clean Room.

3.3 EQUIPMENT DECONTAMINATION ENCLOSURE SYSTEM

- A. Establish contiguous to the Work Area an Equipment Decontamination Enclosure System consisting of two (2) totally enclosed chambers divided by a double flap curtained opening. Other effective designs are permissible. This enclosure must be constructed so as to ensure that no personnel enter or exit through this unit.

3.4 SEPARATION OF WORK AREAS FROM OCCUPIED AREAS

- A. Occupied areas and/or building space not within the Asbestos Control Area shall be separated from asbestos abatement Work Areas by means of airtight barriers. Barriers at openings with dimensions exceeding two (2) feet in both directions shall be blocked with fixed critical barriers.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- B. Do not impair required building exits from any occupied building area. Where normal exits have been blocked by the asbestos work, provide temporary exit signs directing building occupants to the nearest available exit location.
- C. Visually inspect and smoke test NPE barriers to assure an effective seal. Repair defects immediately.
- D. Create a pressure differential in the range of 0.02 to 0.04 inches of water column between the Work Area and occupied areas by the use of acceptable pressure differential equipment. Provide a sufficient quantity of units to exhaust the volume of air within the Asbestos Control Area a minimum of four times per hour. Continuously monitor the pressure differential between the Work Area and occupied areas utilizing recording type equipment to ensure exhaust air filtration equipment maintains a minimum pressure differential of 0.02 inches of water column.

3.5 ASBESTOS REMOVAL – INTERIOR ABATEMENT

- A. A Competent Person shall be on the job at all times to ensure the establishment and maintenance of the NPE and proper work practices throughout the project. Before beginning work within the NPE and at the beginning of each shift, the NPE shall be inspected for breaches and smoke tested for leaks, and any leaks sealed. Results of NPE inspections shall be logged.
- B. Do not begin abatement work until authorized by the Project Monitor.
- C. Spray asbestos materials with amended water, using airless spray equipment capable of providing a "mist" application to reduce the release of fibers during the removal operation.
- D. In order to maintain indoor asbestos concentrations at a minimum, remove the wet asbestos in manageable sections. Materials shall not be allowed to dry out. Material drop shall not exceed 8 feet. For heights up to 15 feet provide inclined chutes or scaffolding to intercept drop. For heights exceeding 15 feet provide enclosed dust-proof chutes.
- E. Fill disposal containers (six (6) mil polyethylene bags or fiber drums) as removal proceeds, seal filled containers, apply caution labels and clean containers before removal to wash area. Bags shall be securely sealed to prevent accidental opening and leakage by taping in gooseneck fashion. Bags may be placed in drums for staging and transportation to the disposal site. Bags shall be decontaminated by wet cleaning and HEPA vacuuming before being placed in clean drums and sealed with locking ring tops. Vinyl asbestos floor tile removed shall be placed in polypropylene burlap bags and then double poly bagged. Small components and asbestos containing waste with sharp-edged components (e.g., nails, screws, metal lath, tin sheeting) which could tear polyethylene bags and sheeting shall be placed in polypropylene burlap bags and then double poly bagged. Wet clean each container thoroughly before moving to Holding Area. Ensure that workers do not enter from uncontaminated areas into the Washroom or the Work Area. Ensure that contaminated workers do not exit the Work Area through the Equipment Decontamination Enclosure.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- F. After completion of stripping work, all surfaces from which asbestos has been removed shall be wet brushed, using a nylon brush, wet wiped and sponged or cleaned by an equivalent method to remove all visible material (wire brushes are not permitted). During this work the surfaces being cleaned shall be kept wet.
- G. If at any time during asbestos removal, should the Project Monitor suspect contamination of areas outside the Work Area, the Contractor shall stop all abatement work and take steps to decontaminate these areas and eliminate causes of such contamination. Unprotected individuals shall be prohibited from entering contaminated areas until air sampling and visual inspections determine decontamination.
- H. Containerize asbestos-containing waste material removed daily. Do not allow ACM to remain on the floor overnight, allowing it to dry out.

3.6 ASBESTOS REMOVAL – EXTERIOR ABATEMENT

- A. A Competent Person shall be on the job at all times to ensure the establishment and maintenance of control measures and proper work practices throughout the project.
- B. Do not begin abatement work until authorized by the Project Monitor.
- C. Spray asbestos materials with amended water, using airless spray equipment capable of providing a "mist" application to reduce the release of fibers during the removal operation.
- D. Cover ground under exterior removal activity with 10' wide 6 mil polyethylene sheeting, weighted to withstand wind loading. Create a regulated area around the exterior removal area with warning tape and warning signs.
- E. Fill disposal containers (six (6) mil polyethylene bags or fiber drums) as removal proceeds, seal filled containers, apply caution labels and clean containers before removal to wash area. Bags shall be securely sealed to prevent accidental opening and leakage by taping in gooseneck fashion. Bags may be placed in drums for staging and transportation to the disposal site.
- F. If at any time during asbestos removal, should the Project Monitor suspect contamination of areas outside the Work Area, the Contractor shall stop all abatement work and take steps to decontaminate these areas and eliminate causes of such contamination. Unprotected individuals shall be prohibited from entering contaminated areas until air sampling and visual inspections determine decontamination.
- G. Containerize asbestos-containing waste material removed daily. Do not allow ACM to remain on the ground overnight.

3.7 ALTERNATIVE WORK PRACTICE (AWP) PROCEDURES

- A. The procedures described in this specification are to be utilized as the basis for bidding this project.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- B. Alternative procedures require written letters of approval from the following parties:

1. Department of Public Health – Asbestos Program

The Contractor may not conduct asbestos removal utilizing the Alternative Work Practice until the written Alternative Work Practice approval letter from the Department of Public Health is on the job site. Alternative Work Practice approvals shall be secured prior to implementation.

- C. Allow 21 calendar days for the processing of written requests for Alternate Work Practices by the Owner and associated review parties. Alternate Work Practices may not be utilized without Owner approval.
- D. Written requests for Alternate Work Practices must be accompanied by a written itemized credit proposal to the Owner detailing the labor and material costs that will be credited to the Contract if the Alternate Work Practice is approved. Written requests for Alternate Work Practices must be accompanied by a written assessment of the schedule impact of utilizing the proposed Alternate Work Practice.
- E. The Town of West Hartford reserves the right to reject any proposed Alternative Work Practice without cause.
- F. The Contractor shall be responsible for all fees associated with filing Alternative Work Practice (AWP) applications. Submission of AWP applications requires a Connecticut DPH Asbestos Project Designer license. The Contractor is responsible for retaining a licensed Asbestos Project Designer to prepare the Alternate Work Practice. The licensed Asbestos Project Designer that prepares the Alternate Work Practice may not be an employee of the Contractor or an employee of a Subcontractor under contract with the Contractor.
- G. Submit written requests for Alternate Work Practices to the Owner.

3.8 CLEAN-UP PROCEDURE

- A. Remove and containerize all visible accumulations of asbestos-containing and/or asbestos-contaminated debris which may have splattered or collected on the polyethylene wall covering.
- B. Remove contamination from the exteriors of the negative air machines, scaffolding, ladders, extension cords, hoses and other equipment inside the Work Area. Cleaning may be accomplished by brushing, HEPA vacuuming and/or wet cleaning.
- C. The Project Monitor shall conduct a thorough visual inspection utilizing a high-intensity flashlight, with the containment barriers in place, to detect visible accumulations of dust or bulk asbestos-containing materials remaining in the Work Area. Should dust, debris or residue be detected, the Contractor shall repeat the cleaning, at the Contractor's expense, until the area is in compliance. The visual inspection will detect incomplete work, damage caused by the abatement activity, and inadequate clean-up of the work site.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- D. Once the area has been recleaned, any equipment, tools or materials not required for completion of the work, shall be removed from the Work Area. Negative air filtration devices shall remain in place and operating for the remainder of the clean-up operation.
- E. Apply a lock-down encapsulant to all surfaces within the Work Area from which asbestos has been removed and the cleaned inner layer of polyethylene.
- F. Air sampling for reoccupancy clearance shall be undertaken using aggressive sampling techniques. Analysis of clearance samples shall follow State of Connecticut Regulations, Section 19a-332a-12. Areas which do not comply shall continue to be cleaned by and at the Contractors expense, until the specified Standard of Cleaning is achieved as evidenced by results of air testing. When the Work Area passes the reoccupancy clearance, controls established by this specification may be removed.
- G. Remove all remaining polyethylene, including critical barriers, and Decontamination Enclosure Systems leaving negative air filtration devices in operation. Dispose of poly sheeting as asbestos-contaminated waste. HEPA vacuum and/or wet wipe any visible residue which is uncovered during this process.

3.9 REINSTALLATION OF DISPLACED EQUIPMENT

- A. After reoccupancy is granted, resecure mounted items removed during the course of the work to their former positions.

3.10 DISPOSAL OF ASBESTOS

- A. Disposal of asbestos-containing and/or asbestos contaminated material shall occur at an authorized site and must be in compliance with the requirements of, and authorized by the Office of Solid Waste Management, Department of Energy and Environmental Protection, State of Connecticut, or other designated agency having jurisdiction over solid waste disposal.
- B. Disposal approval shall be obtained prior to commencement of asbestos removal.
- C. Warning signs must be attached to vehicles used to transport asbestos-containing waste. Warning signs shall be posted during loading and unloading of disposal containers. The signs must be posted so that they are plainly visible.
- D. Waste removal dumpsters and cargo areas of transport vehicles shall be lined with a layer of six (6) mil polyethylene sheeting to prevent contamination from leaking or spilled containers. Floor sheeting shall be installed first, and shall be extended up sidewalls 12-inches. Wall sheeting shall overlap floor sheeting 24-inches and shall be taped into place. Keep dumpsters locked when not in use.
- E. Contractor is responsible for signing the asbestos waste shipment record as generator prior to each asbestos waste dumpster leaving site and giving a copy of the signed waste shipment record to the Owner. The completed waste shipment record with landfill sign-offs shall be forwarded to the Owner within 35 days of the shipment leaving the site.

3.11 CONTRACTOR RESPONSIBILITY

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- A. Conduct air sampling, as necessary, to assure that workers are using appropriate respiratory protection in accordance with OSHA Standard 1926.1101. Documentation of air sampling results must be recorded at the work site within twenty-four (24) hours of receipt of results, and shall be available for review until the job is complete.

3.12 AIR SAMPLING SCHEDULE

- A. At a minimum, air sampling by the Project Monitor will be conducted in accordance with the following schedule:

Abatement Activity	Pre- Abatement	During Abatement	Post- Abatement
Greater than 160 s.f. or 260 l.f.	PCM	PCM	TEM
Equal to or less than 160 s.f. or 260 l.f.	PCM	PCM	PCM

- B. Frequency and duration of the air sampling during abatement will be representative of the actual conditions during the abatement. The size of the asbestos project will be a factor in the number of samples required to monitor the abatement activities. In addition to OSHA compliance monitoring (personal sampling accomplished by the Contractor) the following minimum schedule of samples will be required:

1. Background Samples:
 - a) Outside of building - 2.
 - b) Adjacent Area(s) inside building - 2.
 - c) Work Area - 3 or if areas are separated (such as rooms) at least one (1) sample per area equalling a minimum of three (3).
2. During Abatement:
 - a) Outside of building at the exhaust of air filtering device - 2 per shift.
 - b) Work Area - 2 per shift.
 - c) Adjacent area inside building - 2 per shift.
 - d) Outside of the Equipment Decontamination Enclosure System - 1 during removal of ACM waste.
3. Post-Abatement:

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- a) Work Area - At least five (5) per homogenous work site or one (1) per room, whichever is greater.

C. Post-abatement clearance air monitoring requirements are as follows:

1. Air sampling will not begin until at least 12 hours after wet cleaning has been completed and no visible water or condensation remain.
2. Sampling equipment will be placed at random around the Work Area.
3. The following aggressive air sampling procedures will be used within the Work Area during all air clearance monitoring:
 - a) Before starting the sampling pumps, direct the exhaust from forced air equipment (such as a 1 horsepower leaf blower) against all walls, ceilings, floors, ledges and other surfaces in the Work Area. This should take at least 5 minutes per 1000 SF of floor area.
 - b) Place a 20-inch fan in the center of the room. (Use one fan per 10,000 cubic feet of room space.) Place the fan on slow speed and point it toward the ceiling.
 - c) Start the sampling pumps and sample for the required time.
 - d) Turn off the pump and then the fan(s) when sampling is complete.
4. Air volumes taken for clearance sampling shall be sufficient to accurately determine (to a 95 percent probability) fiber concentrations to 0.010 f/cc of air.
5. The clearance criteria for work areas cleared by PCM (Phase Contrast Microscopy) is that all 5 clearance samples must register less than or equal to 0.010 f/cc of air.
6. Each homogeneous Work Area which does not meet the clearance criteria shall be thoroughly recleaned using HEPA vacuuming and/or wet cleaning, with the negative pressure ventilation system in operation. New samples shall be collected in the Work Area as described above. The process shall be repeated until the Work Area passes the test, with the cost of repeat sampling being borne entirely by the Contractor.
7. For an asbestos abatement project with more than one homogeneous Work Area, the release criterion shall be applied independently to each Work Area.

3.13 ACTION CRITERIA

- A. If air samples collected outside of the Work Area during abatement activities indicate airborne fiber concentrations greater than original background levels or greater than 0.010 f/cc, as determined by Phase Contrast Microscopy, whichever is larger, an examination of the Work Area perimeter shall be conducted and the integrity of barriers shall be restored. Cleanup of surfaces outside the Work Area using HEPA

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

vacuum equipment or wet cleaning techniques shall be done prior to resuming
abatement activities.

END OF SECTION 028216

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

SECTION 096500 - RESILIENT FLOORING

1.1 SCOPE

- A. The Contractor shall supply all labor, materials, equipment, services, insurance, and incidentals which are necessary or required to perform the work in accordance with applicable government regulations and these specifications.
- B. FLOORING WORK
 - 1. Contractor shall supply and install new 16" vinyl composition floor tile in the vestibules shown on Drawings DA1, DA3, and DA4 at Sedgwick Middle School and Webster Hill Elementary School.
 - 2. Contractor shall supply and install feathered skim coat portland cement based leveler on 100% of the concrete floors in the vestibules receiving new floor tile in preparation for new flooring installation.

1.3 REFERENCES

- A. The following documents apply to the work of this Section:
 - 1. American Society for Testing Materials (ASTM):
 - E84 Surface Burning Characteristics of Building Materials
 - E648 Standard Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source
 - F1066 Vinyl Composition Floor Tile
 - 2. National Fire Protection Association (NFPA):
 - 258 Standard Research Test Method for Determining Smoke Generation of Solid Materials
 - 3. Federal Specifications (FS):
 - SS-T-312B Tile, Floor: Asphalt, Rubber Vinyl, Vinyl Composition

1.4 SUBMITTALS

**Vinyl Composition Flooring
096500 - 1**

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- A. Manufacturer's Data: Submit manufacturer's product data and installation instructions.
- B. Samples: Submit samples of the type, color, and pattern of resilient flooring, stair treads, and wall base including accessories, required, indicating full range of color and pattern variation. Provide 2-1/2" long sections of resilient flooring and accessories.
 - 1. For initial selection of colors and patterns, submit prior to above, samples in form of actual sections of resilient flooring, including accessories, showing full range of colors and patterns available, for the type of resilient floor covering required.
- C. Maintenance Instructions: Submit two copies of manufacturer's recommended maintenance practices for the type of resilient flooring and accessory required.
- D. Asbestos Content: Submit copies of laboratory results or SDS certifying that resilient flooring materials contains less than 1% asbestos when analyzed by Transmission Electron Microscopy.

1.5 ENVIRONMENTAL REQUIREMENTS

- A. Maintain minimum temperature of 65° F in spaces to receive resilient flooring for at least 48 hours prior to installation, during installation, and for not less than 48 hours after installation. Store resilient flooring materials in spaces where they will be installed for at least 48 hours before beginning installation. Subsequently, maintain minimum temperature 55° F in areas where work is completed.
- B. Install resilient flooring and accessories after other finishing operations have been completed. Do not install resilient flooring over leveling compounds until the latter have been cured and are sufficiently dry to achieve bond with adhesive as determined by manufacturer's recommended bond and moisture test.

PART 2 - PRODUCTS

2.1 GENERAL

- A. Manufacturer: Provide the type of resilient flooring, and accessories as produced by a single manufacturer, including recommended primers, adhesives, sealants, and leveling compounds.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

- B. Fire Resistance: Provide resilient flooring and accessories having the following classifications or properties when tested in accordance with the standard fire tests referenced below:

1. Critical Radiant Flux: Rating of not less than 0.45 watts per sq. cm. per ASTM E648.
2. Flame Spread: Not more than 75 as per ASTM E84.
3. Smoke Developed: Not more than 450 as per ASTM E84.
4. Smoke Density: Not more than 450 as per NFPA 258.

2.2 MATERIALS – SOLID VINYL TILE FLOORING

- A. Colors and Patterns:
Owner selected.
- B. Manufacturer:
Johnsonite, Inc., 1691 Munn Road, Chagrin Falls, Ohio 44023; telephone 800-899-8916 or 440-543-8916; fax 440-543-8920.
- C. Resilient Solid Vinyl Tile Flooring
CORTINA GRANDE- Resilient Solid Vinyl Tile Flooring with the following physical characteristics:
1. Complies with requirements for ASTM F 1700, Class 1, Type A (Type B for slip resistant tile) Standard Specification for Solid Vinyl Floor Tile.
 2. Cortina Grande available as slip resistant tile with an embossed surface.
 3. Wear layer/Overall thickness: 1/8" (3.2 mm).
 4. Tile size: 16" x 16" (40.6 x 40.6 cm).
See Karim Shapes for additional sizes and shapes. Karim Shapes (Node, Tide, Tri, and Hive) are available in Cortina Grande, Karim Kolors.
 5. Slip Resistance: ADA Compliant.
 6. ASTM F 970, Standard Test Method for Static Load Limit – 800 PSI (modified for higher load).
 7. ASTM E 648, Standard Test method for Critical Radiant Flux of 0.45 watts/cm² or greater, Class I.
 8. Warranty: 10 year Manufacture's Warranty.
 9. Cortina Grande and Karim Kolors may be installed with SpraySmart

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

System.

D. Accessories:

1. Primers and Adhesives: Waterproof, stabilized type as recommended by flooring manufacturer to suit material and substrate conditions.
2. Leveling Compound: Latex-modified portland cement type. 3600 psi minimum compressive strength after 28 days(ASTM C-109-mod). Trowelable.
3. Caulk: Silicone caulking.

PART 3 - EXECUTION

3.1 PREPARATION

- A. Prepare concrete slab in accordance with the instructions and recommendations of the resilient flooring manufacturer.
- B. Perform alkalinity, moisture, and adhesion testing recommended by manufacturer. Proceed with installation only after substrates pass testing.
- C. Broom clean or vacuum surfaces to be covered, and inspect subfloor. Start of flooring installation indicates acceptance of subfloor conditions and full responsibility for completed work. Patching and floor preparation of any kind is part of this bid.
- D. Coat all concrete floor sections in the vestibule work areas with a feathered skim coat of portland cement based leveling compound.

3.2 INSTALLATION

A. General:

1. Install flooring using standard methods indicated in strict compliance with manufacturer's recommendations. Extend flooring into door reveals and similar openings.
2. Tightly cement flooring to subbase without open cracks, voids, raising and puckering at joints, telegraphing of adhesive spreader marks, or other surface imperfections. Hand roll flooring at perimeter of each covered area to assure

**Vinyl Composition Flooring
096500 - 4**

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

adhesion.

3. Do not use open flames to heat tile or clean tools within the building.

B. Tile Floors:

1. Lay tile from center marks established with principal walls, discounting minor offsets, so that tile at opposite edges of room area are of equal width. Adjust as necessary to avoid use of cut widths less than 1/2 tile at room perimeters. Lay tile square to room axis unless indicated otherwise.
2. Mix tile from container to ensure consistency of shade variations.
3. Cut tile neatly around all fixtures. Broken, cracked, chipped, or deformed tiles are not acceptable. Lay tile with grain running in basketweave pattern.
4. Adhere tile flooring to substrates using full spread of adhesive applied in compliance with flooring manufacturer's directions.

3.3 CLEANING AND PROTECTION

- A. Remove any excess adhesive or other surface blemishes, using neutral type cleaners as recommended by flooring manufacturer. Protect installed flooring with heavy Kraft paper or other covering.
- B. Clean excess adhesive and leveling compound from walls, base, door frames, thresholds, etc.
- C. After completion of project and just prior to final inspection of work, thoroughly clean floors and accessories.
- D. Apply polish and buff, with type of polish, number of coats, and buffing procedures in compliance with flooring manufacturer's instructions and as approved by the Owner's maintenance staff.

3.4 EXTRA STOCK

- A. Provide Owner with 2 boxes of 16" main field vinyl composition floor tile as extra stock.

**DOOR REPLACEMENT
SEDGWICK, WEBSTER HILL, & CONARD SCHOOLS
WEST HARTFORD, CONNECTICUT**

END OF SECTION 09650